


**GENERAL
CHEMISTRY
1 & 2**

MARTIN S. SILBERBERG

340
Si 582
2014



Title: General Chemistry 1 & 2

Contents

1. The Nature of Matter	1
2. The Structure of Matter	10
3. Kinematics	25
4. Dynamics	45
5. Work and Energy	65
6. Thermodynamics	85
7. Kinetics	105
8. Equilibrium	125
9. Electrochemistry	145
10. Nuclear Chemistry	165
11. Atomic Structure	185
12. Periodic Table	205
13. Bonding	225
14. Molecular Structure	245
15. Gases	265
16. Liquids and Solids	285
17. Solutions	305
18. Acids and Bases	325
19. Oxidation-Reduction	345
20. Organic Chemistry	365
21. Polymers	385
22. Environmental Chemistry	405
23. Biochemistry	425
24. Analytical Chemistry	445
25. Instrumental Analysis	465
26. Quality Control	485
27. Forensic Chemistry	505
28. Environmental Monitoring	525
29. Nanotechnology	545
30. Materials Science	565
31. Food Chemistry	585
32. Textile Chemistry	605
33. Paper Chemistry	625
34. Environmental Remediation	645
35. Green Chemistry	665
36. Sustainable Development	685
37. Energy	705
38. Environmental Policy	725
39. Environmental Law	745



McGraw Hill Education
create™

Contents

Credits

1. Keys to the Study of Chemistry 2
2. The Components of Matter 32
3. Stoichiometry of Formulas and Equations 71
4. Gases and the Kinetic-Molecular Theory 116
5. Thermochemistry: Energy Flow and Chemical Change 156
6. Quantum Theory and Atomic Structure 184
7. Electron Configuration and Chemical Periodicity 213
8. Models of Chemical Bonding 244
9. The Shapes of Molecules 271
10. Theories of Covalent Bonding 297
11. Intermolecular Forces: Liquids, Solids, and Phase Changes 319
12. The Properties of Solutions 360
13. Organic Compounds and the Atomic Properties of Carbon 394
14. Kinetics: Rates and Mechanisms of Chemical Reactions 433
15. Equilibrium: The Extent of Chemical Reactions 477
16. Acid-Base Equilibria 514
17. Ionic Equilibria in Aqueous Systems 552
18. Thermodynamics: Entropy, Free Energy, and the Direction of Chemical Reactions 588
19. Electrochemistry: Chemical Change and Electrical Work 623
20. Transition Elements and Their Coordination Compounds 672
21. Nuclear Reactions and Their Applications 699
22. Appendix: Common Mathematical Operations in Chemistry 733
23. Appendix: Standard Thermodynamic Values for Selected Substances 737
24. Appendix: Equilibrium Constants for Selected Substances 740
25. Appendix: Standard Electrode (Half-Cell) Potentials 747
26. Index 749
27. Endsheets 779

Index

Page numbers followed by *f* indicate figures; *n*, footnotes; and *t*, tables

A

Absolute temperature scale, 18, 155
 Absolute zero, 18, 155
 Absorption spectrum, 228, 228f
 Accuracy, in measurement, 24, 24f
 Acetaldehyde
 boiling point, 364, 364f
 dipole moment, 364, 364f
 molecular structure, 475c, 479f
 Acetaminophen, molecular structure, 482f
 Acetate ion, 56c, 619–622, 619c, 623f
 Acetic acid
 boiling point elevation constant, 411f
 dissociation of, 127–128, 129–130, 619–622, 619c, 623f
 freezing point depression constant, 411f
 K_a , 582
 molecular structure, 475c
 Acetone
 bonds and orbitals, 337
 molecular shape, 320
 molecular structure, 475c, 479f
 Acetonitrile
 boiling point, 364f
 dipole moment, 364f
 molecular structure, 475c
 Acetylene, 167, 335, 336, 336c, 337f, 475c
 Acid(s)
 acidic solutions, balancing redox reactions in, 689–690
 Arrhenius acids, 580–581
 Bismsted-Lowry acids, 588–592
 buffers, 618–626
 concentration, finding from titration, 131
 conjugate acid-base pairs, 589–592, 590c, 591f, 600–601, 619, 625
 defined, 126, 580, 588
 displacement of hydrogen from, 137, 138f
 dissociation, 126–127, 580–583, 581f, 597, 599–600, 619–622, 619c
 equilibria (see Acid-base equilibria)
 indicators, 130–131, 131f, 588, 588f, 627, 627f
 Lewis acids, 607–609, 645
 naming, 57–58
 pH (see pH)
 polyprotic, 597, 605
 strength (see Acid strength)
 strong acids, 126–129, 126c, 126e, 130c, 581–583, 581f, 590–591, 591f, 604, 606c, 627–629, 632–633
 structural features, 127
 titrations, 130–131, 131f, 626–633
 in water, 580–582, 581f
 weak acids, 126–130, 126c, 126e, 581f, 582, 583, 590–591, 591f, 604–605, 606c, 629–632
 weak bases and, 597–601
 weak-acid equilibrium, 593–597
 Acid anhydride, 480
 Acid rain, 548, 641–643, 642f

Acid strength

acid-dissociation constant and, 581–582
 classifying, 583
 conjugate acid-base pairs, 591, 591f
 direction of reaction and, 590–592, 591f
 hydrated metal ions, 602–603, 603f
 molecular properties and, 601–603
 of nonmetal hydrides, 601–602, 602f
 of oxoacids, 602, 602f
 strong acids, 126–129, 126c, 126e, 130c, 581–583, 581f, 590–591, 591f, 604, 606c, 627–629, 632–633
 weak acids, 126–130, 126c, 126e, 581f, 582, 583, 590–591, 591f, 604–605, 606c, 629–632
 Acid-base behavior, of element oxides, 265–266, 266f
 Acid-base buffer systems, 618–626, 618f
 buffer capacity, 623–624, 623f
 buffer range, 624
 common-ion effect, 618–622
 conjugate base pair, 619, 625
 described, 618–622
 Henderson-Hasselbalch equation, 622–623
 molecular scene, 624–625
 preparing, 625–626
 Acid-base equilibria, 579–609
 acid-base indicators, 588, 588f, 627, 627f
 acid-dissociation constant (K_a), 581–582, 593–597, 600–601
 weak bases and weak acids, 599–600
 weak-acid equilibrium problem solving, 593–597
 autoionization of water, 584–585, 585f
 base-dissociation constant (K_b), 598–601
 Bronsted-Lowry acid-base definition, 588–592, 607
 conjugate acid-base pairs, 589–592, 590c, 591f, 600–601, 619, 625
 hydrated metal ions, 602–603, 603f
 hydronium ion, 580–582, 580c, 581f, 585–588, 586f–588f
 ion-product constant for water (K_w), 584–587
 Lewis acid-base definition, 607–609, 645
 pH, 585–588, 586f–588f
 polyprotic acids, 597, 605
 salt solutions, 603–606
 of amphiprotic anions, 605, 606c
 of weakly acidic cations and weakly basic anions, 605, 606c
 yielding acidic solutions, 604, 606c
 yielding basic solutions, 604–605, 606c
 yielding neutral solutions, 604, 606c
 variation in acid strength, 580–583, 581f / w_e : acid equilibrium problem solving, 593–597
 acid-dissociation constant (K_a), 593–597
 concentrations, 593–596
 notation system, 593
 polyprotic acids, 597
 Acid-base indicator
 acid-base titration, 130–131, 131f, 627, 627f
 color and pH range of common, 627f
 defined, 130, 588, 626
 pH paper, 588, 588f

Acid-base (neutralization) reactions, 125–131
 acid-base indicator, 130–131, 131f
 acid-base titrations, 130–131, 131f, 626–633
 acids, 125–128, 126c, 129–130
 bases, 125–128, 126c, 129–130
 defined, 126
 of element oxides, 266
 end point, 130
 equations, 128–130
 equivalence point, 130
 key event, 128
 proton transfer, 129–130, 130f
 relative acid-base strength and the net direction of reaction, 590–592, 591f
 salt formation, 128, 130f
 strong acid with strong base, 129, 130f
 titrations, 130–131, 131f
 water formation, 128–129
 Acid-base titration, 130–131, 131f
 Acid-base titration curves
 acid-base indicators, 627, 627f
 defined, 626
 end point, 628
 equivalence point, 628–632
 strong acid–strong base, 627–629, 628f
 weak acid–strong base, 629–632, 630f
 weak base–strong acid, 632–633, 633f
 Acid-dissociation constant (K_a)
 defined, 582
 meaning of, 582
 relation with K_b in conjugate pair, 600–601
 relation with pK_a , 586c
 weak acid equilibrium problem solving, 593–597
 Acidic solutions, balancing redox reactions in, 689–690
 Acid-ionization constant. See Acid-dissociation constant (K_a)
 Acrylonitrile, 437f
 Actinides
 defined, 256
 electron configuration, 253f, 256
 in periodic table, 47, 48f
 Actinium, 256
 Activated complex, 522
 Activation analysis, 781
 Activation energy (E_a), 520–525, 520f, 521c, 523f, 524f, 531, 531f, 533
 Active metal
 displacing hydrogen from water, 138, 138f
 production by electrolysis, 137
 reactivity, 704
 Active site, enzyme, 533
 Activity (*a*), 772
 Activity series of the halogens, 139
 Activity series of the metals, 137–139, 139f, 704–705
 Actual yield, 97
 Addition, significant figures and, 22–23
 Addition polymers, 484, 485f
 Addition reaction
 alkenes, 478
 carbonyl compounds, 479
 described, 473–474

- Adduct**, 607–609
- Adenine**, 477f, 491
- Adenosine triphosphate**. *See* ATP
- Adhesive forces**, 370, 370f
- Air pollution**
- acid rain, 641–643, 642f
 - chlorofluorocarbons (CFCs), 533–534
- al** (suffix), 475f, 479
- Alanine**, isomers of, 468, 468f, 469
- Alcohols**
- defined, 476
 - functional group, 475f, 476, 476f
 - reactions of, 476, 478
 - solubility, 394–396, 394f, 395f
- Aldehydes**, 475f, 479, 479f
- Alizarin**, 627f
- Alkali metals**, 427–430
- alkaline earth metals compared, 430
 - anomalous behavior of lithium, 429–430
 - electron configuration, 252, 427, 428, 429
 - first ionization energy, 261
 - halogens compared, 448
 - important reactions, 428
 - ion formation, 51
 - melting point, 382
 - properties, 427–429, 429f
 - reactivity, 427, 429
- Alkaline battery**, 713, 713f
- Alkaline earth metals**, 430–432
- alkali metals compared, 430
 - anomalous behavior of beryllium, 429
 - diagonal relationships, 432, 432f
 - electron configuration, 430, 431
 - important reactions, 431
 - ion formation, 51
 - melting point, 382
 - properties, 430–432
- Alkanes**
- chiral molecules, 468–469, 468f
 - cycloalkanes, 466, 466f
 - defined, 59, 464
 - depicting with formulas and models, 465–466, 466f
 - general formula, 464
 - haloalkanes, 476–477
 - homologous series, 464
 - isomers
 - constitutional, 467, 467f
 - optical, 468–469, 468f
 - naming, 59, 59f, 465, 465f, 471
 - properties, 467–468, 468f
 - saturated hydrocarbons, 464
 - straight-chain, 59
- Alkenes**
- defined, 469
 - functional group, 475f, 476–479
 - general formula, 469
 - isomerism, 469–470, 470f
 - naming, 469, 471
 - unsaturated hydrocarbons, 469
- Alkyl group**, 472–473
- Alkyl halides**, 476–477, 478
- Alkynes**, 470, 471, 475f, 482
- Allotropes**
- carbon, 434, 434f, 436, 436f
 - defined, 434
 - entropy and, 663
 - oxygen, 446
 - phosphorus, 439, 439f
- aluminum**, 446
- standard state, 205
 - sulfur, 446
- Alloys**, 396
- Alpha (α) decay**, 765, 766f
- Alpha (α) particles**
- behavior in electric field, 765, 765f
 - de Broglie wavelength, 230f
 - decay process, 765, 766f
 - defined, 765
 - penetrating power, 779, 779f
 - Rutherford's scattering experiment, 41–42, 41f
- Aluminosilicates**, 642
- Aluminum**
- acid strength of hydrated ion, 603, 603f
 - anode, 718–719
 - atomic size, 259
 - bauxite as source of, 202
 - bond type, 434f
 - in combination redox reactions, 136
 - density, 17f
 - diagonal relationship with beryllium, 432, 432f
 - diffraction pattern, 230, 230f
 - in displacement reactions, 138
 - electron configuration, 252, 252f, 253f
 - ion formation, 51
 - ionization energy, 261
 - isolation, 725–726, 726f
 - melting point, 434f
 - properties, 265, 432–433
 - specific heat capacity, 198f
 - thermite reaction, 93
- Aluminum chloride**, 296, 297f, 432f, 608, 661, 662
- Aluminum hydroxide**, 635f
- Aluminum ion**, 51, 54f
- Aluminum oxide**, 266, 433
- amide** (suffix), 475f, 481
- Amides**, 475f, 480, 481, 482f, 488
- amine** (suffix), 475f, 477
- Amines**
- defined, 477
 - functional group, 475f, 477–478, 477f
 - reactions of, 478
 - types of, 477, 477f
 - as weak bases, 583, 598–599, 598f
- Amino acids**, 487–490, 487f. *See also* Proteins
- Ammonia**
- as base, 126, 128
 - complex ion formation, 643–645, 644f
 - formation, 427, 441, 664, 666
 - hybrid orbitals, 332, 332f
 - in Lewis base, 608
 - molecular shape, 315
 - oxidation of, 207
 - polarity, 322
 - proton transfer, 589, 589f
 - synthesis of, 570–571, 571f, 571f
 - titration of, 632–633, 633f
 - as weak base, 583, 598
- Ammonium carbonate**, 77
- Ammonium cyanide**, 605
- Ammonium ion**, 56f, 315, 589, 589f, 598
- Ammonium nitrate**, 399, 399f, 400, 655
- Ammonium perchlorate**, 451
- Ammonium sulfate**, 119
- Amont's law**, 155
- Amorphous solids**, 373
- Amount**, unit of measurement, 14f
- Amount-mass-number relationships**
- between amount and mass, 74
 - between amount and number, 74
 - in chemical equations/reactions, 91–93, 91f
 - involving compounds, 76–77, 76f
 - involving elements, 74–76, 74f
 - in solution, 100, 100f
- Ampere (A)** (unit), 14f, 726
- Amphiprotic anions**, salts of, 605
- Amphibiotic**
- defined, 265
 - nature of water, 589
- Amplitude**, wave, 218, 218f, 221
- Analysis**. *See* Chemical analysis
- ane** (suffix), 59
- Angstrom (Å)** (unit), 14, 217
- Angular momentum quantum number (l)**, 234f, 235, 247f, 249f
- Anionic ligands**, 746, 746f
- Anion**
- acid names and, 57–58
 - common, 54f, 56f
 - complex, 745–746, 746f
 - defined, 49
 - ionic radius, 270, 270f
 - main-group, 266–268
 - naming, 53
 - salts of amphiprotic anions, 605, 606f
 - salts of weakly acidic cations and weakly basic anions, 605, 606f
 - of weak acids as weak bases, 599–600
- Anode**
- battery, 713–716, 713–716f
 - defined, 692
 - sacrificial, 718–719, 719f
- Anode half-cell**, 695, 711
- Antacid**, 103, 437
- Antibonding MO**, 339–345, 339f
- Antimony**
- bond type, 434f
 - melting point, 434f
 - properties, 265, 439–441
- Antiparticles**, 767
- Aqueous equilibria**
- acid rain and, 641–643, 642f
 - acid-base buffer systems, 618–626
 - acid-base titration curves, 626–633
 - complex ions, 643–646
 - slightly soluble ionic compounds, 633–643
- Aqueous ionic reactions**
- acid-base (see Acid-base (neutralization) reactions)
 - molecular equations, 120, 121f
 - net ionic equation, 120, 121f
 - precipitation reactions, 122–123, 122f, 123f, 123f
 - spectator ions, 120, 121f
 - total ionic equation, 120, 121f
- Aqueous solutions**
- chemical equation, specifying state in, 86–87
 - defined, 61
 - determining moles of ions in, 118–119, 127
 - electrolysis of, 722–724, 723f
 - of salts, 603–606
 - standard state, 205
- Arginine**, structure of, 487f

- Argon**
cubic closest packing, 379, 379f
electron configuration, 252, 252f, 253f
properties, 452, 453
- Aristotle**, 33
- Arithmetic operations**
significant figures and, 22–23
units in, 10
- Aromatic hydrocarbons**, 471–472
- Arrhenius, Svante**, 519
- Arrhenius acid–base definition**, 580–581
- Arrhenius acids**, 580–581
- Arrhenius bases**, 580–581, 597
- Arrhenius equation**, 519–522
- Arsenic**
bond type, 434f
electron configuration, 254f
melting point, 434f
properties, 265, 439–441
- Asbestos**, 438
- Asbestos diaphragm**, 723, 723f
- Asparagine, structure of**, 487f
- Aspartic acid, structure of**, 487f
- Astafine**, 448, 449
- ate (suffix)**, 56, 56f, 57, 746
- Atmosphere**
Earth
ozone, stratospheric, 304, 446, 533–534
ozone depletion, 304, 533–534
temperature, 207–208, 208f
pollution (see Air pollution)
- Atmosphere (atm) (unit)**, 151–152, 152r
- Atmospheric pressure**
boiling point and, 360
effect of, 150, 151f
measurement, 150–151, 151f
units of measurement, 151–152, 152r
- Atom**
defined, 38
depiction, 44f
energy, 220, 224–227, 225f, 232
history of concept, 33
nucleus (see Nucleus)
structure (see Atomic structure)
- Atomic clock**, 20
- Atomic mass**, 44–46
calculating, 45–46
defined, 45
mass spectrometry and, 44–46, 45f
mole concept and, 73
periodic table and, 73, 73a
periodic table arrangement by, 47, 48f
relative, 44, 73, 73a
- Atomic mass unit (amu)**, 44, 73
- Atomic nucleus**. See Nucleus
- Atomic number (Z)**
atom notation and, 44, 44f, 47
defined, 43
periodic table organization and, 47, 48f, 246
- Atomic orbital**, 232–240
aufbau principle, 240
d orbital, 238–239, 239f, 752–753, 753f
defined, 232
f orbital, 239, 239f
filling order, 249–256, 249f, 255f
g orbital, 239
hybrid orbital, 329–335
molecular orbital (see Molecular orbital (MO))
overlap (see Orbital overlap)
- p* orbital, 238, 238f, 341–342
Pauli exclusion principle, 247, 250, 329
quantum numbers, 234–236, 234r
s orbital, 237–238, 237f
shapes, 237–239, 237f–239f, 248
- Atomic properties**. See also *specific properties*
alkali metals, 428
alkaline earth metals, 431
atomic size (see Atomic size)
boron family elements, 433
carbon family elements, 435
chemical bonds and, 277–280, 277f
chemical reactivity and, 265–271
electron configuration (see Electron configuration)
electronegativity (see Electronegativity (EN))
halogen family elements, 449
ionization energy (see Ionization energy (IE))
nitrogen family elements, 440
noble gases, 453
oxygen family elements, 445
Period 2 elements, 429
periodic trends
atomic radius, 258–260, 260f
electron affinity, 263–264, 264f
ionization energy, 260–263, 261f, 262f, 263f
metallic behavior, 265–266, 265f
transition elements, 739–741, 739f, 740f
- Atomic radius**
alkali metals, 428
alkaline earth metals, 430, 431
boron family elements, 432, 433
carbon family elements, 435
determining from unit cell, 378, 378f
entropy and, 662
halogen family elements, 449
ionic size compared, 269–270, 270f
main-group elements, 258, 259f, 260f
nitrogen family elements, 440
noble gases, 453
oxygen family elements, 445
Period 2 elements, 429
periodic trends, 258–260, 260f
transition elements, 258–259, 259f, 260f, 739f, 740f, 740f
- Atomic size**, 277f. See also Atomic radius
covalent radius, 362, 362f
defined, 258
electronegativity and, 294
entropy and, 662
ionic size compared, 269–270, 270f
main-group elements, 258, 259f, 260f
periodic trends, 258–260, 260f
transition elements, 258–259, 259f, 260f, 739–740, 739f, 740f
- Atomic solids**, 379, 379f, 379r
- Atomic spectra**, 223–228
Bohr model of the hydrogen atom,
224–226, 225f
energy states of the hydrogen atom, 226–227
excited state, 224
ground state, 224
line spectrum, 223–224, 223f–225f
quantum staircase, 225f
Rydberg equation, 223–224
stationary state, 224
- Atomic structure**. See also Electron (e^-); Neutron (n^0); Proton (p^+)
Bohr model, 224–226, 225f
general features, 42–43, 43f, 43r
- many-electron atoms, 246–249
quantum-mechanical model, 232–240, 249–257
Atomic symbol, 43–44, 44f, 47
- Atomic theory**
atomic nucleus, discovery of, 41–42
Dalton's theory, 37–39
electron, discovery of, 39–41
history, 33, 37
law of definite composition, 36, 36f, 38, 39
law of mass conservation, 35–36, 38, 39
many-electron atoms, 246–249
matter, atomic view of, 35–39
Millikan's oil drop experiment, 40–41, 40f
modern theory, 42–47
nuclear atom model, 39–42
relative atomic masses of atoms, 44
Rutherford's scattering experiment, 41–42, 41f
- Atomic wave functions**, 338, 338f
- Atomic weight**, 45. See also Atomic mass
Atomic-scale properties, 6
- ATP (adenosine triphosphate)**, 675, 675f
- Aufbau principle**, 240, 339
- Autoionization**, 584–585, 585f, 629
- Average reaction rate**, 501, 502, 502f
- Avogadro, Amedeo**, 72
- Avogadro's law**
breathing and, 156
defined, 156
gas density and, 163
kinetic molecular theory, 170
molecular view of, 172, 173f
- Avogadro's number**
in amount–mass–number relationships, 74–77,
74f, 76f, 91, 91f
Boltzmann constant and, 657
chemical reactions, 85, 85f
defined, 72
- Axial group**, VSEPR theory, 316
- B**
- Background radiation**, 779–780
- Bacterium**, approximate composition of, 392r
- Balanced equations**
information in, 90, 90r
from molecular scene, 88–89
nuclear equations, 768
process of balancing, 86–89
reaction quotient and, 546–547
redox reaction, 689–691
states of matter, 86–87
stoichiometrically equivalent molar ratios,
89–93
using gas laws to determine, 161–162
- Balancing coefficient**, 86
- Ball-and-stick model**, 61, 465, 466f
- Band of stability**, 768–769
- Band theory**, 383–384, 383f, 384f
- Bar (unit)**, 151, 152r
- Barite**, 373f
- Barium**
ionic compounds, 265
properties, 265, 430–431
- Barium hydroxide**, 128
- Barium ion**, 54r
- Barium nitrate**, 59
- Barium sulfate**, 124–125
- Barometer**, 150–151, 151f
- Bartlett, Neil**, 452

- Base(s).** See also Acid-base equilibria; Acid-base (neutralization) reactions; Acid-base titration curves
 anions of weak acids as, 599–600
 Arrhenius base, 580–581, 597
 Brønsted-Lowry base, 588–592, 597–601
 buffers, 618–626
 conjugate acid-base pairs, 589–592, 590*r*, 591*f*, 600–601, 619, 625
 defined, 126, 580, 588, 597
 indicators, 130–131, 131*f*, 588, 588*f*, 627, 627*f*
 Lewis base, 607–609, 645
 strong, 126–129, 126*f*, 130*f*, 583, 591*f*, 604–605, 606*f*, 627–632
 structural features, 127
 titration, 130–131, 131*f*, 626–633
 in water, 580–582
 weak, 126–129, 126*f*, 583, 597–601, 604–605, 606*f*, 632–633
- Base pairs, DNA,** 491
- Base unit,** 14, 14*f*
- Base-dissociation constant (K_b)**
 of ammonia and amines, 598–599, 598*f*
 defined, 598
 pH determination from, 598–599
 relation to K_a in conjugate acid-base pair, 600–601
- Base-ionization constant.** See Base-dissociation constant (K_b)
- Basic solutions, balancing redox reactions in,** 690–691
- Battery,** 713–716
 alkaline, 713, 713*f*
 button, 714, 714*f*
 defined, 713
 flow batteries, 716
 free energy change and, 671
 fuel cells, 716, 716*f*
 lead-acid, 714–715, 714*f*
 lithium, 715, 715*f*
 mercury and silver, 714, 714*f*
 nickel-cadmium (nicad), 715
 nickel-metal hydride (Ni-MH), 715, 715*f*
 nonrechargeable batteries, 713–714, 713*f*, 714*f*
 primary batteries, 713–714, 713*f*, 714*f*
 rechargeable batteries, 714–715, 714*f*, 715*f*
 secondary batteries, 714–715, 714*f*, 715*f*
 voltages, 697*f*
- Bauxite,** 202, 725
- Becquerel (Bq) (unit),** 772
- Bent shape, VSEPR theory,** 314, 314*f*; 315–316, 315*f*, 332
- Benzaldehyde, molecular structure,** 479*f*
- Benzene**
 boiling point elevation constant, 411*r*
 freezing point depression constant, 411*f*
 resonance forms, 307
- Benzo[*a*]pyrene,** 83
- Benzoic acid, molecular structure,** 488*f*
- Beryl,** 373*f*, 438, 438*f*
- Beryllium**
 • anomalous behavior of, 429
 diagonal relationship with aluminum, 432, 432*f*
 diatomic, 341, 341*f*
 electron configuration, 250, 253*f*
 electron-deficient molecules, 310
 ionization energy, 262*f*, 263*f*
 isotopes, decay constants and half-lives of, 773
 properties, 265, 309*c*, 430–432
- Beryllium chloride**
 hybrid orbitals, 330, 331*f*
 Lewis structure, 309–310, 310*r*
 linear shape, 313
- Beta (β) decay,** 766*f*, 766*f*, 767
- Beta (β^-) particles**
 behavior in electric field, 765, 765*f*
 decay process, 766*f*, 767
 defined, 765
 penetrating power, 779, 779*f*
- Bicarbonate ion,** 56*r*
- Bidentate ligands,** 744, 745*r*
- Bimolecular reaction,** 526, 526*r*
- Binary acid, naming,** 57
- Binary covalent compound**
 defined, 58
 formula, 58
 names and formulas of, 58
 redox reactions, 136
- Binary ionic compound**
 defined, 49
 formation of, 49–50, 50*f*
 formula, determining, 54
 naming, 53–55
 oxidation number, 133
- Binding energy.** See Nuclear binding energy
- Biological macromolecules**
 amino acids, 487–490, 487*f*
 base pairs, 491
 cellulose, 486–487
 chromosomes, 491
 disaccharides, 486, 486*f*
 DNA, 490–492, 490*f*, 491*f*
 double helix, 491, 491*f*
 fibrous proteins, 489
 genetic code, 491–492
 globular protein, 489–490
 nucleic acids, 490–491, 490*f*, 491*f*
 nucleotides, 490–491, 490*f*
 peptide bond, 481, 488, 488*f*
 polysaccharides, 486–487
 proteins, 487–490, 488*f*, 489*f*
 RNA, 490
 starch, 487
 sugars, 487–488, 487*f*
- Biopolymers**
 nucleic acids, 490–492, 490*f*, 491*f*
 polysaccharides, 486–487
 proteins, 487–490, 488*f*, 489*f*
- Bis (prefix),** 746
- Bismuth**
 bond type, 434*r*
 melting point, 434*r*
 properties, 265, 439–441
- Bismuth oxide,** 266
- Bisulfate ion,** 56*r*
- Bisulfite ion,** 448
- Blackbody radiation,** 220–221, 221*n*
- Body-centered cubic unit cell,** 374, 375*f*, 376, 377*f*, 379*f*
- Bohr, Niels,** 224
- Bohr model of the hydrogen atom,** 224–226, 225*f*
- Boiling point**
 alkali metals, 428
 alkaline earth metals, 431
- alkanes, 468*f*
 atmospheric pressure and, 360
 boron family elements, 433
 carbon family elements, 435
 defined, 359
 dipole moment and, 364, 364*f*
 halogen family elements, 449
 hydrogen bonding and, 364–365, 365*f*
 ionic compounds, 283, 283*r*
 molar mass and, 367, 367*f*
 molecular shape and, 367, 367*f*
 nitrogen family elements, 440
 noble gases, 453
 oxygen family elements, 445
 phase changes, 359–360
 solubility and, 396*r*
 solution, 410–411, 410*f*, 411*f*, 412–413
 vapor pressure and, 359–360
 water, 18–19, 19*f*, 19*r*
- Boiling point elevation (ΔT_b),** 410–411, 411*f*, 411*f*, 412
- Boltzmann, Ludwig,** 656
- Boltzmann constant,** 657
- Boltzmann equation,** 656–657, 658
- Bomb calorimeter,** 200–201, 200*f*
- Bond angle,** 313–322
- Bond energy (BE)**
 average, 286, 287*f*
 calculating enthalpy of reaction from, 290–293, 291*f*, 292*f*
 chemical change and, 290–293
 defined, 286
 halogens, 450*f*
 in hydrogen molecule, 284*r*
 relation to bond order and bond length, 286, 287*r*
- Bond enthalpy.** See Bond energy
- Bond length,** 286, 286*f*, 287*r*, 288, 450*f*
- Bond order,** 285–286, 287*r*, 307–308, 337, 340
- Bond polarity,** 294–296
- Bond strength,** 286, 288, 329, 337
- Bonding,** 276–297
 alkali metals, 428
 alkaline earth metals, 431
 atomic properties, 277–280, 277*f*, 297*f*
 band theory, 382–384, 383*f*, 384*f*
 bond energy (see Bond energy)
 bond length, 286, 286*f*, 287*r*, 288
 bond strength, 286, 288
 bond types in Group 3A(13), Group 4A(14), and Group 5A(15) elements, 434*r*
 boron family, 433
 carbon family, 435
 chemical bond defined, 49
 covalent (see Covalent bonds)
 electronegativity, 293–296, 294*f*, 295*f*, 297*f*
 electron-pair delocalization, 307
 halogens, 448, 450*f*
 in homonuclear diatomic molecule, 341–344
 intermolecular forces compared, 351, 363*r*
 ionic (see Ionic bonding)
 Lewis electron-dot symbols, 278–279, 279*f*
 metallic bonding, 278, 278*f*, 279*f*, 363*r*, 381, 382–384
 octet rule, 279
 oxygen family, 445
 partial ionic character, 294–296, 295*f*
 physical properties, effect on elements, 434, 436
 polar covalent bonds, 293*f*, 294–296, 295*f*

- in transition metal compounds, 742
types, 277–278, 278f, 279f, 363r
- Bonding MO, 338–345, 339f
- Bonding pair, 285
- Bond-line formula, 60
- Boron
- anomalous behavior, 429
 - bond type, 434r
 - diagonal relationship with silicon, 432, 432f
 - diatomic molecule, orbitals of, 342–343, 342f, 343f
 - electron configuration, 250, 253f
 - electron-deficient molecules, 309
 - ionization energy, 261, 262–263, 263f
 - melting point, 434f
 - properties, 432–433
- Boron family
- important reactions, 433
 - ion formation, 51
 - properties, 432–434
- Boron trifluoride
- hybrid orbitals, 330, 332f
 - Lewis structure, 309–310
 - molecular shape, 314
 - polarity, 322
 - structure, 607
- Boyle, Robert, 33, 153
- Boyle's law, 153–154, 153f, 156
- applying, 159
 - breathing and, 156
 - defined, 154
 - kinetic-molecular theory and, 170
 - molecular view of, 171, 171f
- Bragg, W. H., 378
- Bragg, W. L., 378
- Bragg equation, 378
- Brass, 396
- Breathing, gas laws and, 156
- British thermal unit (Btu), 193
- Bromocresol green, 627f
- Bromide ion, 54r
- Bromine
- diatomic, 286f
 - electron configuration, 254r
 - oxoacids, 451r
 - properties, 448–451
 - reaction with sodium, 281f
 - reactivity, 139
 - states of, 149f
 - in voltaic cell, 699–700
- Bromine trifluoride, molecular shape, 317
- Bromophenol blue, 627f
- Bromthymol blue, 627, 627f
- Bronsted, J.N., 588
- Bronsted-Lowry acid-base definition, 588–592, 607
- Bronsted-Lowry acids, 588–592
- Buckminsterfullerene ("bucky ball"), 436, 436f
- Buffer. *See* Acid-base buffer systems
- Buffer capacity, 623–624, 623f
- Buffer range, 624
- But- (numerical root), 465r
- Butane
- boiling point, 467, 467t, 468f
 - combustion of, 139
 - constitutional isomers, 467r
 - formula, 467r
 - formula and models, 59r
 - properties, 467r
- Butanoic acid, molecular structure, 480f
- Butanol
- infrared (IR) spectroscopy, 289, 289f
 - solubility, 395r
 - surface tension, 369r
- Butanone, molecular structure, 479f
- Butene, 470, 470r
- Button battery, 714, 714f
- Butyric acid, 480f
- C**
- Cadmium, in nickel-cadmium (nicad) battery, 715
- Cadmium ion, 54r
- Calcite, 373f
- Calcium
- atomic radius, 259
 - electron configuration, 253, 254r
 - ion formation, 51
 - properties, 430–431
 - reaction in water, 704f
 - standard enthalpy of formation, 205r
- Calcium bromide, 53, 54
- Calcium carbide, 167
- Calcium carbonate, 437, 549–550, 551
- acid rain and, 642
 - law of definite composition and, 36, 36f
 - solubility, 639
 - structure, 52, 52f
- Calcium chloride, 720
- Calcium fluoride, 122f, 640
- Calcium hydroxide, 636–637, 638
- Calcium ion, 51, 54r
- Calcium nitrate, 640
- Calcium oxide, 54
- Calcium sulfate, 635
- Calculations
- significant figures in, 22–24
 - units in, 10
- Calculators, significant figures and, 23
- Calibration, 24f, 25
- Calomel, 712, 712f
- Calorie, nutritional (Cal), 194
- Calorie (cal) (unit), 193
- Calorimeter
- bomb, 200–201, 200f
 - coffee-cup, 198–200, 198f
 - defined, 198
- Calorimetry
- bond energy values and, 292
 - constant-pressure, 198–200, 198f
 - constant-volume, 200–201, 200f
 - specific heat capacity and, 197–198, 198f
- Calvin, Melvin, 781
- Cancer, radiation therapy for, 782
- Candela (cd) (unit), 14r
- Capillarity, 370, 370f
- Carbohydrates, 486
- Carbon. *See also* Diamond; Graphite; Hydrocarbons; Organic compounds; Organic reactions
- allotropes, 434, 434f, 436, 436f
 - anomalous behavior, 429
 - bond type, 434r
 - chemistry, 436–437, 461–462, 461f
 - diatomic molecule, orbitals of, 342–343, 342f, 343f
 - electron configuration, 250–251, 253f
 - inorganic compounds, 437
 - ionization energy, 263r
 - isotopes, 44
 - Lewis symbol, 279
 - melting point, 434r
 - mole of, 72
 - molecular stability, 461
 - as network covalent solids, 381, 381r
 - organic compounds, 437, 437f
 - in periodic table, 460f
 - phase diagram, 434, 434f
 - properties, 434–436, 460–461
 - radioactive decay, 773
 - radiocarbon dating, 774–776
 - skeletons, 462–464, 463f
 - standard enthalpy of formation, 205r
- Carbon compounds, naming, 465r
- Carbon dioxide, 437
- as "blowing agent," 163
 - capture and sequestration, 208
 - dipole moment, 321
 - dry ice, 352, 360
 - formation from limestone decomposition, 549–550, 551
 - greenhouse effect and global warming, 207–209, 208f
 - law of multiple proportions, 38
 - linear shape, 313
 - molecular shape, 321
 - phase diagram, 360–361, 361f
 - release from fossil fuel combustion, 208
 - release from limestone, 152
 - solubility in water, 396
- Carbon disulfide, 411r
- Carbon family
- allotropes, 434, 436
 - important reactions, 433
 - properties, 434–437
- Carbon monoxide
- boiling point, 396r
 - formation, 437, 554–555
 - law of multiple proportions, 38
 - solubility in water, 396r
 - toxicity, 757–758
- Carbon oxides, 37, 38, 437
- Carbon tetrachloride
- boiling point elevation constant, 411r
 - freezing point depression constant, 411r
 - polarity, 321
 - specific heat capacity, 198r
- Carbonate buffer, 625–626
- Carbonate ion, 56r, 307
- Carbonates, 430, 431, 437, 608, 618, 639
- Carbon-skeleton formula, 465, 465f
- Carbonyl functional group, 479, 479f
- Carbonyl sulfide, 322
- Carboxylate ion, 480
- Carboxylic acids
- defined, 480
 - examples of, 480f
 - functional group, 475r, 480, 480f
 - properties, 480
 - strength, 583
- Catalysis, 530–534, 531f, 532f
- heterogeneous, 532, 532f, 533, 534
 - homogeneous, 531–532, 533, 534
 - in nature, 530, 533–534
 - ozone depletion and, 533–534
- Catalyst
- biological (enzymes), 530, 533
 - defined, 530
 - effect on equilibrium, 568, 569r

- Catalyst, continued**
 heterogeneous, 532, 532f, 533, 534
 homogeneous, 531–532, 533, 534
- Catalytic converter, automobile, 643**
- Catalytic hydrogenation, 532, 532f**
- Catenation, 437, 460**
- Cathode**
 battery, 713–716, 713f–716f
 defined, 692
- Cathode half-cell, 695, 711**
- Cathode ray tube, 40f**
- Cathode rays, 39–40, 40f**
- Cathodic protection, 718, 718f**
- Cation–electron pairs, 778**
- Cations**
 common, 54e, 56f
 complex, 745–746
 defined, 49
 ionic radius, 269–270, 269f, 270f
 main-group, 266–268
 metal cations as Lewis acids, 608
 naming, 53
 salts of weakly acidic cations and weakly basic anions, 605, 606f
- Cell potential (E_{cell}), 697–713**
 changes during operation, 709–710
 concentration and, 708–712
 defined, 697
 standard cell potential (E_{cell}°), 697–700, 699f, 705–713
 voltaic cells, 697–705
- Cellulose, 486–487**
- Celsius ($^{\circ}\text{C}$) temperature scale, 18–20, 19f, 19t**
- Cement, specific heat capacity, 198t**
- Centi- (prefix), 15t**
- Centimeter (cm) (unit), English equivalent of, 15t**
- Cerium sulfate, 401–402, 402f**
- Cesium**
 atomic clock, 20
 properties, 427–429
- Cesium bromide, 119**
- Cesium ion, 54t**
- Cetyl palmitate, molecular structure, 481f**
- CFCs (chlorofluorocarbons), 437, 533–534**
- Chadwick, James, 42**
- Chain reaction, nuclear reactions, 767–787, 767f**
- Chain-reaction (chain-growth) polymers, 484**
- Chair conformation, of cyclohexane, 466, 466f**
- Chalcocite, 92**
- Change in enthalpy (ΔH). See Enthalpy change (ΔH)**
- Charge, electron, 40–41, 40f, 41t, 43**
- Charge density, 398**
- Charge distribution, in polar molecules, 116, 116f**
- Charge-induced dipole forces, 366, 393**
- Charles, Jacques A. C., 154**
- Charles's law, 154–156, 155f**
 breathing and, 156
 defined, 154
 kinetic-molecular theory and, 170
 molecular view of, 172, 172f
- Chelate, 744**
- Chemical analysis**
 infrared spectroscopy, 289, 289f
 mass spectrometry, 44–46, 45f
 spectrophotometry, 228
 x-ray diffraction analysis, 378, 378f
- Chemical bond, 49. See also Bonding**
- Chemical change. See also Chemical reactions**
 bond energy and, 290–293
 compound broken down by, 34
 described, 4–5, 4f, 6
- Chemical elements. See Elements)**
- Chemical equations**
 amount-mass-number relationships, 91–93, 91f
 aqueous ionic reactions, 120–121, 121f
 balancing, 86–89
 defined, 85
 molecular equation, 120, 121f, 128–129
 net ionic equation, 121, 121f, 128–129, 130
 products (see Products)
 reactants (see Reactants)
 thermochemical equations, 201–202
 total ionic equation, 120, 121f, 128–129
 visualizing, 85, 85f
 yield, 97–98
- Chemical equilibrium, 545. See also Equilibrium**
- Chemical formulas**
 bond-line, 60
 combustion analysis, for determining, 83–84, 83f
 coordination compounds, 745–747
 covalent compounds, 58–59
 defined, 53
 determining, 80–84
 electron dot, 60
 empirical formula, 80–81
 ionic compounds
 binary, 54
 hydrates, 56, 57f
 metals that form more than one ion, 55, 55t
 monatomic, 53–55, 54t, 55t
 oxoanions, 56
 polyatomic, 56, 56f
 mass percent from, 78–79
 molar masses from, 73
 molecular formula, 60, 81–84
 molecular masses from, 59–60
 structural formula, 60, 80, 84, 85f
- Chemical kinetics, 498–534**
- Chemical names. See Nomenclature**
- Chemical problem solving. See Problem solving**
- Chemical properties. See also Individual chemical elements**
 defined, 4
 transition metals, 741–742, 741f, 741t, 742t
- Chemical reactions. See also Chemical equations:**
specific reactions
 acid-base reactions, 125–131
 amount-mass-number relationships, 91–93
 aqueous ionic, 120–121, 121f
 combination reactions, 136
 coupling of reactions to drive a nonspontaneous change, 674–675
 decomposition, 137
 defined, 4
 dehydration-condensation reaction, 444, 480, 481, 484, 486, 490–491
 displacement reaction
 defined, 137
 double, 123, 128, 137
 metathesis, 123, 123f, 128, 137
 oxidation-reduction, 137–139, 138f, 139f
 single, 137–139
 disproportionation reaction, 442, 449
 elementary steps, 526–528, 526f
 elimination reactions, 473, 474, 476
 endothermic (see Endothermic processes)
- exothermic (see Exothermic processes)
 law of mass conservation, 35–36, 38, 39
 law of multiple proportions, 37, 38, 39
 mass difference in, 783
 neutralization, 126, 580
 nuclear reactions compared, 764, 764t
 organic reactions
 addition reactions, 473, 474, 479, 484, 485f
 elimination reactions, 473, 474, 476
 substitution reactions, 473, 474, 476, 478, 480
 precipitation reactions, 122–125, 122f, 123f, 123t
 radioactive tracer use, 780–781
 rate (see Reaction rate)
 redox (see Redox reactions)
 reversibility, 543, 549
 side reactions, 97, 97f
 solution stoichiometry, 103–104
 standard entropy of reaction, 664–665
 stoichiometry (see Stoichiometry)
 titration (see Titration)
 visualizing, 85, 85f
 water
 polar nature of, 116, 116f
 as a solvent, 116–120
 yield, 97–98
- Chemical reactivity, atomic properties and, 265–271**
- Chemistry**
 analytical (see Chemical analysis)
 central theme in, 6–7
 defined, 3
- Chernobyl disaster, 778, 789**
- Chiral molecule, 468–469, 468f**
- Chlor-alkali process, 722–723, 723f**
- Chlorate ion, 56t**
- Chloride ion, 50, 50f, 54t**
- Chlorine**
 covalent and van der Waals radii, 362
 covalent radius, 258f
 diatomic, 286f, 295, 296, 297f
 electron configuration, 252, 252t, 253f
 ion formation, 50, 50f
 oxoacids, 451t
 ozone depletion and, atoms of, 533–534
 properties, 34, 34t, 296, 297f, 448–451
 standard enthalpy of formation, 205t
- Chlorine dioxide, 451**
- Chlorine monoxide, 533–534**
- Chlorine oxides, 451**
- Chlorine trifluoride, 94–96**
- Chlorite ion, 56t**
- Chlorofluorocarbons (CFCs), 437, 533–534**
- Chloroform**
 boiling point elevation constant, 411t
 formation of, 292–293
 freezing point depression constant, 411t
 intermolecular forces, 393f
 polarity, 321
- Chloromethane, molecular structure, 475t**
- Chlorophyll, 228, 228f, 608**
- Chlorous acid, 582**
- Cholesterol, molecular structure, 476f**
- Chromate ion, 56t, 637–638, 638f**
- Chromium**
 appearance of, 738f
 chromium(II) and (III), 55t
 electron configuration, 253, 254t, 738t
 oxidation states, 741, 741f, 741t
 in voltaic cell, 696
- Chromosomes, 491**

- Cis-trans* isomers, 469–470, 470f, 748, 748f, 749f
- Clausius-Clapeyron equation, 358–359
- Climate change, 207–209, 208f
- Clock, atomic, 20
- Cobalt
- appearance, 739f
 - cobalt(II) and (III), 55f
 - electron configuration, 254f, 738f
 - oxidation states, 741, 741f
- Cobalt(II) carbonate, solubility-product constant, 635f
- Cobalt(II) chloride hexahydrate, 742f
- Cocaine, molecular structure, 477f
- Coffee-cup calorimeter, 198–200, 198f
- Cohesive forces, 370, 370f
- Collagen, 489
- Colligative properties of solutions, 408–416
- boiling point elevation, 410–411, 410f, 411f, 412
 - defined, 408
 - electrolytes, 408, 415–416, 415f
 - fractional distillation, 415
 - freezing point depression, 410f, 411–412, 411f
 - nonelectrolytes, 408–413
 - osmotic pressure, 412–413, 413f
 - solute molar mass and, 413–414
 - vapor pressure lowering, 408–410, 409f, 410f
- Collision theory, 519–522, 519f–522f
- Collisions
- energy of, 500, 500f, 520–521, 520f
 - frequency of, 500, 520
- Color, 742, 742f, 752, 752f, 752e, 754, 754f
- Combination reactions, 136
- Combined gas law, 155
- Combustion. *See also* Fuels
- biological respiration as, 140
 - butane, 139
 - calculating heat of, 201
 - fossil fuels, 207–209
 - gasoline, 193–194
 - glucose, 140
 - methane, 292, 292f, 655
 - octane, 88, 194, 194f
 - propane, 90–91, 90f, 665
 - as redox reactions, 139
- Combustion analysis, 83–84, 83f
- Common-ion effect, 618–622, 637–638, 638f
- Complementary color, 752
- Complexes. *See* Coordination compounds
- Complex ions, 743–750
- coordination compounds, 743–750, 743f, 744f
 - coordination number, 744
 - crystal field theory, 752
 - defined, 643, 743
 - formation, 643–645, 644f
 - formulas and names, 745–747, 746f
 - geometry of, 744, 744f
 - high-spin and low-spin, 756
 - isomerism, 747–750, 747f–749f
 - precipitates, solubility of, 645–646
 - valence bond theory, 750–751, 750f, 751f
 - octahedral complexes, 750–751, 751f
 - square planar complexes, 751, 751f
 - tetrahedral complexes, 751, 751f
- Composition, 3
- Compound(s)
- amount-mass-number conversions, 76–77, 76f
 - chemical formulas, 53–61
 - covalent (*see* Covalent compounds)
 - defined, 33f, 34
 - depiction of, 60
 - elements distinguished from, 34–35
 - fixed ratios, 34
 - formation
 - covalent compounds, 51–52, 51f, 132f, 133
 - ionic compounds, 49–51, 50f, 132, 132f
 - from polyatomic ions, 52, 52f
 - formula of unknown, determining, 80–84
 - ionic (*see* Ionic compounds)
 - law of multiple proportions, 37, 38, 39
 - mass fraction, 36
 - mixtures distinguished from, 34–35, 61, 61f
 - models, 60
 - molar mass, 73
 - molecular mass, 59–60
 - moles of, determining, 73
 - naming, 53–60
 - oxidation number of elements in, 133–134, 134f
 - physical properties of, 34, 34f
 - salts, 128, 130f
 - specific heat capacity, 198
 - standard state, 205
- Compressibility, 351f
- Compton, Arthur, 230
- Computer chips. *See* Semiconductors
- Concentrated solution, preparing dilute solution from, 100–101, 101f
- Concentration, 404–408
- from acid-base titration, 130–131
 - cell potential and, 708–712
 - converting units, 406–407
 - defined, 99, 404, 404f
 - diluting a solution, 100–102, 101f
 - effect of change on equilibrium, 563–565, 568f
 - expressing in molarity, 99
 - as intensive property, 99
 - mass percent [% (w/w)], 405
 - molarity, 404–405, 404f
 - mole fraction, 404, 405–406
 - parts by mass, 404f, 405
 - parts by volume, 404f, 405
 - in rate law, 519
 - reaction direction prediction, 553–554
 - reaction rates and, 500
 - units of, 404–406
 - visualizing changes in, 102
 - volume percent [% (v/v)], 405
 - weak-acid equilibrium problem solving, 593–596
- Concentration cell, 710–712, 710f, 712f
- Condensation, 352, 353f, 355, 357
- Condensation polymers, 484–485
- Condensed electron configuration, 251, 252f, 253f, 254f
- Condensed formula, 465, 466f
- Condensed phases, 351
- Conduction band, 383, 383f, 384, 384f
- Conductivity
- described, 382–384, 383f (*See also* Electrical conductivity)
 - for reaction rate measurement, 505
- Conductors, 384, 384f
- Conjugate acid-base pair, 589–592, 590f, 591f, 600–601, 619, 625
- Conservation of energy, 7, 193, 654
- Constant-pressure calorimetry, 198–200, 198f
- Constant-volume calorimetry, 200–201, 200f
- Constitutional (structural) isomers, 85f
- alkanes, 467, 467f
 - coordination compounds, 747–748, 747f, 749f
 - defined, 84
 - infrared (IR) spectroscopy, 289, 289f
 - number of, 84
- Controlled experiment, 9
- Conversion factor
- amount-mass-number relationships, 74f, 75–77, 76f, 91, 91f, 100, 100f
 - Avogadro's number, 74–77, 74f, 76f, 91, 91f, 100f
 - choosing, 11
 - constructing, 10–11
 - defined, 10
 - molarity as, 100
 - SI-English equivalent quantities, 15f
 - use in calculations, 11–13
- Cooling curve, 354–356, 354f
- Coordinate covalent bond, 750
- Coordination compounds, 743–750. *See also* Transition metal complexes (coordination compounds)
- bidentate ligands, 744, 745f
 - chelate, 744
 - complex ions, 743–750, 743f, 744f
 - components of, 743, 743f
 - constitutional isomers, 747–748, 749f
 - coordination isomers, 747, 749f
 - coordination numbers, 374, 375f, 376, 744
 - counter ions, 743
 - defined, 743
 - donor atoms, 744
 - enantiomers, 748–749, 749f
 - formulas and names, 745–747, 746f
 - geometric isomers, 748, 748f, 749f
 - isomerism, 747–750, 747f–749f
 - ligands, 743–750, 745f
 - linkage isomers, 747–748, 747f, 749f
 - monodentate ligands, 744, 745f
 - optical isomers, 748–749, 749f
 - polydentate ligands, 744, 745f
 - stereoisomers, 748–750, 748f, 749f
- Coordination isomers, 747, 749f
- Coordination number, 374, 375f, 376, 744
- Copolymer, 484
- Copper
- appearance, 739f
 - in concentration cells, 710–711, 710f
 - copper(I) and (II), 55f
 - cubic crystal structure, 376, 378, 381f
 - displacement reactions, 138, 139f
 - electron configuration, 253, 254f, 738f
 - electrorefining, 724–725, 725f
 - oxidation states, 741, 741f
 - roasting, 91–93
 - specific heat capacity, 198f
 - uses, 91
 - in voltaic cells, 693–696, 693f, 694f, 698, 698f, 700–701, 708–710, 709f, 719–720, 719f
- Copper(II) nitrate, 119
- Copper(I) oxide, 91–93, 674–675
- Copper(II) oxide, 168
- Copper sulfate, 56
- Copper(II) sulfate pentahydrate, 742f
- Copper(I) sulfide, 91–92
- Core electrons, 256

- Corrosion, 717–719, 717f, 718f
Cosmic radiation, 780
Coulomb (C) (unit), 697
Coulomb's law, 50, 248, 282, 351, 362, 393, 398
Counter ions, 743
Coupling of reactions, 674–675
Covalent bonding, theories of, 328–345
 molecular orbital (MO) theory, 338–345
 in transition metal compounds, 742
 valence (VB) theory, 329–338
Covalent bonds
 bond energy, 284f, 286, 287f, 290–293, 291f, 292f
 bond length, 286, 286f, 287f, 288
 bond order, 285–286, 287f, 307–308
 bonding pairs, 285
 coordinate, 750
 defined, 51, 278, 285
 double, 285–286, 286f, 305–306, 314, 336, 336f, 337, 337f, 469–470, 478–482
 electron distribution, 116
 electronegativity, 293–296, 294f, 295f, 297f
 formation, 278, 278f, 284–285, 284f
 intermolecular forces compared, 363f
 lone pairs, 285
 molecular orbital theory (see Molecular orbital (MO) theory)
 nonpolar, 295, 295f
 polar, 294–296, 295f
 polyatomic ions, 52, 52f
 properties, 285–288
 single, 285, 286, 287f, 303–305, 335, 336f, 337, 337f, 464–469, 474, 476–478, 480–482
 strength, 286, 288
 triple, 286, 287f, 336, 336f, 337, 337f, 470, 482–483
 valence bond theory (see Valence bond (VB) theory)
Covalent compounds
 defined, 49
 formation, 51–52, 51f
 by redox reaction, 132f, 133, 136
 infrared spectroscopy, 289, 289f
 ionic compounds distinguished from, 52
 molecular covalent solids, 288, 288f
 network covalent solids, 289, 289f
 numerical prefixes, 56, 57f
 oxidation numbers, 133
 properties, 288–289
 in water, 120
Covalent hydrides, 427
Covalent radius, 258, 258f, 286f, 362, 362f
Critical mass, 787
Critical point, 361, 361f
Critical pressure (P_c), 361
Critical temperature (T_c), 361
Critzen, Paul J., 533
Cryolite, 725
Crystal field effect, 753
Crystal field splitting energy, 753–757
Crystal field theory, 752–757
 color and, 752, 752f, 752f, 754, 754f
 crystal field splitting in tetrahedral and square planar complexes, 756–757, 756f
 defined, 752
 e_g orbitals, 753, 753f, 754, 754f
 high-spin complexes, 755–756, 755f
 low-spin complexes, 755–756, 755f
 magnetic properties, 755
 octahedral complexes, 752–753, 753f
 spectrochemical series and, 754, 754f
 splitting of orbitals in an octahedral field of ligands, 752–753, 753f
 square planar complexes, 756–757, 756f
 strong-field ligands, 753, 755, 755f
 tetrahedral complexes, 756, 756f
 t_{2g} orbitals, 753, 753f, 754, 755
 weak-field ligands, 753, 755, 755f
Crystal lattice, 374, 374f
Crystal violet, 627f
Crystalline solids
 atomic radius determination, 378, 379f
 coordination number, 374, 375f, 376
 crystal lattice, 374, 374f
 defined, 373
 dissolution and, 656, 661–662, 662f
 entropy, 659–660, 660f
 packing efficiency, 376, 376f, 377f
 types, 379–382
 atomic, 379, 379f, 379f
 ionic, 379f, 380, 380f
 metallic, 379f, 381, 381f
 molecular, 379–380, 379f, 380f
 network covalent, 379f, 381–382, 381f
 unit cell, 374, 374f, 375f, 376, 377f, 378, 379f
 x-ray diffraction analysis of, 378, 378f
Crystals. See Crystalline solids
Cubic centimeter (cm^3), English equivalent, 15f
Cubic closest packing, 376, 377f, 379f, 381f
Cubic decimeter (dm^3), English equivalent, 15f
Cubic meter (m^3), 15, 15f
Cubic unit cell. See Unit cell
Curie (Ci) (unit), 772
Current. See also Electrical conductivity
 ionic compounds and, 283, 283f
 measuring to find charge, 726–727
 photoelectric effect and, 221–222, 222f
Cyanate ion, resonance forms, 309
Cyanide ion, 56f, 437, 482, 605
Cyclic hydrocarbons, 466, 466f
Cycloalkanes, 466, 466f
Cyclobutane
 decomposition of, 513–514
 molecular structure, 466f
Cyclohexane, molecular structure, 466f
Cyclopentane
 entropy, 663
 molecular structure, 466f
Cyclopropane
 half-life, 517–518
 molecular structure, 466f
Cyclo-S₈, 446, 446f
Cyclotron accelerator, 771, 771f
Cysteine, structure of, 487f
Cytosine, 491
- D**
d Block, 432, 737, 737f, 738. See also Transition elements
d-Isomer, 469
d-Orbital, 238–239, 239f
 defined, 238
 orbital overlap, 329
 splitting of orbitals in an octahedral field of ligands, 752–753, 753f
Dacron, 485
Dalton, John, 37, 39, 165
Dalton (Da) (unit), 44
Dalton's law of partial pressures, 165–166, 414
 applying, 166
 kinetic-molecular theory and, 170
 molecular view of, 172, 172f
Data, 9
Davison, C., 230
De Broglie, Louis, 229
De Broglie wavelength, 229–230, 230f
Debye, Peter, 321
Debye (D) (unit), 321
Deco- (numerical root), 465f
Deca- (prefix), 57f
Decane
 boiling point, 468f
 formula and model, 59f
Decay constant, 772–773, 773f
Decay rate, 772–774
Decay series, 771–772, 771f
Deci- (prefix), 15f
Decimal point, significant figures and, 21
Decimal prefixes, 14, 15f
Decomposition reaction, 137
Definite (or constant) composition, law of, 36, 36f, 38
Dehydration of alcohols, 476
Dehydration-condensation reaction, 444, 480, 481, 484, 486, 490–491
Deka- (prefix), 15f
Delocalization, electron, 278, 307, 338, 383, 384
Democritus, 33, 38
Density (d)
 alkali metals, 428
 alkaline earth metals, 431
 boron family elements, 432, 433
 calculating from mass and volume, 18
 carbon family elements, 435
 of common substances, 17f
 defined, 17
 gas, 150, 162–164
 halogen family elements, 449
 an intensive property, 2
 nitrogen family elements, 440
 noble gases, 453
 oxygen family elements, 445
 transition elements, 740f, 741
 units of measurement, 17
 of water, 372–373, 372f
Deoxyribonucleic acid. See DNA (deoxyribonucleic acid)
Deoxyribose, 490
Deposition, 352, 353f
Derived units, in SI, 14
Deuterium, 789
Deuterons, 776
Dextrorotatory, 469
Di- (prefix), 57f
Diagonal relationships in the periodic table, 432, 432f
Diamagnetism, 269, 269f, 343–344, 343f, 344f, 742
Diamond, 434, 434f
 covalent bonding, 289, 289f
 entropy, 663
 properties, 381, 381f
Diastereomers, 748. See also Geometric isomers
Diatomic molecules
 bond polarity, 320
 defined, 33
 elements as, 51f
 formation of, 51

- homonuclear, 341–344, 341*f*–343*f*
 molar mass, 73
 orbital overlap, 329, 329*f*
 oxygen, 33
- Diberyllium**, 341, 341*f*
- Dichlorine heptoxide**, 451
- Dichlorine monoxide**, 451
- Dichloromethane**, dipole-dipole forces in, 393
- Dichromate ion**, 56*e*, 689–690, 741
- Diethyl ether**
 boiling point elevation constant, 411*r*
 freezing point depression constant, 411*f*
 infrared (IR) spectroscopy, 289, 289*f*
 surface tension, 369*r*
 vapor pressure and temperature, 358*f*, 359*f*
- Diffraction**
 defined, 220
 electron, 230, 230*f*
 wave, 220, 220*f*
 x-ray, 230, 230*f*, 378, 378*f*
- Diffraction pattern**, 220, 220*f*
- Diffusion**, 176
- Dihydrogen phosphate ion**, 56*e*, 444
- Dilithium**, 341, 341*f*, 383, 383*f*
- Dilution, of molar solutions, 100–102, 101*f*
- Dimethyl ether**, 85*r*, 364*f*
- Dimethylamine**, 598–599
- Dimethylbenzenes**, 472
- Dimethylbutane**, 368
- Dimethylformamide**, molecular structure, 482*f*
- Dimethylmethanamide**, molecular structure, 482*f*
- Dimethylpropane**, 467, 467*f*
- Dinitrogen pentoxide**, 266, 442*r*
- Dinitrogen tetroxide**, 96–97, 442, 442*r*, 543–546, 544*f*, 546*r*, 553–554, 657
- Dinitrogen trioxide**, structures and properties, 442*r*
- Dinitrophenol**, 627*f*
- Dipole moment (μ)**, 321, 364, 364*f*
- Dipole-dipole forces**, 263–264, 363*r*, 364*f*, 393, 393*f*
- Dipole-induced dipole forces**, 363*r*, 366, 393, 393*f*
- Direction of reaction**, 552–554, 552*f*, 561–562
- Disaccharide**, 486, 486*f*
- Disintegration series**, 771, 771*f*
- Dispersion of light**, 219–220
- Dispersion force**, 363*r*, 366–367, 367*f*, 393, 393*f*, 395
- Displacement reaction**
 defined, 137
 double, 123, 128, 137
 metathesis, 123, 123*f*, 128, 137
 oxidation-reduction, 137–139, 138*f*, 139*f*
 single, 137–139
- Disproportionation reaction**, 442, 449
- Dissociation**. *See also* Acid-dissociation constant (K_a); Base-dissociation constant (K_b)
 acids, 126–127, 580–583, 581*f*, 597, 599–600, 619–622, 619*r*
 bases, 597–601
 of ions, 117–119, 117*f*
- Dissolution**
 covalent compounds, 120
 dispersal of particle energy, 656
 enthalpy change, 397–400, 398*f*, 399*f*, 400*f*
 entropy change, 399–400, 661–662, 662*f*
 ionic compounds, 117–119, 117*f*
 solution process, 397–400
- Distillation**, fractional, 415
- Disulfide bridge**, 489
- Division**, significant figures and, 22
- DNA (deoxyribonucleic acid)**, 490–492, 490*f*, 491*f*
- Donor atom**, 744
- Double bonds**
 alkenes, 469–470
 aromatic hydrocarbons, 471–472
 bond angle, 314
 bond energy, 287*r*
 bond length, 287*r*
 bond order, 285–286, 287*r*
 defined, 285–286
 functional groups with, 478–479
 functional groups with single and double bonds, 480–482
 Lewis structures and, 305–306
 pi (π) bond, 336
 sigma (σ) bond, 336
- Double helix**, DNA, 491, 491*f*
- Double-displacement reaction**, 123, 128
- Downs cell**, 721, 721*f*
- Dry ice**, 352, 360
- Ductile**, 362
- Dynamic equilibrium**, 357
- E**
- Effective collision**, 522, 522*f*
- Effective nuclear charge (Z_{eff})**, 248, 258, 261, 269, 277*f*
- Effusion**, 175–176
- e_g Orbitals**, 753, 753*f*, 754, 754*f*
- Einstein**, Albert, 221
- Electric current**, unit of measurement, 14*r*
- Electrical conductivity**
 ion mobility, 283, 283*f*
 ionic solutions, 117, 118*f*
 of metals, 382, 383, 384
- Electrical work**, 705–713
- Electrocatalyst**, 716
- Electrochemical cells**, 688, 692, 692*f*
- Electrochemistry**, 687–728
 batteries, 713–716, 713*f*–716*f*
 cell potential, 697–713
 corrosion, 717–719, 718*f*
 defined, 688
 electrochemical cells, 688, 692, 692*f*
 electrolysis, 137, 720–724, 721*f*, 723*f*
 electrolytic cells (*see* Electrolytic cells)
 electrorefining of copper, 724–725, 725*f*
 free energy and electrical work, 705–713
 galvanic cells (*see* Voltaic cells)
 isolation of aluminum, 725–726, 726*f*
 redox reactions, 688–705
 voltaic cells (*see* Voltaic cells)
- Electrodes**
 defined, 692
 inactive, 695
 ion-specific, 712, 712*r*
 pH meter, 588, 588*f*, 711–713, 712*f*
 voltaic cell, 692, 694–695, 695*f*
- Electrolysis**
 of aqueous salt solutions, 722–724, 723*f*
 decomposition, 137
 defined, 720
 Faraday's law of, 726–728
 overvoltage, 722
 predicting products of, 720–724
 of pure molten salts, 720–721, 721*f*
 stoichiometry, 726–728, 727*f*
 of water, 721–722, 721*f*
- Electrolytes**
 acids and bases as, 126
 coordination compound as, 743
 defined, 117, 408, 692
 strong, 126, 126*f*, 408, 415–416, 415*f*
 weak, 126, 126*f*, 408
- Electrolytic cells**, 719–728
 ampere, 726
 aqueous salt solutions, electrolysis of, 722–724, 723*f*
 construction and operation, 719–720
 defined, 692
 nonstandard half-cell potentials, 721–722
 overvoltage, 722
 pure molten salts, electrolysis of, 720–721, 721*f*
 stoichiometry of electrolysis, 726–728, 727*f*
 voltaic cells compared, 692, 692*f*, 720, 720*r*
 water, electrolysis of, 721–722, 721*f*
- Electrolytic decomposition**, 137
- Electromagnetic radiation**, 217–219, 218*f*
- Electromagnetic spectrum**, 218, 218*f*
- Electromotive force (emf)**, 697
- Electron (e^-)**
 charge, 40–41, 40*f*, 43, 43*r*
 compound formation and, 49–52
 as current, 220–221, 221*f*
 de Broglie wavelength, 230, 230*r*
 defined, 43
 delocalized, 278, 307, 338, 382, 383
 diffraction pattern, 230, 230*f*
 discovery of, 39–41
 energy, 224–227, 225*f*
 filling order, 249–256, 249*f*, 255*f*, 339
 inner (core), 256
 mass, 40, 41, 43*r*
 Millikan's oil drop experiment, 40–41, 40*f*
 outer, 256
 probable location, 232–234, 233*f*
 quantum numbers, 234–236, 234*r*, 246–247, 247*r*, 249–251, 249*f*
 spin, 329
 valence, 256, 277, 278, 285, 304, 310, 382–384
 wave nature of, 229–231, 230*r*
- Electron affinity (EA)**, 263–264, 264*r*, 277*f*, 293*r*
- Electron capture**, 766*r*, 767
- Electron cloud representation**, 233, 237, 237*f*–239*f*
- Electron configuration**
 alkali metals, 427, 428, 429
 alkaline earth metals, 431
 atomic properties and, 258–271
 atomic size, 258–260, 258*f*–260*f*
 electron affinity, 263–264, 264*f*
 ionization energy, 260–263, 261*f*, 262*f*, 263*r*
 Aufbau principle, 249
 boron family elements, 432, 433
 carbon family elements, 435
 condensed, 251, 252*r*, 253*f*, 254*r*
 defined, 246
 determining, 257
 filling order, 249–256, 249*f*, 255*f*
 within groups, 252
 halogen family elements, 449
 Hund's rule, 250–251
 magnetic properties, 268–269
 main-group elements, 254, 255*f*, 256
 main-group ions, 266–267, 268*f*
 many-electron atoms, 246–249
 of molecules, 340

- Electron configuration, *continued***
 nitrogen family elements, 440
 noble gases, 453
 notation, 249
 orbital diagram, 249–251, 252i, 253, 254f
 oxygen family elements, 445
 Period 1 elements, 249–250, 253f
 Period 2 elements, 250–251, 253f
 Period 3 elements, 251–252, 252i, 253f
 Period 4 elements, 253, 254f
 periodic table and, 249–257, 255
 principles, 254–256
 transition elements, 253, 254i, 256
 transition metal ions, 268, 268f
 transition metals, 738–739, 738r
- Electron delocalization, 338**
- Electron density contour map, 285, 285f**
- Electron density diagram, 233, 235f**
- Electron density distributions, 285f, 295f**
- Electron density relief map, 237, 237f, 285, 285f, 337, 337f**
- Electron distribution, in covalent bonding, 116, 116f**
- Electron microscope, 230**
- Electron pair, Lewis acid-base definition and, 607–609**
- Electron pooling and metallic bonding, 278, 278f**
- Electron repulsion, 247–248**
- Electron sharing, and covalent bonding, 278, 278f**
- Electron transfer, ionic bonding and, 277, 278f**
- Electron volt (eV) (unit), 784**
- Electron-deficient atoms/molecules, 309–310, 607–609**
- Electron-dot formula, 60**
- Electron-dot symbols. *See* Lewis structure**
- Electroosmoticity (EN), 293–296, 294f, 295f, 297f**
 acid strength and, 602, 602f
 alkali metals, 428
 alkaline earth metals, 431
 atomic size and, 294
 boron family elements, 433
 carbon family elements, 435
 defined, 293
 electron affinity compared, 293a
 halogen family elements, 448, 449, 450
 nitrogen family elements, 440
 noble gases, 453
 oxidation number, 294, 309
 oxygen family elements, 445, 446
 Pauling scale, 294, 294f
 periodic trends, 294, 294f
 transition elements, 739f, 740, 740f, 741
- Electronegativity difference (ΔEN), 295–296, 295f, 297f**
- Electron-group arrangements, 312–313, 314f**
- Electron-pair delocalization, 307**
- Electron-sea model, 382**
- Electron-spin quantum number, 246–247, 247i**
- Electrorefining of copper, 724–725, 725f**
- Electrostatic energy, Coulomb's law and, 282**
- Electrostatic forces, 7, 247–249**
- Element(s). *See also specific elements***
 amount-mass-number conversions, 74–76, 74f
 atomic mass, 43–46, 73
 atomic number, 43–44, 44f, 47
 atomic size (*see* Atomic size)
 calculating mass of in a compound, 36–37
 compound, formation of, 40–52
 compounds and mixtures distinguished from, 34–35
 Dalton's atomic theory, 37–39
 defined, 33
 electron configuration (*see* Electron configuration)
 history, 33
 ionization energy, 260–263, 261f, 262f, 263f
 isotopes, 44–46, 45f
 law of multiple proportions and, 37, 38, 39
 line spectra, 223–224, 223f, 224f
 mass number (A), 43, 44, 44f, 47, 765
 mass percent (mass %), 36, 77–79
 molar mass, 73
 molecules, 33, 33f, 51, 51f, 52f
 moles of, determining, 73
 oxidation number, 133–134, 134f
 periodic table (*see* Periodic table)
 predicting ion forms, 51
 in redox reactions, 136–140
 relative atomic mass, 44
 specific heat capacity, 198f
 standard state, 205
 symbol, 43–44, 44f, 47
 trace, 757
 transuranium, 777, 777f
- Element oxide, acid-base behavior of, 265–266, 266f**
- Element symbol, 43–44, 44f, 47**
- Elementary reactions (steps), 526–528, 526f**
- Elimination reactions, 473, 474, 476**
- Emf series, 700, 701f**
- Emission spectrum, 228**
- Empirical formula**
 defined, 80
 determining, 80–81, 82
 of ionic compound, 277
 molecular formula relationship, 81–82
- Enantiomers, 468–469, 748–749, 749f. *See also* Optical isomers**
- End point, titration, 130, 628**
- Endothermic processes**
 bond breakage and, 286
 defined, 196
 enthalpy change, 196–197, 196f
 enthalpy of reaction (ΔH_{rxn}), 291
 entropy change in the surroundings, 665
 phase changes, 352
 solution process, 397, 398f, 400
 spontaneous, 655, 667f, 668
- End-to-end overlap, 335, 337**
- ene (suffix), 469, 475f**
- Energy**
 activation energy (E_a), 520–525, 520f, 521i, 525f, 524f, 531, 531f, 533
 of atom, 221, 224–227, 225f, 232
 blackbody radiation and the quantization of energy, 220–221, 221i
 bond energy (*see* Bond energy)
 collision, 500, 500f, 520–521, 520f
 conservation of, 7, 193, 654
 Coulomb's law, 50
 crystal-field splitting, 753–757
 defined, 7
 dispersal of, and entropy, 656–657
 electromagnetic, 217–219, 218f
 electron volt as unit of, 784
 electrostatic, 282
 first ionization energy (*see* First ionization energy)
 forms and interconversion, 189–195
 free (*see* Free energy)
- free energy change (*see* Free energy change)
 Gibbs free energy, 668
 of H_2 molecular orbitals, 339
 heat, 18, 190, 191, 191f
 interconversion of mass and energy, 783–786
 internal energy (E), 190, 190f, 194, 200, 654
 ionization energy (*see* Ionization energy (IE))
 kinetic energy (E_k), 7–8, 8f, 170–171, 173–174, 189, 290, 351, 354–355, 359, 361
 lattice, 281–292, 282f, 398–399, 399f, 429, 429f
 matter distinct from, 219–220
 nuclear (*see* Nuclear fission; Nuclear fusion)
 nuclear binding energy, 784–786, 785f
 pairing, 755
 potential energy (E_p), 7–8, 8f, 189, 290, 351, 354–355
 quantization of energy, 221, 656
 radiant, 217
 solar, 208
 as state function, 194–195
 of system, 145f, 189–195, 190f–192f
 thermal, 190
 units of, 193
 wave-particle duality, 229–231
 work, 189, 190–195, 192f
- Energy diagram, 190, 190f**
- Energy transfer (energy change, ΔE)**
 determining change in internal system energy, 193–194
 as heat, 191, 191f
 path independence of, 194–195, 194f
 sign conventions, 192f
 to and from a system, 190, 190f
 as work, 191–192, 192f
- Energy-level diagram, 520, 520f**
- Energy-level splitting, 247–249**
- Enthalpy (H)**
 bond, 286
 defined, 195
 endothermic processes, 196–197, 196f
 enthalpy diagram, 196–197, 196f
 exothermic processes, 196–197, 196f
 as state function, 203
- Enthalpy change (ΔH)**
 calorimetry, 198–201, 198f, 200f
 defined, 195–196
 energy change compared, 195
 enthalpy of reaction, 290–293, 291f, 292f
 exothermic and endothermic processes, 196–197, 196f
 to find amounts of substance, 202
 free energy change and, 671–674, 672i
 Hess's law, 203–204
 phase changes, 352–353, 353f
 sign, determining, 196–197
 solution process, 397–400, 398f, 399f, 400f
 spontaneous change and, 655
 standard enthalpy of formation, 205–207, 205i, 206f
 standard enthalpy of reaction, 205–207, 206f
 stoichiometry of thermochemical equations, 201–202
- Enthalpy diagram, 196–197, 196f, 398f, 399f, 400f**
- Enthalpy of reaction (ΔH_{rxn}), using bond energies to calculate, 290–293, 291f, 292f**
- Entropy (S)**
 change and the solution process, 399–400
 defined, 399, 656
 dispersal of energy and, 656–657

- number of microstates and, 656–659
 predicting relative values, 663
 second law of thermodynamics and, 659
 standard molar entropy (S°), 659–663
 as state function, 657
- Entropy change (ΔS)
 with atomic size or molecular complexity, 662–663, 663f
 calculating in reactions, 664–668
 defined, 657
 with dissolution of a gas, 662, 662f
 with dissolution of solid or liquid, 661–662, 662f
 equilibrium state and, 667
 with physical states and phase changes, 661, 661f
 quantitative meaning of, 657–659, 658f
 spontaneous, 667–668, 667f
 standard entropy of reaction, 664–665
 in surroundings, 665–666
 in system, 664–665
 with temperature changes, 660, 660f, 665–666
- Environmental issues
 acid rain, 548, 641–643, 642f
 chlorofluorocarbons (CFCs), 533–534
 global warming, 207–209, 208f
 greenhouse effect, 207–209, 208f
 ozone depletion, 304, 533–534
 renewable and nonrenewable fuels, 207
 thermal pollution, 402, 789
- Enzymes, 530, 533
- Epinephrine, molecular structure, 477f
- Epsom salt, 56
- Equations. *See* Chemical equations
- Equatorial group, VSEPR theory, 316
- Equilibrium, 542–571
 acid-base (see Acid-base equilibria)
 disturbances, effect of, 569f
 catalyst presence, 568, 569f
 concentration changes, 532–565, 569f
 pressure changes, 565–567, 566f, 569f
 temperature changes, 567–568, 569f
 dynamic, 357
 entropy change and, 667
 free energy change and, 676
 heterogeneous, 549
 homogeneous, 549
 ionic equilibria, 617–646
 law of chemical equilibrium, 545
 Le Châtelier's principle, 562–571
 macroscopic view of, 543, 544f
 molecular view of, 543, 544f
 phase changes
 equilibrium nature of, 357–360, 357f
 liquid-gas equilibria, 357, 357f
 solid-gas equilibria, 360
 solid-liquid equilibria, 360
 pressure terms, 550–551
 quantitative view of, 544
 reaction direction, 552–554, 552f
 reaction quotient, 545–550
 solubility and, 401–403
 solving problems, 554–562, 562f
- Equilibrium constant (K)
 defined, 544
 free energy change, 705–707, 707f
 K_p relationship, 550–552
 range of, 544–545, 545f
 reaction direction and, 552–554, 552f
 reaction quotient and, 545–550, 676–680, 677f, 680f
 solving equilibrium problems, 554–562
 standard cell potential and, 705–707, 707f
 units, lack of, 547
- Equilibrium vapor pressure, 357
- Equivalence point, 130, 628–632
- Errc. types of, 24–25, 24f
- Esterification, 481
- Esters, 475c, 480, 481, 481f
- Ethanol
 intermolecular forces, 393f
 molecular structure, 475c, 479f
- Ethanamide, molecular structure, 475c
- Ethane
 boiling point, 460f
 electron density, 337f
 formula and models, 59f
 molecular shape, 319, 319f, 335
 orbital overlap, 335, 336f
- Ethane-1,2-diol, 476f
- Ethanenitrile, molecular structure, 475c
- Ethanoic acid, molecular structure, 475c
- Ethanol
 boiling point elevation constant, 411f
 dissolution in water, 662, 662f
 freezing point depression constant, 411f
 isomers, 45r
 molecular shape, 319f, 320
 solubility, 395c, 396
 specific heat capacity, 198r
 surface tension, 369r
 vapor pressure and temperature, 358f, 359
- Ethene. *See* Ethylene
- Ethylamine, molecular structure, 475c
- Ethylene
 cyclobutane decomposition, 513–514
 double bond, 286
 electron density, 337f
 hydrogenation of, 532, 532f
 Lewis structure, 305–306
 molecular shape, 335
 molecular structure, 475c
 orbital overlap, 336, 336f
 polymerization of, 484, 484f
 reaction with ozone, 501–503, 502f, 502r, 503f
- Ethylene glycol, 120, 412
 molecular structure, 476f
 specific heat capacity, 198r
- Ethyne, molecular structure, 475c
- Exact number, 23
- Excited state, 224, 226
- Exclusion principle, 247, 250, 329, 339
- Exothermic processes
 bond formation as, 286
 defined, 196
 enthalpy change, 196–197, 196f
 enthalpy of reaction (ΔH_{rxn}), 291
 entropy change in the surroundings, 665
 phase changes, 352
 solution process, 397, 398, 398f, 400
 spontaneous reactions, 655, 667–668, 667f
- Expanded formula, 465, 466f
- Expanded valence shells, 310–311
- Experiment, in scientific method, 9, 9f
- Exponential notation, 14, 15c, 22, Appendix A
- Extensive property, 20
- F**
- f block, 432, 737, 737f. *See also* Inner transition elements
- f orbital, 239, 239f
- Face-centered cubic unit cell, 374, 375f, 376, 379f
- Fahrenheit ($^\circ\text{F}$) temperature scale, 18–20, 19f, 19r
- Faraday, Michael, 705, 726
- Faraday constant (F), 705–706, 726–728
- Fatty acids, 480
- Feedstocks, hydrocarbons as, 462
- Feldspar, 438
- Femto- (prefix), 15r
- Ferric chloride, 55
- Ferrous chloride, 55
- Fibrous proteins, 489
- Filling order, 249–256, 249f, 255f
- Fireworks, 669
- First ionization energy, 260, 261–262, 261f, 262f, 263c, 281
 alkali metals, 428
 alkaline earth metals, 431
 boron family elements, 433
 carbon family elements, 435
 halogen family elements, 449
 nitrogen family elements, 440
 noble gases, 453
 oxygen family elements, 445
 transition elements, 739f, 740, 740f
- First law of thermodynamics, 193, 654–655
- First-order reactions, 506, 508, 509, 512c, 513–518, 514f, 518r
- Fission. *See* Nuclear fission
- Fixation, nitrogen, 440
- Flow, physical states and, 351, 351r
- Flow batteries, 716
- Fluid ounce (unit), conversion to SI units, 15r
- Fluoride ion, 54r
- Fluorine
 anomalous behavior, 429
 bond energy and length, 448, 450f
 diatomic, 285, 286f, 293, 329, 342, 342f, 343f, 344
 electron configuration, 251, 252, 253f
 electronegativity, 294
 ionic bonding, 280–281
 ionization energy, 263f
 orbitals of, 329, 342, 342f, 343f, 344
 oxoacids, 451r
 properties, 448–451
- Fluorite, 636
- Food
 irradiation of, 782, 782f
 potential energy, 8
- Formal charge, 308–309
- Formaldehyde, 314, 479f
- Formation constant (K_f), 644–646
- Formation equation, 205–206
- Formic acid, 480f
- Formula. *See also* Chemical formulas
 empirical, 277
 molecular, 278
- Formula mass, 59–60
- Formula unit, 54, 60, 77, 78
- Fossil fuels, 207–209
- Fraction by mass, 36
- Fractional bond orders, 307–308
- Fractional distillation, 415
- Francium, 427–428

I-12 Index

- Free energy (G)
 in biological systems, 675
 defined, 668
 electrical work and, 705–713
 Gibbs free energy, 668
- Free energy change (ΔG)
 calculating, 669–670
 defined, 668
 equilibrium, 676
 extent of reaction, 680, 680f
 reaction direction, 676, 677f
 reaction quotient, 676–680, 677f, 680f
 reaction spontaneity and, 671–674, 672t, 674f, 676, 680
 standard cell potential and, 705–707, 706f
 standard free energy change (ΔG°), 669
 standard free energy of formation (ΔG_f°), 670
 temperature and, 671–674, 672t, 674f
 work and, 671
- Free radical, 310, 484, 484f
- Free-radical polymerization, 484, 484f
- Freezing, 352, 353f, 355, 360
- Freezing point, of water, 18–19, 19f, 19f
- Freezing point depression (ΔT_f), 410f, 411–412, 411f
- Freons (chlorofluorocarbons), 437
- Frequency (ν), of wave, 217–219, 217f
- Frequency factor (A), 522
- Frisch, Otto, 786
- Fructose, structure, 486f
- Fuel cells, 716, 716f
- Fuels. *See also* Combustion
 conversions, 556–557
 fossil, 207–209
 greenhouse effect and global warming, 207–209, 208f
 hydrogen gas, 504
 methanol, 305
 nuclear, 176
 potential energy, 7–8, 8f
 renewable and nonrenewable, 207
- Functional groups, organic, 474–483
 alcohols, 475c, 476, 476f, 478
 aldehyde, 475c, 479, 479f
 alkane, 475c, 478–479
 alkyne, 482
 amide, 475c, 482f, 484, 488
 amine, 475c, 477–478, 477f
 carbonyl, 479, 479f
 carboxylic acid, 475c, 480, 480f
 defined, 461–462
 with double bonds, 478–479
 ester, 475c, 481, 481f
 haloalkane, 475c, 476–477
 ketones, 475c, 479, 479f
 list of important, 475c
 nitrile, 475c, 482–483
 reactivity, 474
 with single and double bonds, 480–482
 with single bonds, 474, 476–478
 with triple bonds, 482–483
- Fundamental units, in SI, 14, 14f
- Fusion, nuclear. *See* Nuclear fusion
- Fusion (melting), 352
- G**
- g Orbital, 239
- Galena, 16
- Gallium
 amount-number conversion, 75
 atomic radius, 259
 bond type, 434f
 electron configuration, 254f
 melting point, 434f
 properties, 382, 432–434
- Gallon (gal) (unit), conversion to SI units, 15f
- Galvanic cell, 692. *See also* Voltaic cells
- Galvanizing, 718
- Gamma (γ) emission, 766c, 767–768
- Gamma (γ) ray
 behavior in electric field, 765, 765f
 defined, 765
 emission, 766c, 767–768
 penetrating power, 779, 779f
 wavelength, 218, 218f
- Gas
 atomic-scale arrangement of particles, 5f, 6
 chemical equation, specifying state in, 86–87
 defined, 5
 density, 150, 162–164
 calculating, 163–164
 ideal gas law and, 163
 deviations from ideal behavior, 177–179
 diffusion, 176
 dissolution and entropy change, 662, 662f
 effusion, 175–176
 extreme conditions and, 177–178
 gas laws
 Amont's law, 155
 Avogadro's law, 156, 170, 172, 173f
 Boyle's law, 153–154, 153f, 156, 170, 171, 171f
 breathing and, 156
 Charles's law, 154–156, 155f, 170, 172, 172f
 combined gas law, 155
 Dalton's law of partial pressures, 165–166, 170, 172, 172f, 414
 Henry's law, 403
 ideal gas law, 153, 157, 158f, 162–169
 molecular view of, 171–172, 171f–173f
 solving problems, 158–162
 Graham's law, 175–176
 kinetic-molecular theory, 170–176, 351
 molar mass, 163, 164–165
 molar volume of common gases, 177f
 partial pressure, 165–166, 170, 172, 172f
 physical behavior, 149–150, 153
 pressure, 149–153
 properties, 149–150, 351f
 solubility
 Henry's law and, 403
 pressure and, 402–403, 403f
 temperature and, 402
 spontaneous expansion, 657–659, 657f, 658f
 standard molar volume, 156–157, 157f
 standard state, 205, 205t
 standard temperature and pressure (STP), 156–157, 177, 177f
 universal gas constant, 157
 van der Waals constant for common gases, 179, 179f
 van der Waals equation, 179
- Gas-gas solutions, 396
- Gas-liquid equilibria, 357, 357f
- Gas-liquid solutions, 396
- Gasoline
 combustion of, 193–194
 potential energy, 8, 8f
- Gas-solid equilibria, 360
- Gas-solid solutions, 396
- Gay-Lussac, Joseph, 154
- Genetic code, 491–492
- Geometric isomers, 469–470, 470t, 748, 748f, 749f
- Germanium
 bond type, 434f
 electron configuration, 254f
 melting point, 434f
 properties, 434–436
- Germer, L., 230
- Gibbs, Josiah Willard, 668
- Gibbs equation, 668, 669
- Gibbs free energy, 668
- Giga- (prefix), 15f
- Glass
 laboratory glassware, 15, 15f
 specific heat capacity, 198f
- Glass electrode, 712, 712f
- Global warming, 207–209, 208f
- Globular proteins, 489–490
- Glucose
 chemical formula, information in, 74f
 combustion of, 140
 isomers, 469
 mass percentage of elements in, 78–79
 metabolism, 675
 in polysaccharides, 486–487
 structure, 486f
- Glutamic acid, 487f
- Glutamine, structure of, 487f
- Glycine, 99, 487f
- Graphene, 487
- Gold
 density, 17f
 malleability, 382
 molar mass, 73
 specific heat capacity, 198f
- Graham, Thomas, 175
- Grain alcohol, density of, 17f
- Gram (g) (unit)
 atomic mass unit, 73
 English equivalent, 15f
- Gram-molecular weight. *See* Molar mass
- Granite, specific heat capacity, 198f
- Graphene, 436
- Graphite, 554–555
 allotropism, 434, 434f
 electrodes, 695
 entropy, 663
 properties, 381, 381f
 specific heat capacity, 198f
 in voltaic cells, 695, 696
- Gravity, 7, 8f
- Gray (Gy) (unit), 778
- Greenhouse effect, 207–209, 208f
- Ground state, 224, 226, 233, 249, 254, 255f
- Group 1A(1) elements. *See* Alkali metals
- Group 2A(2) elements. *See* Alkaline earth metals
- Group 3A(13) elements. *See* Boron family
- Group 4A(14) elements. *See* Carbon family
- Group 5A(15) elements. *See* Nitrogen family
- Group 6A(16) elements. *See* Oxygen family
- Group 7A(17) elements. *See* Halogens
- Group 8A(18) elements. *See* Noble gases
- Groups. *See also specific groups*
 electron affinity, 264
 electron configurations within, 252
 ionic radius, 270

- metallic behavior, 265
 number, 256
 periodic table, 47–49, 48f
 Guanine, 491
 Guldberg, Cato, 545, 546
 Gypsum, 642
- H**
- Haber, Fritz, 570
 Haber process, 570–571, 571f, 571t
 Halane, 451, 451r
 Half-cell, 694
 Half-cell potentials, 698–700, 699f, 710–711
 Half-life ($t_{1/2}$)
 defined, 773
 radioactive decay, 773–775, 773r
 of a reaction, 515–518, 518r
 Half-reaction method, for balancing redox reactions, 689–691
 Halic acid, 451r
 Halides
 alkali-metal, 282, 282f
 formation, 440, 441, 445
 hydrogen, 450
 monocarbon, 437
 nitrogen family, 440, 441
 oxygen family, 445, 447
 Halite, 451, 451t, 720
 Hall-Heroult process, 725
 Halo- (prefix), 475r
 Halocalkanes, 475r, 476–477
 Halogens
 acid strength of hypohalous acids, 602, 602f
 activity series, 139
 alkali metals compared, 448
 bond energies and bond lengths, 450f
 chemistry, 450–451
 in combination redox reactions, 136
 diatomic molecules, 51f
 displacement reactions, 139
 important reactions, 449
 ion formation, 51
 oxidizing ability, 450–451, 450f, 451r
 properties, 448–450
 Halomethanes, 437
 Halous acid, 451r
 Hamiltonian operator, 232
 H-bond. *See* Hydrogen bond (H bond)
 Heat
 of combustion reaction, 199
 defined, 18, 190
 endothermic processes, 196–197, 196f
 energy transfer, 191, 191f
 exothermic processes, 196–197, 196f
 as extensive property, 20
 finding quantity from temperature change, 198
 kinetic energy as, 189
 phase changes and, 354–356
 sign conventions, 192r
 units of measurement, 193
 Heat capacity
 defined, 197
 molar heat capacity, 198
 specific heat capacity, 197–198, 198r, 199
 of water, 354, 355, 372
 Heat of fusion (ΔH_{fus}), 352–353, 353f, 354f, 434r
 Heat of hydration (ΔH_{hyd}), 397–398, 399f
 Heat of solution (ΔH_{sol}), 397, 398f
 Heat of sublimation (ΔH_{sub}), 353, 353f
 Heat of vaporization (ΔH_{vap}), 352–353, 353f, 354f, 355, 372
 Heating-cooling curve, 354–356, 354f
 Hecto- (prefix), 14r
 Heisenberg, Werner, 231
 Heisenberg uncertainty principle, 231–232
 Helium
 anomalous behavior, 429
 boiling point, 396r
 dibarium, molecular orbitals of, 340, 340f
 effusion rate, 175
 electron configuration, 248, 250, 252, 253f
 properties, 452, 453
 solubility in water, 396r
 Hemimorphine, 438f
 Hemoglobin, 757–758, 757f
 Henderson-Hasselbalch equation, 622–623
 Henry's law, 403
 Hept- (numerical root), 465r
 Hepta- (prefix), 57r
 Heptane
 boiling point, 468f
 formula and models, 59r
 Hertz (Hz) (unit), 217
 Hess's law, 203–204, 290, 353, 355, 397
 Heteroatoms, 461, 461f
 Heterogeneous catalysis, 532, 532f, 533, 534
 Heterogeneous equilibrium, 549
 Heterogeneous mixture, 61, 392
 Hex- (numerical root), 465r
 Hexa- (prefix), 57r
 Hexaamminechromium(III) ion, 750–751, 751f, 751r
 Hexagonal closest packing, 376, 377f, 381f
 Hexagonal cubic unit cell, 376, 377f
 Hexamine, 395
 Hexane
 boiling point, 468f
 formula and model, 59r
 intermolecular forces, 368, 393f
 as solvent, 394, 395, 395r, 400, 400f
 Hexanoic acid, 395
 Hexanol, solubility, 395r
 High-spin complexes, 755–756, 755f
 Histidine, structure of, 487f
 Homogeneous catalysis, 531–532, 533, 534
 Homogeneous equilibrium, 549
 Homogeneous mixture, 61, 392
 Homologous series, 464
 Homonuclear diatomic molecules, 341–344
 atomic p -orbital combinations, 341–342
 bonding in p -block, 343–344
 bonding in s -block, 341, 341f
 defined, 341
 Hund's rule, 250–251, 339, 343
 Hybrid orbital, 329–335
 composition and orientation, 334r
 in coordination compounds, 750–751
 defined, 329
 molecular formula and, 334, 334f
 sp hybridization, 330, 331f, 334f
 sp^2 hybridization, 330, 332f, 334r
 sp^3 hybridization, 332, 332f, 334r
 sp^3d hybridization, 333, 333f, 334r
 sp^3d^2 hybridization, 333, 333f, 334r
 Hybridization, 329
 Hydrate, 56, 57r
 Hydrated metal ions, trends in acid strength of, 602–603, 603f
 Hydrated proton, 580, 580f
 Hydration, 398
 Hydration, heat of (ΔH_{hyd}), 397–398, 399f
 Hydration shells, 393, 393f
 Hydrazine, 96–97
 Hydride ion, 54r
 Hydrides
 covalent, 427
 Group 6A elements, 447
 Group 5A(15) elements, 441
 ionic, 427, 448
 trends in acid strength, 602, 602f
 Hydrocarbons, 462–472
 alkanes, 59, 59r, 464–469, 465r, 466f, 467r, 468f
 alkenes, 469–470, 470r, 475r
 alkynes, 470, 471, 475r, 482
 aromatic, 471–472
 carbon skeletons, 462–463, 463f
 cyclic, 466, 466f
 defined, 462
 double bonds, 469–470
 drawing, 463–464
 isomers
 constitutional isomers, 467, 467r
 geometric isomers, 469–470, 470r
 optical isomers, 468–469, 468f
 naming, 59, 465, 465r, 471
 saturated, 464
 triple bonds, 470
 unsaturated, 469
 Hydrochloric acid
 acid-base reactions, 128–129
 acid-base titration, 131
 formation of, 132f, 133
 proton transfer, 589, 589f
 release of, in stomach, 103
 titration of ammonia with, 632–633, 633f
 titration with sodium hydroxide, 628–629, 628f
 Hydrocyanic acid, 582
 Hydrogen
 atomic properties, 426
 chemistry, 426–427
 covalent bonding, 51, 51f
 density, 17r
 electrode, 698–699, 699f
 electron configuration, 248, 250, 253f
 fuel cells, 716, 716f
 gas as fuel, 504
 gas formation, 557–559
 halides, 450–451
 molecular orbitals, 338–341, 339f
 orbital overlap, 329, 329f
 purification using palladium, 396
 standard enthalpy of formation, 205r
 Hydrogen atom
 Bohr model, 224–226, 225f
 electron probability density, 233, 233f
 energy levels of, 234, 239, 240f
 energy states, 226–227, 233, 239
 ionization energy, 227, 260
 line spectra, 223, 223f–225f
 Hydrogen bond (H bond)
 boiling point and, 364–365, 365f
 defined, 364
 drawing, 365–366
 intermolecular forces, 363r, 364–366, 365f
 significance of, 364–365

- Hydrogen bond (H bond), *continued*
 in solutions, 393, 393f
 surface tension and, 369, 369f
 water, 369, 369c, 371–372, 371f
- Hydrogen bromide, 126
- Hydrogen carbonate ion, 56c
- Hydrogen chloride, 128–129, 131, 294. *See also*
 Hydrochloric acid
- Hydrogen fluoride
 covalent bonding, 52, 285, 290, 291,
 293–295, 295f
 electronegativity and, 293–294
 formation, 85, 85f, 427
 orbital overlap, 329, 329f
 polarity, 321f
- Hydrogen halide decomposition, 556
- Hydrogen iodide, 503, 521, 554, 556
- Hydrogen ion
 acid-base reactions, 126–131
 concentration measurement, 127, 131,
 711–712, 712f
 formula, 54r
 solvated, 126
- Hydrogen molecule
 covalent bond, 284–285, 284f, 285f, 295
 displacement from water or acid, 137–138, 138f
 electron density, 285f, 295, 295f
 electron distribution, 116, 116f
- Hydrogen peroxide
 concentration calculation, 407
 decomposition of, 532, 532f
 formula, 80, 81
 pollution, 642
- Hydrogen phosphate ion, 56c, 444
- Hydrogen sulfate ion, 56c, 448
- Hydrogen sulfide, 565, 589, 643
- Hydrogen sulfite, 448
- Hydrogenation, 532, 532f
- Hydrohalic acids, 450, 583
- Hydrolysis, 481
- Hydronium ion (H_3O^+)
 acid-base reactions, 126
 calculating concentration in aqueous solution, 585
 defined, 580
 formula, 56c
 pH scale and, 585–588, 586f–588f
 water and, 580–582, 580f, 581f
- Hydroxide ion
 Arrhenius acid-base definition and, 580–581
 calculating concentration in aqueous solution, 585
 formula, 56c
- Hypo- (prefix), 56, 56f, 57
- Hypochlorite ion, 56c
- Hypohalite, 451, 451r
- Hypohalous acids, 451r, 602, 602f
- Hypothesis, in scientific method, 9, 9f
- I
 Ice, 361, 372–373, 372f
- ic (suffix), 55, 57
- Ideal gas, 153, 158f, 170
- Ideal gas law
 defined, 153, 157
 gas density, 163
 individual gas laws and, 158, 158f
 limiting-reactant problem and, 168–169
 molar mass, 164
 reaction stoichiometry, 167–169, 168f
- rearrangements, 162–169
 van der Waals equation and, 179
- Ideal solution, 409
- ide (suffix), 53, 57, 58
- Inch (in) (unit), conversion to SI units, 15r
- Indium, 432–434, 434r
- Indium oxide, 434
- Induced-fit model, of enzyme action, 533
- Infrared (IR) radiation, 218, 218f
- Infrared (IR) spectroscopy, 289, 289f
- Initial reaction rate, 502f, 503, 505, 511
- Inner (core) electrons, 256
- Inner transition elements
 actinides, 47, 48f, 255f, 256
 defined, 256
 electron configurations, 255f, 256
 lanthanides, 47, 48f, 255f, 256
 periodic table, 47, 48f, 737, 737f
- Insect control, ionizing radiation for, 782
- Instantaneous dipole-induced dipole forces, 367
- Instantaneous reaction rate, 502f, 503
- Instrument calibration, 24f, 25
- Insulator, 384, 384f
- Integrated rate law, 512–519
 defined, 512
 first-order reactions, 513–518, 514f, 518r
 half-life, 515–518, 518r
 reaction order, determining, 514–515, 514f
 second-order reactions, 513–515, 514f, 518, 518f
 zero-order reactions, 513, 514f, 515, 518, 518f
- Intensive property
 concentration, 99
 concentration as, 404
 described, 20
- Interference, in waves, 220, 220f
- Interhalogen compounds, 451
- Intermolecular forces, 350–385
 covalent bonding forces compared, 288
 defined, 351
 determining types of, 368f
 dipole-dipole forces, 363–364, 363r, 364f
 dipole-induced dipole forces, 363r, 366
 dispersion (London) forces, 363r, 366–367, 367f
 enzyme-substrate binding, 533
 hydrogen bonds, 363r, 364–366, 365f
 ion-dipole forces, 362, 363r
 ion-induced dipole forces, 363r, 366
 liquids, 369–371
 phase changes, 351–361
 polarizability, 366
 solids, 373–385
 in solution, 393, 393f
 types compared, 362–369, 363r
 van der Waals radius, 362, 362f
 vapor pressure and, 358, 358f
- Internal energy (E_{int}), 190, 190f, 194, 194f,
 290, 654
- International System of Units. *See* SI unit
- Interparticle attractions, gas pressure and, 177, 177f,
 178, 178f
- Interparticle forces, 351. *See also* Intermolecular
 forces
- Intramolecular forces, 351, 362. *See also* Bonding
- Iodide ion, 51, 54r, 689–690, 781, 781f
- Iodine
 diatomic, 289f
 ion formation, 51
 oxoacids, 451r
 properties, 448–451
- Iodine pentafluoride, 317
- Ion(s)
 calculating number of moles in solution, 117, 119
 charge density, 398
 charge notation, 50
 defined, 49
 formation, 49, 50–51, 50f
 naming
 monatomic, 53–55, 54r, 55r
 oxoanion, 56, 56f
 polyatomic, 56, 56r
 spectator, 120, 121f, 128, 130, 130f
- Ion pairs, 283
- Ion-dipole forces, 362, 363r, 393, 393f
- Ionic atmosphere, in solutions, 415, 415f
- Ionic bonding
 Coulomb's law, 282
 defined, 277
 depicting ion formation, 280, 281f
 intermolecular forces, 363r
 ion pairs, 283
 lattice energy
 importance, 280–281
 periodic trends, 281–282, 282f
 metal with nonmetal, 277, 278f
 octet rule, 279
 partial ionic character, 294–296, 295f
 strength, 50, 51f
 in transition metal compounds, 742
- Ionic compounds
 covalent compound distinguished from, 52
 crystal structure, 379r, 380, 380f
 defined, 49
 dissolving in water, 397–399, 399f
 entropy change with dissolution, 661–662, 662f
 equilibria of slightly soluble ionic compounds,
 633–643
 formation, 49–51, 50f
 by redox reaction, 132, 132f, 136
 formula mass, 59
 hydrated, 56, 57r
 names and formulas of, 53–58
 neutrality of, 50
 oxidation numbers, 133
 polyatomic ions, 52, 52f, 56, 56r, 57
 properties
 electrical conductance, 283, 283f
 ionic bonding model and, 283
 melting and boiling points, 283, 283r
 thermal conductivity, 283
 vaporization, 283
 solubility and temperature, 401–402, 402f
 solubility rules, 123r
 in water, 116–119, 117f
- Ionic equations
 for acid-base reactions, 128–129
 predicting precipitation reactions, 123
- Ionic equilibria, 617–646
 acid rain and, 641–643, 642f
 acid-base buffer systems, 618–626
 acid-base titration curves, 626–633
 complex ions, 643–646
 slightly soluble ionic compounds,
 633–643
- Ionic hydrides, 427, 428
- Ionic radius, 269–271, 269f, 270f
 alkali metals, 428
 alkaline earth metals, 431
 boron family elements, 433

- carbon family elements, 435
 defined, 269
 halogens, 449
 lattice energy and, 282, 282f
 nitrogen family elements, 440
 oxygen family elements, 445
- Ionic solids, 379f, 380, 380f
- Ionic solutions
 corrosion of iron and, 718, 718f
 electrical conductivity, 117, 118f
- Ion-induced dipole force, 363e, 366, 393, 393f
- Ionization, radioactive emissions, 778
- Ionization energy (IE)
 alkali metals, 428, 429
 alkaline earth metals, 430, 431
 boron family elements, 432, 433
 carbon family elements, 435
 defined, 260
 first, 260, 261–262, 261f, 263f, 263i
 halogen family elements, 449
 of the hydrogen atom, 227
 lithium, 281
 of metals, 266
 nitrogen family elements, 440
 noble gases, 453
 oxygen family elements, 445
 periodic trends, 260–263, 261f
 second, 261, 263i
 successive, 262–263, 263i
 transition elements, 739f, 740, 740f
- Ionizing radiation
 applications, 782, 782f
 background radiation, 779–780
 defined, 778
 penetrating power of, 778–779, 779f
 sources, 779–780, 779f
 units of radiation dose, 778
- Ion-product constant for water (K_w), 584–587
- Ion-product expression (Q_{sp}), 634–635
- Ions. *See also* Anions; Cations
 electron configuration
 of main-group, 266–268
 of metal transition, 268
 electron configuration of transition metals, 738–739
 noble gas configuration, 266–267
 pseudo-noble gas configuration, 67
- Ion-specific electrode, 712, 712f
- Iron
 atomic-mass-number conversions, 75–76
 appearance, 739f
 corrosion of, 717–718, 717f, 718f
 electron configuration, 254t, 738t
 in hemoglobin, 757, 757f
 iron(II) and (III), 55, 55t
 nuclide, stability of, 784–785
 oxidation, 655
 oxidation states, 741, 741t
 specific heat capacity, 198t
- Iron(II) sulfide, 645
- Iron(II) hydroxide, solubility-product constant, 635t
- Irradiation of food, 782, 782f
- Isobutane, 467f
- Isoelectronic, 266–267
- Isoleucine, structure of, 487f
- Isomers
 chirality, 468–469, 468f
cis-trans isomerism, 469–470, 470t
- constitutional (structural), 84, 85t, 467, 467t, 747–748, 747f, 749f
 coordination, 747, 749f
 in coordination compounds, 747–750, 747f–749f
 defined, 84, 467, 747
 diastereomers, 748
 enantiomers, 468–469, 748–749, 749f
 geometric, 469–470, 470t, 748, 748f, 749f
 linkage, 747–748, 747f, 749f
 number of, 84
 optical, 468–469, 468f, 748–749, 749f
 stereoisomers, 468–469, 748–750, 748f, 749f
- Isopentane, 467t
- Isotonic saline, 101
- Isotopes. *See also* Radionuclides
 carbon, 44
 defined, 44, 765–766
 mass spectrometry, 44–46, 45f
 silicon, 44, 45–46
 silver, 46
 isotopic mass, 45, 46
 -ite (suffix), 56, 56f, 57
- J**
- Joule (J) (unit), 193
- K**
- K . *See* Equilibrium constant (K)
 K_a . *See* Acid-dissociation constant (K_a)
 K_b . *See* Base-dissociation constant (K_b)
 Kelvin (K) (unit), 14c, 18
 Kelvin (K) temperature scale, 18–20, 19f, 19t
 Ketones, 475c, 479, 479f
 K_f . *See* Formation constant (K_f)
 Kilo- (prefix), 15t
 Kilojoule (kJ) (unit), 193
 Kilogram (kg) (unit), 14c, 15t, 16
 Kilojoule (kJ) (unit), 193
 Kilometer (km), English equivalent, 15t
 Kinetic energy (E_k), 7–8, 8t, 170–171, 173–174, 189, 290, 351, 354–355, 389, 361
- Kinetic-molecular theory
 defined, 170
 diffusion, 176
 effusion, 175–176
 gas laws and, 170, 171–173, 171f–173f
 kinetic energy, importance of, 173–174
 molecular speed, 170–171, 171f, 173–174, 173f
 origin of pressure, 170, 171
 phase changes, 351–352, 351t
 postulates of, 170–171
 rms speed, 174
 temperature and, 170–171, 174
- Kinetics
 chemical, 498–534
 of rs^{-4} -active decay, 772–776
- Krypton
 electron configuration, 253, 254t
 properties, 451–453
 K_{sp} . *See* Solubility-product constant (K_{sp})
 K_w . *See* Ion-product constant for water (K_w)
- L**
- Lactose, 78
 Lanthanide contraction, 740
- Lanthanides
 defined, 256
 electron configuration, 255f, 256
 periodic table, 47, 48f
- Lanthanum, 256
- Large hadron collider, 777
- Lattice, 374, 374f
- Lattice energy ($\Delta H_{\text{lattice}}$)
 alkali metal chlorides, 429, 429f
 defined, 281
 importance, 280–281
 periodic trends, 282, 282f
 solution process and, 398–399, 399f
- Lavoisier, Antoine, 35, 38, 47
- Law of chemical equilibrium, 545
- Law of conservation of energy, 193, 654
- Law of definite (or constant) composition, 36, 36f, 38, 39
- Law of mass action, 545
- Law of mass conservation, 35–36, 38, 39
- Law of multiple proportions, 37, 38, 39
- Lawrence, E. O., 777
- Laws of thermodynamics
 first, 193, 654–655
 second, 659
 third, 659–660
- Le Châtelier's principle, 562–571, 584, 619, 637, 639
 catalyst effect, 568, 569t
 concentration changes, 563–565, 569t
 defined, 562
 Haber process for ammonia synthesis, 570–571, 571f, 571t
 pressure changes, 565–567, 566f, 569t
 temperature changes, 567–568, 569t
- Lead
 bond type, 434t
 cubic crystal structure, 376
 density, 17f
 lead(II) and (IV), 55t
 melting point, 434t
 properties, 435, 436
 Lead nitrate, 123, 123f
 Lead-acid battery, 714–715, 714f
 Lead(II) chloride, 635
 Lead(II) chromate, 637–638, 638f
 Lead(II) fluoride, 634, 635–636, 635t
 Lead(II) iodide, 123
 Lead(II) sulfate, 635–636, 635t
 Lecithin, 481f
- Length
 converting units of, 13
 SI-English equivalent quantities, 15t
 unit of measurement, 14, 14t, 15t
- Leucine, structure of, 487f
- Level, atomic energy, 235
- Leveratory, 469
- Lewis, Gilbert Newton, 278
- Lewis acid-base definition, 607–609
 adduct, 607–609
 complex ions and, 645
 defined, 607
- Lewis acids, 607–609
 complex ions, 645
 with electron-deficient atoms, 607–608
 identifying, 609
 metal cations as, 608
 with polar multiple bonds, 608

- Lewis bases, 607–609, 645
- Lewis electron-dot symbols, 278–279, 279f
- Lewis structure (formula), 303–312
- defined, 303, 303a
 - electron-deficient molecules, 309–310
 - electron-pair delocalization, 307
 - expanded valence shells, 310–311
 - formal charge, 308–309
 - free radicals, 310
 - molecules with multiple bonds, 305–306
 - molecules with single bonds, 303–305
 - octet rule, 303–306
 - exception to, 309–312
 - odd-electron molecules, 310
 - resonance, 306–308
 - valence-shell electron-pair repulsion theory, 312
- Libby, Willard F., 774
- Ligands
- bidentate, 744, 745f
 - coordination compounds and, 743–750, 745f
 - defined, 643, 743
 - monodentate, 744, 745f
 - polydentate, 744, 745f
 - spectrochemical series, 754, 754f
 - splitting *d* orbitals in an octahedral field of ligands, 752–753, 753f
 - strong-field ligands, 753, 755, 755f
 - weak-field ligands, 753, 755, 755f
- Light
- as electromagnetic radiation, 217–219, 219f
 - particle nature of, 220–222
 - photon theory, 221–222
 - speed of, 217
 - wave nature of, 217–220
- Light-water reactor, 788f, 789
- Like-dissolves-like rule, 393, 394, 394f, 397
- Limestone, 549–550, 551, 642–643
- Limestone, carbon dioxide release from, 152
- Limiting reactant, 93–97
- Limiting-reactant problem
- car production analogy, 93–94
 - reactant and product amounts, calculating, 95–97
 - reaction table, 93–94
 - solving for reaction in solution, 103–104
 - solving with molecular depictions, 94–95
 - using the ideal gas law in a, 168–169
- Line spectrum
- appearance of, 222f, 223f, 225f
 - defined, 223
 - Rydberg equation and, 223–224
- Linear accelerator, 776, 776f
- Linear arrangement
- defined, 313
 - hybrid orbitals, 334f
 - VSEPR, 313, 313f
- Linear shape
- of acetylene, 335
 - complex ion, 744, 744f
 - described, 313, 313f
 - hybrid orbitals, 332, 333, 334f
 - of triiodide ion, 317
- Linkage isomers, 747–748, 747f, 749f
- Lipids, 480
- Liquid
- atomic-scale arrangement of particles, 5f, 6
 - boiling, 359–360
 - chemical equation, specifying state in, 86–87
 - as condensed phase, 352
 - defined, 5
 - diffusion in, 176
 - entropy change with dissolution, 661–662, 662f
 - finding molar mass of volatile, 164–165
 - intermolecular forces, 369–371
 - kinetic-molecular view, 351
 - molecular polarity and, 394–396
 - properties
 - capillarity, 370, 370f
 - macroscopic, 351f
 - surface tension, 369, 369f, 369n
 - viscosity, 370–371, 370n
- Liquid-gas equilibria, 357, 357f
- Liquid-liquid solutions, 394–396
- Liquid-solid equilibria, 360
- Liter (L), 15
- Lithium
- anomalous behavior, 429
 - calculating density from mass and volume; 18
 - diagonal relationship with magnesium, 432, 432f
 - diatomic, 341, 341f
 - displacement reaction, 137, 138f
 - electron configuration, 248, 250, 252, 253f
 - ionic bonding, 280–281, 281f
 - ionization energy, 263t, 281
 - molecular orbitals, 383, 383f
 - properties, 427–429
- Lithium battery, 715, 715f
- Lithium chloride, 295
- Lithium fluoride
- ionic bonding, 280–281, 281f
 - lattice energy, 282, 282f
- Lithium ion, 54f
- Lock-and-key model, of enzyme action, 533
- London, Fritz, 366
- London forces, 363t, 366–367. *See also* Dispersion force
- Lone pairs, 285, 314–317, 330, 332, 333, 597
- Lowry, T. M., 588
- Low-spin complexes, 755–756, 755f
- LSD (lysergic acid diethylamine), molecular structure, 482f
- Luminous intensity, unit of measurement, 14f
- Luister, 383
- Lysine, 437f, 471f, 487f
- M**
- Macromolecules. *See also* Biological macromolecules; Polymers
- biological, 486–492
 - synthetic, 483–486
- Macroscopic property, 6–7, 33
- Magnesium
- anode, 718–719
 - diagonal relationship with lithium, 432, 432f
 - electron configuration, 252, 252t, 253f
 - hexagonal crystal structure, 376, 381f
 - properties, 265, 430–431
 - reaction with oxygen, 86–88, 87f
- Magnesium chloride, 296, 297f
- Magnesium hydroxide, 103
- Magnesium ion, 54f
- Magnesium oxide
- formation, 131–132
 - formation of, 86–88, 87f
 - lattice energy, 282
- Magnetic properties
- crystal field theory, 755
 - diamagnetism, 269, 269f, 343–344, 343f, 344f, 742
 - paramagnetism, 269, 269f, 343–344, 343f, 742
 - of transition elements, 742
 - of transition metal complexes, 755
 - of transition metal ions, 268–269
- Magnetic quantum number (*m*), 234t, 235, 247f
- Magnetite, 718
- Main-group elements. *See also* specific elements
- atomic size, 258, 259f, 260f
 - electron affinities, 264f
 - electron configuration, 254, 255f, 256
 - electronegativity, 294, 294f
 - ionization energies, 262f
 - Lewis symbol, 279, 279f
 - monatomic ions, 53, 53f
 - oxidation states/numbers, 134, 134f
 - periodic pattern, 47, 48f, 425–453
- Main-group ions, electron configurations of, 266–268, 266f
- Malleability, 382, 382f, 383
- Manganese
- appearance of, 738f
 - electron configuration, 253, 254t, 738t
 - oxidation states, 741, 741f, 741t
- Manganese(II) chloride tetrahydrate, 742f
- Manganese(II) sulfide, 634
- Many-electron atoms, 246–249
- Mass
- amount-mass-number relationships, 74–77, 74f, 91–93, 91f, 100, 100f
 - calculating mass of element in compound, 36–37
 - converting units of, 16–17
 - defined, 16
 - difference in chemical reactions, 783
 - difference in nuclear reactions, 783–784
 - as extensive property, 20
 - interconversion of mass and energy, 783–786
 - molality and, 404
 - molecular speeds and, 173, 173f
 - periodic table values, 73, 73n
 - SI-English equivalent quantities, 15f
 - unit of measurement, 14t, 15t, 16–17
- Mass action, law of, 545
- Mass action expression. *See* Reaction quotient
- Mass conservation, law of, 35–36, 38, 39
- Mass fraction, 36, 78–79
- Mass number (*A*), 43, 44, 44f, 47, 765
- Mass percent (mass %), 36, 77–79, 82, 405
- Mass spectrometry, 44–46, 45f
- Mass-action expression. *See* Reaction quotient (*Q*)
- Mass/charge ratio (*m/e*), 45
- Mass-energy, 654t
- Material flow, tracers and, 781
- Matter
- ancient Greek view of, 33
 - atomic view of, 35–37
 - de Broglie wavelength, 229–230, 230t
 - defined, 3
 - effects of nuclear radiation on, 778–780
 - element (*see* Elements)
 - energy changes, 7–8, 8f
 - energy content of, 189
 - energy distinct from, 219–220
 - properties of, 3–4
 - states of, 5–6, 5f, 149–150, 149f
 - types, 33–35
 - visualizing change on atomic scale, 4–5
 - wave-particle duality, 229–231

- Measurement, 14–25
 accuracy, 24, 24f
 conversion factors, 10–12, 13
 decimal prefixes, 14, 15f
 history, 14
 precision, 24, 24f
 random error, 24
 SI units, 14–20, 15f
 significant figures, 21–24, 21f
 systematic error, 24–25, 24f
 uncertainty in, 21–25
 volumetric glassware, 15, 15f
- Medical diagnosis, radioactive tracer use, 781–782, 781f, 781e, 782f
- Mega- (prefix), 15f
- Mega-electron volt, 784
- Mettler, Lise, 786
- Meitnerium, 786
- Melting, 352, 353f
- Melting point
 alkali metals, 428
 alkaline earth metals, 431
 boron family elements, 433
 carbon family elements, 435
 defined, 360
 effects on, 360
 Groups 3A, 4A, and 5A compared, 434f
 halogen family elements, 449
 ionic compounds, 283, 283f
 nitrogen family elements, 440
 noble gases, 453
 oxygen family elements, 445
 of solvents, 411f
- Mendeleev, Dmitri, 47, 246
- Meniscus, 370, 370f
- Mercury
 in batteries, 714, 714f
 line spectrum, 223f
 meniscus shape in glass, 370, 370f
 mercury(I) and (II), 55f
 surface tension, 369f
 uses, 103
- Mercury barometer, 150–151, 151f
- Mercury(I) iodide, solubility-product constant, 635f
- Mercury(II) nitrate, 103–104
- Metal(s). *See also* Transition elements
 acid strength of hydrated metal ions, 602–603, 603f
 activity series, 137–139, 139f, 704–705
 alloys, 396
 bonding, 277–278
 as catalysts, 532, 532f
 in combination redox reactions, 136
 complex ion formation, 645
 conduction by, 382, 383, 384
 crystal structure, 381, 381f
 defined, 47
 displacement reactions, 137–139, 137f, 139f
 electron affinity, 264
 electron configuration, 268, 268f
 forming more than one ion, 55, 55f
 ion formation, 49, 50–51
 ionization energy, 264
 magnetic properties, 268–269
 malleability, 382, 382f, 383
 metal cations as Lewis acids, 608
 nonmetals compared, 277f
 periodic table and, 47, 48f, 277f
 production by electrolysis, 137
- properties, 47, 263f, 264, 265–266, 277f
 acid-base behavior of element oxides, 265–266, 266f
 tendency to lose electrons, 265
- Metal sulfides, 634
- Metallic behavior, trends in, 265–266, 265f
- Metallic bonding
 alkali metals, 428
 alkaline earth metals, 431
 band theory, 383–384, 383f
 characteristics of, 278, 278f, 279f
 defined, 278
 electron-sea model, 382
 intermolecular forces compared, 363f
 in mercury, 369f, 370, 370f
 in metallic solids, 379f, 381, 381f
- Metallic radius, 258, 258f
- Metallic solids, 379f, 381, 381f
- Metalloids
 defined, 48
 oxides, 265–266
 periodic table and, 48, 48f, 277f
 properties, 48, 265
 as semiconductors, 384
- Metathesis reaction, 123, 123f, 128, 137
- Meter (m) (unit), 14, 14e, 15f
- Methanal, molecular structure, 479f
- Methanamine, 395
- Methane
 boiling point, 468f
 combustion, 655
 conversion to hydrogen fuel, 556–557
 cubic closest packing, 380, 380f
 effusion rate, 175
 entropy, 663
 formula and model, 59f
 heat of combustion, 292, 292f
 hybrid orbitals, 329, 332, 332f
 molecular shape, 314–315
 PV/RT curve, 177, 177f
 standard enthalpy of formation, 205
- Methanoic acid, 395, 480f
- Methanol
 hybrid orbitals, 334
 intermolecular forces, 293f
 Lewis structure, 305
 molecular structure, 475e, 476f
 solubility, 394f, 395, 395e, 396
- Methionine, structure of, 487f
- Methyl acetate, molecular structure, 475f
- Methyl chloride
 boiling point, 364, 364f
 dipole moment, 364, 364f
 molecular structure, 475f
- Methyl cyanide, molecular structure, 475f
- Methyl ethanolate, molecular structure, 475f
- Methyl ethyl ketone, 479f
- Methyl \rightarrow -1, 627f, 628, 628f, 630, 630f, 633, 633f
- Methylamine, 598, 598f
- Methylbenzene, 472
- Methylbutane, 467, 467f
- Methylhexane, 468, 468f
- Methylpropane, 467, 467f
- Metric system, development of, 14
- Mica, 438
- Micro- (prefix), 15f
- Microchip, 384
- Micrometer (unit), 14
- Microstate, 656–661
- Microwave, 218, 222
- Mile (mi) (unit), conversion to SI units, 15f
- Milli- (prefix), 15f
- Millikan, Robert, 40–41
- Millikan's oil drop experiment, 40–41, 40f
- Milliliter (mL) (unit), 15
- Millimeter of mercury (mmHg) (unit), 151, 152f
- Miscible substances, 392
- Mixtures
 compounds distinguished from, 34–35, 61, 61f
 defined, 33f, 34, 392
 heterogeneous, 61
 homogeneous, 61
 reaction direction and, 561
- Model, in scientific method, 9, 9f
- Molal boiling point elevation constant, 411, 411f
- Molal freezing point depression constant, 411, 411f
- Molality (*m*)
 calculating, 405
 defined, 404, 404f
- Molar entropy. *See* Standard molar entropy (S°)
- Molar heat capacity (C), 198
- Molar mass (M)
 amount-mass-number conversions, 74–77, 74f, 76f, 91, 91f
 boiling point and, 367, 367f
 compound, 73
 converting to grams, 74
 defined, 73
 dispersion (London) forces and, 367, 367f
 of elements, 73
 entropy and, 662
 gas, 163, 164–165
 gas effusion and diffusion, 175–176
 molecular formula determination from, 81, 82–83
 molecular speed and, 173, 173f
 of solutions, from colligative properties, 413–414
- Molar ratio, stoichiometrically equivalent, 89–93
- Molar solubility, 636–638, 637f
- Molar volume, of common gases, 177f
- Molarity (*M*)
 amount-mass-number relationships, 100, 100f
 calculating, 99
 defined, 99, 404, 404f
- Mole (mol) (unit), 14f
 Avogadro's number and, 72, 74–77, 74f, 76f
 of common objects, 72, 73, 73f
 defined, 72–73
- Mole fraction (X), 165, 404e, 405–406
- Mole percent, 406
- Molecular complexity, entropy and, 662–663, 663f
- Molecular covalent substances, 288, 288f
- Molecular depiction
 precipitation reaction, 124–125
 solving limiting-reactant problem, 94–95
- Molecular elements, molar mass, 73
- Molecular equation
 for acid-base reactions, 128–129
 aqueous ionic reactions, 120, 121f
 defined, 120
- Molecular formula
 converting to Lewis structure, 303–306, 303f
 defined, 59, 80
 determining, 81–84
 hybrid orbitals and, 334, 334f
 isomers and, 84

- Molecular hydrides, 427
- Molecular mass
from chemical formulas, 59–60
defined, 59
mass percent calculation, 78
- Molecular orbital (MO)
antibonding, 339–345, 339f
bond order, 340
bonding, 338–345, 339f
defined, 338
energy and shape of, 339, 339f
filling, 339
formation, 338–339
of hydrogen, 338–341, 339f
of lithium, 383, 383f
- Molecular orbital (MO) band theory, 383–384, 383f
- Molecular orbital (MO) diagram, 339, 339f–342f
- Molecular orbital (MO) theory, 338–345
antibonding MO, 339–345, 339f
atomic 2p-orbital combinations, 341–342
bonding MO, 338–345, 339f
central themes, 338–341
defined, 338
formation of molecular orbitals, 338–339
homonuclear diatomic molecules, 341–344
atomic p-orbital combinations, 341–342
bonding in p-block, 343–344
bonding in s-block, 341, 341f
MO bond order, 340
pi (π) MOs, 341–344, 341f
sigma (σ) MOs, 339–344, 341f
- Molecular polarity
bond polarity, 320, 321
defined, 320
dipole moment, 321
effect on behavior, 320
liquid solutions and, 394–396
molecular shape and, 320–322
polar molecules in electric field, 320–321, 321f
predicting, 320–321
- Molecular shape, 302–322
classifying, 313
defined, 312
dispersion forces and, 367, 367f
Lewis structure (formula), 303–312
defined, 303, 303a
electron-deficient molecules, 309–310
expanded valence shells, 310–311
formal charge, 308–309
molecules with multiple bonds, 305–306
molecules with single bonds, 303–305
odd-electron molecules, 310
resonance, 306–308
molecular polarity and, 320–322, 321f
valence-shell electron-pair repulsion (VSEPR)
theory, 312–322
defined, 312
electron-group arrangements, 312–313, 313f
linear arrangement, 313, 313f
molecules with multiple central atoms,
319–320, 319f
octahedral arrangement, 313f, 317, 317f
square planar shape, 317, 317f
square pyramidal shape, 317, 317f
tetrahedral arrangement, 313f, 314–316, 315f
trigonal bipyramidal arrangement, 313f,
316–317, 316f
trigonal planar arrangement, 313f,
314, 314f
trigonal pyramidal, 315, 315f
using VSEPR to determine molecular shape,
318–319, 318f
viscosity, effect on, 371
- Molecular solids, 379–380, 379e, 380f
- Molecular speeds, 170–171, 171f, 173–174,
173f, 358f
- Molecular wave functions, 338
- Molecular weight. *See* Molecular mass
- Molecularity, elementary reactions and,
526–527, 526e
- Molecules
bonds (*see* Bonding)
covalent compound, 51–52
defined, 33
element, 33, 33f, 51, 51f
formulas, 53–61
Lewis structures, 303–312
naming, 53–59
orbitals (*see* Molecular orbital (MO))
polarity (*see* Molecular polarity)
reaction rates and structure, 522, 522f
shape (*see* Molecular shape)
- Molina, Mario J., 535
- Momentum, 230–231
- Monatomic elements, molar mass, 73
- Monatomic ions
common, 53, 53f, 54f
compounds formed from, 53–54
defined, 49
formation of, 49–50, 50f
metals that form more than one,
55, 55f
oxidation number, 134f
properties of, 266–271
- Mono- (prefix), 57f
- Monochromatic light, 218, 221
- Monosaccharide ligands, 744, 745f
- Monomer, 483–484
- Mononucleotide, 490–491, 490f
- Monosaccharide, 486
- Motion, kinetic energy and, 7
- Multiple proportions, law of, 37, 38, 39
- Multiplication, significant figures and, 22
- Mylar, 485
- N**
- NAA (neutron activation analysis), 781
- Naming. *See* Nomenclature
- Nano- (prefix), 15f
- Nanometer (nm) (unit), 14, 217
- Nanotubes, 436, 436f
- Natural law, 9
- Neutron emission. *See* Beta (β) decay
- Neon
boiling point, 396f
diatomic molecule, orbitals of, 342, 342f,
343f, 344
electron configuration, 251, 253f
expansion of, 658, 658f
ionization energy, 263f
mass spectrometry, 45, 45f
molar mass, 73
properties, 452, 453
solubility in water, 396f
Neopentane, 367, 367f, 467f
- Nernst, Walther Hermann, 707
- Nernst equation, 708–709
- Neg ionic equation
for acid-base reactions, 128, 129, 130
described, 121, 121f
- Network covalent solids, 289, 289f, 379e,
381–382, 381f
- Neutralization, 580. *See also* Acid-base
(neutralization) reactions
- Neutralization reaction, 126
- Neutron (n^0)
in accelerators, 776
defined, 43
discovery of, 42
isotopes, 44
mass number and, 43, 44f
N/Z (neutron-to-proton) ratio, 768–771, 769f
properties, 43, 43e
- Neutron activation analysis (NAA), 781
- Neutron-to-proton (N/Z) ratio, 768–771, 769f
- Nickel
appearance, 739f
cubic crystal structure, 376
displacement reactions, 138, 138f
electron configuration, 253, 254e, 738f
oxidation states, 741, 741f
- Nickel-cadmium (nicad) battery, 715
- Nickel-metal hydride (Ni-MH) battery, 715, 715f
- Nickel(II) nitrate hexahydrate, 742f
- Nitrate ion, 56e, 308, 314, 443f
- Nitric acid, 127, 207, 441, 442–443, 443f, 582,
590–591, 642
- Nitric oxide, 396e
- Nitride ion, 54f
-nitride (suffix), 475e
- Nitriles, 475e, 482–483
- Nitrite ion, 56e, 443f
- Nitrogen
anomalous behavior, 429
boiling point, 396e
bond type, 434f
chemistry, 441–443
covalent bonding, 286
diatomic molecules, 51f, 342–344, 342f, 343f
electron configuration, 251, 253f
fixation, 440
ionization energy, 263f
Lewis structure, 305–306
Lewis symbol for, 279
melting point, 434f
orbitals of, 342–344, 342f, 343f
properties, 265, 439–441
solubility in water, 396f
standard enthalpies of formation, 205f
- Nitrogen dioxide
equilibrium with dinitrogen tetroxide, 543–546,
544f, 546f, 546e, 553–554
formation, 442
formation of, 89
Lewis structure, 310
mass-amount-number conversions, 76
as smog contributor, 548
structures and properties, 442e
- Nitrogen family
chemical behavior, 430–444
important reactions, 440
ion formation, 51
oxygen family compared, 446–447
physical behavior, 439, 440
properties, 439–444
- Nitrogen fixation, 440

- Nitrogen monoxide (nitric oxide), 441–442, 442f
 Nitrogen oxides, 441–442, 442f, 642, 643, 663
 Nitrogen trifluoride, 303–304
 Nitrous acid, 443, 443f
 Noble gases
 as atomic solids, 379, 379f
 electron affinity, 264
 electron configuration, 266–267, 266f
 first ionization energy, 261
 ionization energy, 264
 ions formed and nearest noble gas, 50–51
 natural occurrence, 49
 periodic table and, 49
 properties, 452–453
 Nodie, 237–238, 237f
 Nomenclature
 acids, 57–58
 alkanes, 59, 59i, 465, 465i, 471
 common (trivial) names, 55, 55i
 coordination compounds, 745–747, 746f
 covalent compounds, 58–59
 hydrates, 56, 57i
 ionic compounds, 53–58
 ions, 53–58, 53f, 54i, 55i, 56i
 metals that form more than one ion, 55, 55i
 numerical prefixes, 56, 57i, 58
 numerical roots, 465, 465i
 Non- (numerical root), 465i
 Non- (prefix), 57i
 Nonane
 boiling point, 468f
 formula and model, 59i
 Nonelectrolytes
 colligative properties
 nonvolatile nonelectrolyte solutions, 408–413
 volatile nonelectrolyte solutions, 414–415
 defined, 120, 408
 Nonmetal(s)
 bonding, 277–278, 278f
 covalent bonding, 51
 covalent radius, 258
 defined, 48
 diatomic molecules, 51
 electron affinity, 264
 as insulators, 384
 ion formation, 49, 50–51
 ionization energy, 264
 metals compared, 277f
 oxide, 265
 periodic table and, 48, 48f, 277f
 properties, 48, 264, 265, 277f
 redox reactions, 136
 Nonmetal hydrides, trends in acid strength, 601–602, 602f
 Nonpolar covalent bond, 295, 295f
 Nonrechargeable batteries (see Primary batteries)
 Nonstandard half-cell potentials, 721–722
 Nonvolatile nonelectrolyte solutions, colligative properties of, 408–413
 Nuclear atom model, 39–42
 Nuclear binding energy, 784–786, 785f
 Nuclear charge (Z), effect on orbital energy, 248
 Nuclear energy reactors, 788–789, 788f
 Nuclear equations, 768
 Nuclear fusion
 binding energy per nucleon and, 785–786, 785f
 defined, 783
 promise of, 789–790
 Nuclear reactions, 763–790
 balancing, 768
 chain reaction, 786–787, 787f
 chemical reactions compared, 764, 764i
 fission, 786–789, 787f, 788f
 fusion, 789–790, 790f
 nuclear binding energy, 784–786, 785f
 nuclear energy reactors, 788–789, 788f
 nuclear equations, 768
 nuclear radiation, effect on matter, 778–780
 nuclear stability, 764, 768–771, 769f, 769i
 radioactive decay, 764–776
 decay series, 771, 771f
 half-life, 773–775, 773i
 kinetics, 772–776
 nuclear equations, 768
 nuclear stability and, 764, 768–771, 769f, 769i
 predicting mode of, 770–771
 radiometric dating, 774–776
 rate of, 772–774, 773i
 types of, 765–768, 765f, 766i
 radioisotope (see Radioisotopes)
 transmutation (see Nuclear transmutation)
 transuranium elements, 777, 777i
 Nuclear stability, and the mode of decay, 768–771
 Nuclear transmutation, 776–777
 cyclotron accelerator, 777, 777f
 defined, 776
 linear accelerators, 776, 776f
 particle accelerators, 776–777
 transuranium elements, 777, 777i
 Nuclear waste disposal, 789
 Nucleic acids, 490–491, 490f, 491f
 Neutron energy levels, 769–770
 Nucleus
 binding energy per, 784–785, 785f
 defined, 764
 Nucleotides, 490–491, 490f
 Nucleus
 components of, 43, 43i, 43i, 764–765
 defined, 42
 discovery, 41–42, 41f
 mass number and, 43
 notation, 765
 size analogies, 42
 Nuclide
 decay modes, 765, 766i, 767–768
 defined, 764
 notation, 765
 stability, 768–771, 769f, 769i
 transuranium, 777i
 Number. See Amount-mass-number relationships
 Nutritional Calorie (Cal), 193
 Nylons, 485
 N/Z (neutron-to-proton) ratio, 768–771, 769f
 O
 -oate (suffix), 475i, 480
 Observations, in scientific method, 9, 9f
 Oct- (numerical root), 465i
 Octa- (prefix), 57i
 Octadecanoic acid, molecular structure, 480f
 Octahedral arrangement
 defined, 317
 hybrid orbitals, 333, 333i, 334i
 VSEPR, 313f, 317, 317f
 Octahedral complexes
 coordination compounds, 744, 744i
 crystal field theory and, 752–753, 753f
 hemoglobin, 757, 757f
 valence bond theory, 750–751, 750f
 Octahedral shape
 complex ion, 744, 744i, 748
 described, 313f, 317, 317f
 hybrid orbitals, 334i
 Octane
 boiling point, 460f
 combustion, 88, 194, 194f
 dissolving in hexane, 400, 400f
 formula and model, 59i
 intermolecular forces, 393f
 Octet rule
 defined, 279, 303
 exceptions to, 309–312
 Lewis structures, 303–306
 Odd-electron molecules, 310
 -oic acid (suffix), 475i, 480, 481
 Oils, solubility of, 394
 -ol (suffix), 475i, 476
 -one (suffix), 475i, 479
 Optical isomers, 468–469, 468i, 748–749, 749f
 Optically active substance, 469
 Orbital diagram, 249–251, 252i, 253
 Orbital energy
 electron repulsion and, 248
 nuclear charge and, 248
 orbital shape and, 248
 penetration, 248, 248f
 shielding, 248
 Orbital overlap
 description, 329, 329i
 molecular rotation and, 337–338
 in single and multiple bonds, 335–338, 336f, 337f
 Organic compounds, 459–492
 alcohols, 475i, 476, 476f
 aldehydes, 475i, 479, 479i
 alkanes, 464–469, 465i, 466f, 467i, 468f
 alkenes, 469–470, 470i, 475i
 alkynes, 470, 471, 475i, 482
 amides, 475i, 481, 482f, 488
 amines, 475i, 477–478, 477f
 aromatic compounds, 471–472
 biological macromolecules (see Biological macromolecules)
 bond properties, 460
 carbon properties, 437, 437f
 carbonyl group, 479, 479f
 carboxylic acid, 475i, 480, 480f
 chemical diversity, factors in, 460f, 461–462, 461f
 combustion analysis of, 83–84, 83f
 defined, 460
 esters, 475i, 481, 481f
 haloalkanes, 475i, 476–477
 heteroatoms, 461
 hydrocarbons (see Hydrocarbons)
 ketones, 475i, 479, 479f
 naming, 465, 465i, 471
 nitriles, 475i, 482–483
 reactions (see Organic reactions)
 structural complexity, factors in, 460–461

- Organic reactions**
 addition reactions, 473, 474, 478, 484, 485r
 elimination reactions, 473, 474, 476
 substitution reactions, 473, 474, 476, 478, 480
- Orientation probability factor (*p*), 522**
- Orthosilicate, 438**
- Osmosis, 412**
- Osmotic pressure, 412–413, 413f**
- Ostwald process, 442**
- ous (suffix), 55, 57**
- Outer electrons, 256**
- Overvoltage, 722**
- Oxidation, 133, 688**
 of alcohols, 476
- Oxidation half-reaction, 694, 694f, 695**
- Oxidation number (O.N.)**
 defined, 133
 determining, 134
 electronegativity and, 294
 formal charge compared to, 309
 oxidizing and reducing agents, recognizing, 134–135
 of reactive main-group elements, 134, 134f
 rules for assigning, 133, 133r
 transition elements, 741, 741r
 using to monitor electron charge, 133
- Oxidation states**
 alkali metals, 428
 alkaline earth metals, 431
 boron family elements, 432–434
 carbon family elements, 435, 436
 coordination compound, 746
 halogen family elements, 449, 450
 nitrogen family elements, 440, 441
 noble gases, 453
 oxygen family elements, 445
 transition elements, 741, 741f, 741r
- Oxidation-reduction reaction, 132. See also Redox reactions**
- Oxide ion, 53r**
- Oxides**
 acid-base behavior of element, 265–266, 266f
 alkaline earth, 430, 431
 boron family elements, 433, 434
 carbon, 437
 halogen, 451
 nitrogen, 441–442, 442r
 phosphorus, 443–444, 443f
 sulfur, 447
 superconducting, 384
- Oxidizing agent**
 defined, 133, 688
 in displacement reaction, 137, 139
 halogens, 450–451
 nitrogen oxides and, 442, 443
 recognizing, 134–135
 relative strengths, 700–701
- Oxoacids**
 formation, 440
 halogen, 451, 451r
 naming, 57
 nitrogen, 442–443, 443f
 phosphorus, 444
 strength of, 583, 602, 602f
 sulfur, 447–448
- Oxoanions**
 defined, 56
 halogen, 451
 naming, 56, 56f
- nitrogen, 443, 443f
 phosphorus, 444
 transition elements, 741, 741f
- Oxygen**
 allotropes, 446
 anomalous behavior, 429
 boiling point, 396r
 chemistry, 447
 density, 17r
 as diatomic molecule, 33, 51f
 diatomic molecule, orbitals of, 342–344, 342f, 343f
 electron configuration, 251, 253f
 ionization energy, 263r
 magnesium reaction with, 86–88, 87f
 molar mass, 73
 paramagnetic properties of diatomic, 343–344, 344f
 properties, 444–446
 solubility in water, 396, 396r, 402
 standard enthalpies of formation, 205f
- Oxygen family**
 allotropism, 446
 chemistry, 447–448
 important reactions, 445
 ion formation, 51
 nitrogen family compared, 446–447
 properties, 444–446
- Ozone**
 decomposition, 446
 depletion of, 304, 533–534
 formal charge, 308–309
 hybrid orbitals, 330
 Lewis structure, 306–307
 properties, 446
 reaction with ethylene, 501–503, 502f, 502r, 503f
 stratospheric, 304, 446, 533–534
 transition state, 524
- P**
- p* Block, 343–344, 432**
- p* Orbital, 238, 238f, 329, 341–342, 341f–343f**
- Packing efficiency, unit cells and, 376, 377f**
- Pairing energy, 755**
- Palladium, 396**
- Paramagnetism, 269, 269f, 343–344, 343f, 742**
- Partial bond, 307**
- Partial ionic character, 294–296, 295f**
- Partial pressure**
 collecting a gas over water, 166–167, 166f
 Dalton's law of partial pressures, 165–166, 170, 172, 172f, 414
 defined, 165
 of gas in mixture of gases, 165–166
 Particle acceleration, 776–777, 776f, 777f
- Particle volume, gas pressure and, 177, 177f, 178, 178f**
- Particles**
 dispersal of particle energy, 655–656
 freedom of particle motion, 655–656
 nature of light/photons, 220–222, 230–231
 uncertainty principle, 231–232
 wave behavior compared to, 218–220, 219f
 wave-particle duality, 229–231
- Parts by mass, 404r, 405**
- Parts by volume, 404r, 405**
- Parts per million (ppm), 405**
- Parts per million by volume (ppmv), 405**
- Pascal (Pa) (unit), 151–152, 152r**
- Path independence of energy change, 194–195, 194f**
- Pauli, Wolfgang, 247**
- Pauli exclusion principle, 247, 250, 329, 339**
- Pauling, Linus, 293–294, 329**
- Pauling electronegativity scale, 294, 294f**
- PCBs (polychlorinated biphenyls), 437f**
- PEM (proton exchange membrane), 716**
- Penetration, orbital energy and, 248, 248f, 253**
- Pent- (numerical root), 465r**
- Penta- (prefix), 57r**
- Pentane**
 boiling point, 467, 467r, 468f
 constitutional isomers, 467r
 formula, 59r, 467r
 model, 59r
 molecular shape, 367, 367f
 properties, 288, 467r, 468r
- Pentanol, solubility, 395f**
- Pentene, 663**
- Peptide bond, 481, 488, 488f**
- Per- (prefix), 56, 56f, 57**
- Percent by mass (mass %), 36**
- Percent ionic character, 295, 295f**
- Percent yield (% yield), 98**
- Perchlorate ion, 56r**
- Perhalates, 451, 451r**
- Perhalic acid, 451r**
- Period 2 elements**
 anomalous behavior, 429
 Lewis electron-dot symbols, 279, 279f
- Period 3 elements**
 bond types, 279f
 gradation of bonding across, 296
 Lewis electron-dot symbols, 279f
- Period 4 transition metals, 730f–730r**
- Period numbers, 256**
- Periodate-iodide reaction, 710–781**
- Periodic law, 246**
- Periodic table of the elements. See also specific elements; specific groups**
 actinides, 47, 48f
 atomic number, 246
 atomic properties and, 258–271
 common monatomic ions of elements, 53, 53f
 defined, 47
 development of, 246
 electron configuration, 249–257, 255f
 filling order, 249–256, 249f, 255f
 within groups, 252
 Period 1, 249–250, 253f
 Period 2, 250–251, 253f
 Period 3, 251–252, 252r, 253f
 Period 4, 253, 254r
 principles, 254–256
 transition elements, 253, 254r, 256
- element classification, 47–49**
 group number, 256
 groups, 47–49, 48f, 252, 254
 history, 47, 246
 inner transition elements, 47, 48f, 737, 737f
 lanthanides, 47, 48f
 mass values in, 73, 73n
 organization of, 47, 48f
 oxidation numbers and, 133r, 134, 134f
 periods, 47, 48f
 quantum-mechanical model, 249–257
 transition elements, 47, 48f, 737, 737f

- Periodic trends
 atomic radius, 258–260, 260f
 covalent and van der Waals radii, 363f
 electron affinity, 263–264, 264f
 electronegativity, 294, 294f
 heat of hydration, 398
 ionization energy, 260–263, 261f, 262f, 263f
 lattice energy, 282, 282f
 metallic behavior, 265–266, 265f
- Periods
 defined, 47
 gradation of bonding across a, 296
- Permanganate ion, 56f, 690–691, 741
- Peroxide ion, 56f
- Perpetual motion, imaginary catalyst and, 568
- Perspective drawing, wedge-bond, 315
- PET (positron-emission tomography), 768, 782, 782f
- pH, 585–588
 of acid rain, 642
 buffer capacity and pH change, 623–624, 623f
 calculation, 629–633
 common aqueous solutions, 586f
 defined, 585
 measurement, 588, 588f, 711–712, 712f
 monitoring with acid-base indicators, 627, 627f
 relation with pOH and pK_w , 586–587, 587f
 solubility and, 639
- pH meter, 588, 588f, 711–712, 712f
- pH paper, 588, 588f
- Phase, 351
- Phase change
 boiling point, 359–360
 condensation, 352, 353f, 355, 357
 critical point, 361, 361f
 defined, 351
 deposition, 352, 353f
 enthalpy change, 352–353, 353f
 entropy change, 661, 661f
 equilibrium nature of, 357–360, 357f
 freedom of particle motion and dispersal of
 particle energy, 656
 freezing, 352, 353f, 355, 360
 fusion, 352, 353f
 heat involved in, 354–356
 kinetic-molecular view, 351–352, 351f
 liquid-gas equilibria, 357, 357f
 melting, 352, 353f
 quantitative aspects, 354–361
 solid-gas equilibria, 360
 solid-liquid equilibria, 360
 sublimation, 352, 353, 353f, 360
 triple point, 360, 361, 361f
 types, 352–353
 vapor pressure, 357–360, 358f, 359f
 vaporization, 352–353, 353f, 357
- Phase diagram
 carbon, 434, 434f
 carbon dioxide, 360–361, 361f
 defined, 360
 solvent and solution, 410f
 water, 361, 361f
- Phenol rod, 627f
- Phenolphthalein, 130, 627f, 628f, 628f, 630, 630f, 633, 633f
- Phenylacetic acid, 594
- Phenylalanine, structure of, 487f
- Phenylene, 559–560
- Phosphate ion, 56f, 444
- Phosphates
 formation, 444
 polyphosphates, 444
- Phosphite ion, 444
- Phosphoric acid, 444, 597
- Phosphorous acid, 444
- Phosphorus
 allotropes, 439, 439f
 bond type, 434f
 chemistry, 443–444
 electron configuration, 252, 252f, 253f
 melting point, 434f
 properties, 265, 439–441
- Phosphorus pentachloride, 310–311, 316, 333, 333f
- Phosphorus pentoxide, 444
- Phosphorus trichloride, 296, 297f
- Photochemical smog, 442, 501, 548
- Photoelectric effect, 221–222, 221f
- Photography, silver compounds and, 645–646
- Photon theory of light, 221–222
- Photons, 221–222, 229–231
- Photosynthesis, 193, 437, 447, 781
- Physical behavior, 149, 176
- Physical change
 described, 3–4, 4f, 5, 6
 mixture components separated by, 34
- Physical properties
 alkali metals, 427, 428
 alkaline earth metals, 431
 bonding effect on, 434, 436
 boron family elements, 432, 433
 carbon family elements, 435
 defined, 3
 density, 17
 halogens, 448–450
 nitrogen family elements, 439–441
 noble gases, 453
 oxygen family elements, 444–446
 Period 2 elements, 429
 transition elements, 739–741, 739f, 740f
- Physical states
 density and, 17
 gas (see Gas)
 kinetic-molecular view, 351–352, 351f
 liquid (see Liquid)
 reaction rate, influence on, 500
 solid (see Solid)
- PI (s) bond, 336–338, 336f
- PI (n) MO, 341–344, 341f
- Pico- (prefix), 15f
- Pycnometer (unit), 14, 217
- Plachbleide, 36–37
- Planck, Max, 221
- Planck's constant (h), 221
- Plasma, fusion, 790, 790f
- Platinum electrodes, 695
- Platinum fluorides, 452
- "Plum-pudding" model, 41
- pOH, 586–587, 587f
- Polar arrow, 116, 116f, 117f, 294
- Polar covalent bond, 293f, 294–296, 295f
- Polar molecules
 defined, 116
 dipole-dipole forces, 363, 363f
 electron distribution in, 116f
- Polarimeter, 469
- Polarity, molecular, 320–322, 321f, 394–396
- Polarizability, 366
- Pollution
 acid rain, 641–643, 642f
 thermal pollution, 402, 789
- Polonium, 444–447
- Poly(methyl methacrylate), 485f
- Poly(vinyl acetate), 485f
- Poly(vinyl chloride), 485f
- Poly(vinylidene chloride), 485f
- Poly- (prefix), 484
- Polyacrylonitrile, 485f
- Polyamides, 485
- Polyatomic ions
 common, 56f
 compounds formed from, 56
 defined, 52, 52f
 Lewis structure, 304, 307–308
 molecular shape, 315
 oxidation number, 133
 oxocations, 56, 56f
 phosphorus trichloride, 310–311
 in solution, 118
- Polychlorinated biphenyls (PCBs), 437f
- Polychromatic light, 218
- Polydentate ligands, 744, 745f
- Polydimethyl siloxane, 438
- Polyesters, 485
- Polyethylene, 484, 485f
- Polymers. See also Macromolecules
 addition polymers, 484, 485f
 condensation polymers, 484–485
 defined, 483
 naming, 484
 nucleic acids, 490–492, 490f, 491f
 polysaccharides, 486–487
 proteins, 488–490, 488f, 489f
 silicone, 438
 synthetic, 483–486
- Polypeptide, 488, 488f
- Polyphosphates, 444
- Polypropylenes, 484, 485f
- Polyprotic acids, 597, 605
- Polysaccharides, 486–487
- Polystyrene, 485f
- Polytetrafluoroethylene, 485f
- Porphyria, 757
- Positron, 766f, 767, 779
- Positron-emission tomography (PET), 768, 782, 782f
- Potassium
 electron configuration, 253, 254f
 properties, 427–429
- Potassium bromide, 117
- Potassium chlorate, 137, 451, 669–670
- Potassium ferricyanide, 742f
- Potassium ion, 54f
- Potassium nitrate, 123, 124
- Potassium sulfate, 118–119
- Potential energy (E_p), 7–8, 8f, 189, 290, 351, 354–355
- Pound (lb) (unit), conversion to SI units, 15f
- Pounds per square inch (psi) (unit), 152f
- Precipitate
 complex ion effect on solubility, 645–646
 defined, 121
 predicting formation of, 639–641

- Precipitation reactions**
 aqueous ionic reactions, 122–125, 122f, 123f, 123r
 defined, 121
 metathesis reactions, 123, 123f
 molecular depiction, 124–125
 predicting, 123–124, 123r
- Precision, in measurement**, 24, 24f
- Prelis**
 coordination compounds and, 746
 numerical, 56, 57r, 58
 organic compounds, 465, 465r
- Pressure**
 Amontons's law, 155
 atmosphere, 150–151, 151f, 152r
 Boyle's law, 153–154, 153f, 156, 170, 171, 171f
 critical, 361
 Dalton's law of partial pressure, 165–166, 170, 172, 172f, 414
 defined, 150
 effect of change on equilibrium, 565–567, 566f
 equilibrium constant and, 550–551
 Le Chatelier's principle, 565–567, 566f
 measuring, 150–151, 151f
 origin of, 170, 171
 osmotic, 412–413, 413f
 partial, 165–166, 170, 172, 172f
 real gases, effect on, 177–179
 solubility and, 402–403, 403f
 units of, 151–152, 152r
- Pressure-volume work (PV work)**, 195, 195f
- Primary batteries**, 713–714, 713f, 714f
- Primary structure, of protein**, 489, 489f
- Principal quantum number (n)**, 234, 234r, 239, 247r, 249f, 258
- Prism**, 219, 223, 223f
- Probability contour**, 233f, 234, 237f–239f
- Probability density**, 233–234, 233f, 237f
- Problem solving**
 conversion factors, 10–12, 13
 equilibrium problems, 554–562, 562f
 systematic approach to, 12–13
 units of measurement, 10–12
 weak-acid equilibria, 593–597
- Products**
 calculating amounts of, 91–93, 95–97, 103–104
 defined, 86
 determining enthalpy of reaction from enthalpies of formation, 206–207
 using gas variables to find amounts of, 168–169
- Proline, structure of**, 487f
- Propanal, dipole-dipole forces in**, 393
- Propane**
 boiling point, 364f, 468f
 combustion, 90–91, 90r, 665
 dipole moment, 364f
 formula and model, 59r
- Propanoic acid**
 concentration, 594–595
 titration curve, 629–632, 630f
- Propanol**, 395r
- Propanone**, 475r, 479f
- Property. See also specific properties**
 chemical, 4
 defined, 3
 extensive, 20
 intensive, 20
 macroscopic, 6–7, 33
 physical, 3–4
 submicroscopic, 33
- Proteins**, 487–490, 488f, 489f
- Proton (p⁺)**
 in accelerators, 776–777, 776f, 777f
 defined, 43
 discovery of, 42
 hydrated, 580, 580f
 mass number and, 43
 N/Z (neutron-to-proton) ratio, 768–771, 769f
 properties, 43, 43r
 solvated, 126
- Proton acceptor**, 588–589, 589f
- Proton donor**, 588–589, 589f
- Proton exchange membrane (PEM)**, 716
- Proton transfer**
 in acid-base reactions, 129–130, 130f
 Brønsted-Lowry acid-base definition, 588–591, 589f
- p-Scale**, 585
- Pseudo-noble gas configuration**, 267
- Pure substance**, 205
- Pyridine**, 599
- Q**
- Quadratic formula, use in problem solving**, 550–559, Appendix A
- Quantitative theories, in chemistry**, 9
- Quantization of energy**, 221, 656
- Quantum**, 221, 229f
- Quantum mechanics**
 atomic orbital (wave function), 232–240
 quantum numbers, 234–236, 234r
 shapes, 237–239, 237f–239f
 defined, 232
 electron cloud representation, 233, 237, 237f–239f
 electron density diagram, 233, 233f
 energy levels in the hydrogen atom, 234, 239, 240f
 level (shell), 235
 nodes, 237–238, 237f
 periodic table and, 249–257
 probability contour, 233f, 234
 radial probability distribution plot, 233–234, 233f, 237–238, 237f–239f
 Schrödinger equation, 232, 232r
 sublevel (subshell), 235, 236
- Quantum number**, 221, 224, 234–236, 234r, 246–247, 247r, 249–251, 249f, 258
- Quantum staircase analogy**, 225f
- Quantum theory**, 231f
- Quart (qt) (unit), conversion to SI units**, 15r
- Quartz**, 289, 289f, 373f, 382, 438
- Quaternary structure, of protein**, 489, 489f
- R**
- R. See Universal gas constant (R)**
- Rad (radiation-absorbed dose) (unit)**, 778
- Radial probability distribution plot**, 233–234, 233f, 237–238, 237f–239f, 248, 248f
- Radiant energy**, 217
- Radiation**
 background, 779–780
 blackbody, 220–221, 221r
 calculating energy from wavelength, 222
 cosmic, 780
 electromagnetic, 217–219, 218f
 infrared (IR), 218, 218f
 ionizing
 applications, 782, 782f
 background radiation, 779–780
 defined, 778
 penetrating power of, 778–779, 779f
 sources, 779–780, 779r
 units of radiation dose, 778
 nuclear radiation, effect on matter, 778–780
 ultraviolet (UV), 218, 218f, 533–534
- Radiation-absorbed dose (rad) (unit)**, 778
- Radioactive decay**, 764–776
 decay series, 771, 771f
 half-life, 773–775, 773r
 kinetics, 772–776
 nuclear equations, 768
 nuclear stability and, 764, 768–771, 769f, 769r
 predicting mode of, 770–771
 radiometric dating, 774–776
 rate of, 772–774, 773r
 types of, 765–768, 765f, 766r
- Radioactive emissions**
 alpha (α) particles, 41–42, 41f, 765, 765f, 766r, 779, 779f
 behavior in electric field, 765, 765f
 beta (β^-) particles, 765, 765f, 766r, 767, 779, 779f
 gamma rays, 765, 765f, 766r, 767–768, 779, 779f
 ionization, 778–780, 779r
 penetrating power of, 778–779, 779f
 positron emission, 766r, 767
- Radioactive tracers**, 780–782, 781f, 781r, 782f
- Radioactivity**, 764. *See also* Nuclear reactions; Radiation
- Radioisotope dating**, 774–776
- Radioisotopes**
 applications, 780–782
 dating, 774–776
 defined, 774
 tracers, 780–782, 781f, 781r, 782f
- Radioisotopic dating**, 774–776
- Radium**
 in gold-foil experiment, 41
 properties, 430–431
- Radon**, 452, 453, 780
- Rainbows**, 220
- Random error**, 24
- Raoult's law**, 409–410
- Rare earth elements**, 256. *See also* Lanthanides
- Rate**, defined, 501
- Rate constant (k)**
 defined, 505
 determining, 512
 temperature and, 519–520, 519f
 units, 512, 512r
- Rate law (rate equation)**
 collision theory, 519–522, 519f–522f
 defined, 505
 elementary steps, 526–527, 526r
 first order, 506, 512r, 513–518, 514f, 518r
 initial rate, 502f, 503, 505, 511
 integrated, 512–519, 514f
 rate constant, 505, 512
 reaction mechanism and, 528–530
 reaction order terminology, 506–507
 reaction orders, 505–512

- second order, 506, 510, 513–515, 514f, 518, 518r
zero order, 506, 513, 514f, 515, 518, 518r
- Rate of reaction. *See* Reaction rate
- Rate-determining step (rate-limiting step), 527–528
- Reactants
calculating amounts of, 91–93, 95–97, 103–104
defined, 86
determining enthalpy of reaction from heat of formation values, 206–207
limiting, 93–97, 103–104
using gas variables to find amounts of, 168–169
- Reaction direction
determining, 552–554, 552f, 561–562
equilibrium, 552–554, 552f
- Reaction energy diagram, 523–525, 523f, 524f, 529f, 531f
- Reaction half-life ($t_{1/2}$), 515–518, 518r
- Reaction intermediate, 527
- Reaction mechanism
defined, 525
elementary reaction, 526–527, 526r
molecularity, 526–527, 526r
rate law and, 528–530
rate-determining step, 527–528
- Reaction order
defined, 505
determining, 505–511
experimentally, 507–510, 508r, 509r
from integrated rate law, 514–515, 514f
from molecular scene, 511
from rate laws, 507
first order reactions, 506, 508, 509, 512r, 513–518, 514f, 518f
rate constant (k) and, 512, 512r
rate law and, 505, 506–507
second order reactions, 506, 510, 512r, 513–515, 514f, 518, 518r
terminology, 506–507
third-order reactions, 512r
zero order reactions, 506, 512r, 513, 514f, 515, 518, 518r
- Reaction quotient (Q), 676–680, 677r, 680f
defined, 545
for a forward and a reverse reaction, 548–549
law of mass action, 545
for overall reaction, 547–548
reaction direction, 552–554, 552f
for reaction with pure liquids or solids, 549–550
relation to equilibrium constant, 545–550
units, 547
writing, 546–550, 550r
- Reaction rate
average, 501, 502, 502f
catalysis, 530–534, 531f, 532f
concentration and, 500
defined, 499, 499f, 501
expressing, 501–504
factors influencing, 500
initial, 502f, 503, 505, 511
instantaneous, 502f, 503
measurement of, 505
molecular structure and, 522, 522f
physical state and, 500
temperature and, 500, 519–521, 519f, 521f, 521r
- Reaction table, in problem solving, 93–94, 554–556
- Reactions. *See* Chemical reactions; Nuclear reactions; Organic reactions
- Reactor core, nuclear plant, 788–789, 788f
- Real gases
extreme conditions, 177–178, 177f
interparticle attractions, 177, 177f, 178, 178f
particle volume, 177, 177f, 178, 178f
van der Waals constants, 179, 179r
van der Waals equation, 179
- Rechargeable batteries, 714–715, 714f, 715f
- Redox reactions
activity series of halogens, 139
activity series of metals, 137–139, 139f
biological respiration as, 140
combination reactions, 136
combustion reactions, 139–140
decomposition reactions as, 137
defined, 132
displacement reactions, 137–139, 138f, 139f
disproportionation, 442
electrochemistry
acidic solutions, 689–690
basic solutions, 690–691
electrolytic cells, 688, 692, 692f
electron movement, 132–133, 132f
elements in, 136–140
half-reaction method for balancing, 689–691
identifying type of, 140
key event, 132–133
oxidation, 133
oxidation numbers (*see* Oxidation number)
oxidizing agent, 133, 134–135, 688, 700–704
reducing agent, 133, 134–135, 427, 429, 430, 442, 688, 700–704
reduction, 133
terminology, 133, 135f, 688, 688f
voltaic cells, 692–705, 692f
activity series of metals, 704–705
spontaneous redox reactions, 692–697, 692f, 693f, 701–703, 705
- Reducing agent
alkali metals, 427, 429
alkaline earth agents, 430
defined, 133, 688
in displacement reactions, 137, 138
recognizing, 134–135
relative strengths, 700–701
- Reducing strength, of transition elements, 742, 742r
- Reduction, 133, 688, 688f
- Reduction half-reaction, 694, 694f, 695
- Reference electrode, 712, 712f
- Refraction, 219, 219f
- Relative atomic mass, 44, 73, 73r
- Rem (roentgen equivalent for man) (mrem), 778
- Reproducibility, in measurement, 9, 24
- Resonance arrow, 306
- Resonance hybrid, 306–308
- Resonance structures (resonance forms)
defined, 306
formal charge and, 308–309
Lewis structures, 306–308
- Respiration, 140
- Retinal, 470
- Reversible change, 659, 659f
- Rhodopsin, 470
- Ribonucleic acid (RNA), 490
- Ribose, 490
- rms (root-mean-square) speed (u_{rms}), 174
- RNA (ribonucleic acid), 490
- Rock salt, 283
- Röntgen equivalent for man (rem) (mrem), 778
- Root-mean-square speed (rms speed), 174
- Rotation, orbital overlap and, 337–338
- Rounding off, 22–24
- Rowland, F. Sherwood, 533
- Rubidium, 427–429
- Rust, 717–718, 717f, 718f
- Rutherford, Ernest, 41–42
- Rutherford's α -scattering experiment, 41–42, 41f
- Rydberg equation, 223–224
- S**
- s Block, 341, 341f
- s Orbital, 237–238, 237f, 329
- Sacrificial anodes, for prevention of corrosion, 718–719, 719f
- Salt
density, 171
- Salt(s)
of amphiprotic anions, 605, 606r
defined, 128
dissolution and entropy change, 661–662, 662f
electrolysis of aqueous salt solutions, 722–724, 723f
electrolysis of pure molten salts, 720–721, 721f
formation, 128, 130f
of weakly acidic cations and weakly basic anions, 605, 606r
yielding acidic solutions, 604, 606r
yielding basic solutions, 604–605, 606r
yielding neutral solutions, 604, 606r
- Salt bridge, 694f, 695
- Salts, solubility of, 394
- Salwater, 34
- Saturated calomel electrode, 712, 712f
- Saturated hydrocarbons, 464
- Saturated solution, 400f, 401f, 403
- Scandium
appearance of, 738f
electron configuration, 253, 254r, 738r
oxidation states, 742r
- Scandium oxide, 742f
- Schrödinger, Erwin, 232
- Schrödinger equation, 232, 232a
- Scientific method, 9, 9f
- Scientific notation. *See* Exponential notation
- Second (s) (unit), 14r, 20
- Second law of thermodynamics, 659
- Secondary batteries, 714–715, 714f, 715f
- Secondary structure, of protein, 489, 489f
- Second-order reactions, 506, 510, 512r, 513–515, 514f, 518, 518r
- Sesaw shape, VSEPR theory, 316, 316f, 333
- Selenide, 447
- Selenium
allotropes, 446
electron configuration, 254r
properties, 444–447
- Self-ionization. *See* Autoionization
- Semiconductors, 384, 384f, 432
- Semimetals, 48. *See also* Metalloids
- Semipermeable membrane, 412
- Serine, molecular structure, 476f
- Shape. *See* Molecular shape
- Shared pair, 285
- Shell. *See* Level
- Shielding, 248, 253, 259

- SI unit, 14–20
 base units, 14, 14r
 converting between English system, 11–12
 decimal prefixes, 14, 15r
 defined, 14
 derived units, 14
 English equivalents, 15r
- Side reactions, effect on yield, 97, 97f
- Side-by-side overlap, 336, 337
- Sievert (Sv) (unit), 778
- Sigma (σ) bond, 335–337, 336f, 337f
- Sigma (σ) MO, 339–344, 341f
- Significant figures
 arithmetic operations, 22–23
 in calculations, 22–24
 defined, 21
 determining, 21–22
 electronic calculators and, 23
 exact numbers, 23
 measuring devices and, 23, 23f
 rounding off, 22–24
- Silicates, 382, 438, 438f
- Silicon
 bond type, 434r
 catenation, 461
 chemistry, 438
 diagonal relationship with boron, 432, 432f
 electron configuration, 252, 252r, 253f
 isotopes, 44, 45–46
 melting point, 434r
 properties, 265, 434–436
- Silicon carbide, 98
- Silicon dioxide
 crystalline structure, 382
 glass, 370
- Silicon tetrachloride, 296, 297f
- Silicones, 438
- Silver
 in batteries, 714, 714f
 in concentration cells, 711, 712, 712f
 displacement reactions, 139, 139f
 gram-moles conversion, 75–76
 isotopes, 46
 standard enthalpies of formation, 205r
 in voltaic cell, 696
- Silver bromide, 645–646
- Silver carbonate, 640–641
- Silver chloride, 392, 639
- Silver chromate, 120–121, 121f
- Silver ion, 54r
- Silver nitrate, 120–121, 120f, 122
- Silver sulfide, solubility-product constant, 635r
- Simple cubic unit cell, 374, 375f, 376, 377f, 379f
- Single bonds
 alkanes, 464–469
 bond length, 286, 286f, 287r
 covalent bonding and, 285, 287r
 defined, 285
 functional groups with, 474, 476–478
 functional groups with single and double bonds, 480–482
 Lewis structures for molecules with, 303–305
 orbital overlap, 335
- Single-displacement reactions, 137–139
- Skeleton, carbon, 462–463, 463f
- Slightly soluble ionic compounds
 common ion effect on solubility, 637–638, 638f
 equilibria, 633–643
 ion-product expression, 634–635
 molar solubility, 636–638, 637r
 pH effect on solubility, 639
 precipitate, 639–641, 645–646
 solubility-product constant, 634–641, 635r, 637r
- Snow, 442, 501, 533, 548, 642
- Snowflakes, crystal structure of ice and, 372, 372f
- Sodium
 electron configuration, 252, 252r, 253f
 ion formation, 50, 50f
 ionization energy, 263r
 properties, 34, 34r, 265, 427–429
 reaction in water, 704
 reaction with bromine, 281f
 standard enthalpies of formation, 205r
- Sodium acetate, 600–601, 604
- Sodium bromide, 281f
- Sodium carbonate, 625–626
- Sodium chloride
 crystal structure, 380, 380f
 dissolving, 398, 399f, 400, 400f
 electrolysis, 720–721, 721f
 formation of, 50, 50f
 isotonic saline, 101
 mole of, 73, 73f
 properties, 34, 34r, 296, 297f
 rock salt, 283
 solubility, 392
- Sodium chromate, 120, 121f, 637–638, 638f, 742f
- Sodium fluoride, 640
- Sodium hydroxide
 in chlor-alkali process, 723
 dissolving, 399, 399f
 proton transfer, 131
 titration of HCl, 628–629, 628f
 titration of propanoic acid, 629–632, 630f
- Sodium iodide, 123, 123f
- Sodium ions, 50, 50f, 54r, 393f
- Sodium monohydrogen phosphate, 100
- Sodium perchlorate, 81, 451
- Sodium thiosulfate, 645
- Solar energy, 208
- Solar system, age of, 775
- Solid, 373–385
 amorphous, 373
 atomic-scale arrangement of particles, 5f, 6
 bonding in, molecular orbital band theory, 382–384, 383f
 chemical equation, specifying state in, 86–87
 as condensed phase, 352
 crystalline, 373–382, 373f, 375f, 377f–381f, 379f
 defined, 5
 entropy change with dissolution, 661–662, 662f
 kinetic-molecular view, 352
 macroscopic properties, 351f
 phase changes, 360–361, 361f, 410f, 434, 434f
 solubility and temperature, 401–402, 402f
 specific heat capacity of, 199
 structural features, 373–378
- Solid-gas equilibria, 360
- Solid-liquid equilibria, 360
- Solid-solid solutions, 396
- Solubility
 boiling point and, 396
 common-ion effect, 637–638, 638f
 complex ion effect on, 645–646
 defined, 392
 equilibria of slightly soluble ionic compounds, 633–643
 equilibrium, 401–403
 gas-gas solution, 396
 gas-liquid solution, 396
 gas-solid solution, 396
 of ionic compounds, 116–119, 117f, 122–125, 123r
 liquid-liquid solution, 394–396
 molar, 636–638, 637r
 pH effect on, 639
 precipitates, 639–641, 645–646
 prediction of, 395–396
 pressure and, 402–403, 403f
 rules for ionic compounds in water, 123r
 solid-solid solutions, 396
 solubility-product constant (K_{sp}) and, 634–641, 635r, 637r
 temperature and, 401–402, 402f
- Solubility-product constant (K_{sp}), 634–641, 635r, 637r
- Solute
 defined, 99, 392
 molar mass determination from colligative properties, 413–414
 vapor pressure and, 408–410, 409f, 410f
- Solution. *See also* Solubility; Solute; Solution process; Solvent
 acid-base properties of salt solutions, 603–606
 amount-mass-number relationships, 100, 100r
 balancing redox reactions in
 acidic solutions, 689–690
 basic solutions, 690–691
 colligative properties, 408–416
 boiling point elevation, 410–411, 410f, 411r, 412
 defined, 408
 electrolytes, 408, 415–416, 415f
 fractional distillation, 415
 freezing point depression, 410f, 411–412, 411f
 nonelectrolytes, 408–413
 osmotic pressure, 412–413, 413f
 solute molar mass and, 413–414
 vapor pressure lowering, 408–410, 409f, 410f
 concentration, 404–408
 defined, 62, 392
 diluting, 100–102, 101f
 electrical conductivity, 117, 118f
 gas-gas, 396
 gas-liquid, 396
 gas-solid, 396
 heat of (ΔH_{sol}), 397–398, 398f
 ideal, 409
 intermolecular forces in, 393, 393f
 liquid-liquid, 394–396
 molarity, calculating, 99
 molecular polarity and, 394–396
 physical states, 62
 saturated, 401, 401f, 403
 solid-solid, 396
 solution process, 397–400
 stock, 100, 101
 stoichiometry (*see* Solution stoichiometry)
 supersaturated, 401, 401f
 unsaturated, 401
- Solution cycle, 397, 398f
- Solution process, 397–400. *See also* Solubility; Solution
 enthalpy change, 397–400, 398f, 398f, 400f
 entropy change, 399–400
 heat of hydration, 397–398, 399f
 heat of solution, 397, 399f

- Solution stoichiometry, 99–104**
 amount-mass-number relationships, 100, 100f
 chemical reactions in solution, 103–104
 concentration, 99
 diluting solutions, 100–102, 101f
 molarity, 99
- Solvated, 117, 126**
- Solvation, 397**
- Solvent**
 alcohol as, 394–396, 394f, 395r
 defined, 99, 392
 hexane as, 394, 395, 395s, 400f
 water as, 116–120, 371, 393f, 394–396, 395c, 396r
- sp Hybridization, 330, 331f, 334f**
- sp^2 Hybridization, 330, 332f, 334f**
- sp^3 Hybridization, 332, 332f, 334f**
- Space-filling model, 60, 465, 466f**
- sp^3d Hybridization, 333, 333f, 334f**
- sp^3d^2 Hybridization, 333, 333f, 334f**
- Specific activity, 772**
- Specific heat capacity (c_s), 197–198, 198r, 199, 372**
- Spectator ions, 120, 121f, 128, 130, 130f**
- Spectra**
 absorption, 228, 228f
 atomic, 223–228
 emission, 228
 line, 223–224, 223f–225f
- Spectrochemical series, 754, 754f**
- Spectrometry, measuring reaction rates by, 505**
- Spectrophotometry, 228**
- Speed of light (c), 217**
- Spin quantum number (m_s), 246–247, 247r**
- Spontaneous change**
 defined, 654
 enthalpy change and, 655
 exothermic and endothermic reactions, 655, 667–668, 667f
 free energy change and, 671–674, 672c, 674f, 676, 680
 redox reactions, 693–697, 693f, 701–703, 705
 second law of thermodynamics and, 659
 temperature and, 671–674, 672c, 674f
 voltaic cells, 693–697, 701–703, 705
- Square brackets [], 501, 546**
- Square planar complex**
 complex ions, 744, 744a
 crystal field splitting, 756–757, 756f
 valence bond theory, 751, 751f
- Square planar shape, 317, 317f, 333**
- Square pyramidal shape, 317, 317f, 333**
- Standard atmosphere (atm) (unit), 151–152, 152r**
- Standard cell potential (E°_{cell}), 697–700, 699f, 705–713**
- Standard electrode potential ($E^\circ_{\text{half-cell}}$), 698–700, 699f, 700, 701c, 742, 742r**
- Standard enthalpy of formation (ΔH°_f), 205–207, 205c, 206f**
- Standard enthalpy of reaction ($\Delta H^\circ_{\text{rxn}}$), 205–207, 206f**
- Standard entropy of reaction ($\Delta S^\circ_{\text{rxn}}$), 664–665**
- Standard free energy change (ΔG°), 669**
- Standard free energy of formation (ΔG°_f), 670**
- Standard half-cell potential ($E^\circ_{\text{half-cell}}$), 698–700, 699f, 700, 701c, 742, 742r**
- Standard heat of formation. See Standard enthalpy of formation (ΔH°_f)**
- Standard heat of reaction. See Standard enthalpy of reaction ($\Delta H^\circ_{\text{rxn}}$)**
- Standard hydrogen electrode, 698–699, 699f**
- Standard molar entropy (S°), 659–663**
- Standard molar volume, 156–157, 157f**
- Standard reference half-cell, 698–699, 699f**
- Standard state symbol (degree sign), 205**
- Standard states, 205, 205r**
- Standard temperature and pressure (STP), 156–157, 177, 177r**
- Starch, 487**
- State function, 194–195, 194f, 203**
- States of matter**
 changes in state (see Phase change)
 defined, 5
 density, 17–18
 gas (see Gas)
 kinetic-molecular view, 351–352, 351f
 liquid (see Liquid)
 overview, 5–6, 5f, 149–150, 149f
 solid (see Solid)
 specifying in chemical equations, 86–87
- Stationary states, 224**
- Stearic acid, molecular structure, 480f**
- Steel, specific heat capacity of, 198r**
- Stereoisomers, 468–469, 748–750, 748f, 749f**
- Stereoselective reaction, 484**
- Stock solution, 100, 101**
- Stoichiometric coefficient, 86**
- Stoichiometrically equivalent molar ratios, 89–93**
- Stoichiometry, 71–104**
 chemical equations, 85–89
 chemical formulas, 79–85
 defined, 72
 electrolysis, 726–728, 727f
 ideal gas law and, 167–169, 168f
 limiting reactants, 93–97, 103–104
 mass percent, 77–79
 molar ratios from balanced equations, 89–93
 moles and, 72–79
 percent yield (% yield), 98
 reactants and products, 86, 89–90, 103–104
 side reactions, 97, 97f
 solution stoichiometry, 99–104
 theoretical yield, 97
 thermochemical equations, 201–202
- STP (standard temperature and pressure), 156–157, 177, 177r**
- Strong acids, 126–129, 126f, 126r, 581–583, 581f, 590–591, 591f, 604, 606f, 627–629, 632–633**
 strong acid-strong base titration curves, 627–629, 628f
 weak base-strong acid titration curves, 632–633, 633f
- Strong bases, 126–129, 126c, 130f, 583, 591f, 604–605, 606f, 627–632**
 strong acid-strong base titration curves, 627–629, 628f
 weak acid-strong base titration curves, 629–632, 630f
- Strong electrolyte solutions, colligative properties of, 408, 415–416, 415f**
- Strong-field ligands, 753, 755, 755f**
- Strontium**
 line spectrum, 223f
 properties, 430–431
 radioactivity, 773–774
- Strontium ion, 54r**
- Structural formula**
 defined, 80
 isomers, 84, 85r
 representation of, 80
- Structural isomers, 84, 85c. See also Constitutional (structural) isomers**
- Subcritical mass, 787**
- Sublevel, 235, 236, 248–254, 248f, 249f, 255f**
- Sublimation, 352, 353, 353f, 360**
- Sublimation, heat of (ΔH_{sub}), 353, 353f**
- Submicroscopic properties, 33**
- Substance**
 compounds as, 33, 34
 defined, 33
 elements as, 33
 mass conservation, 35–36
- Substitution reactions**
 alcohols, 476
 amines, 478
 carboxylic acids, 480
 organic reactions, 473–474
- Substrate, enzyme, 533**
- Subtraction, significant figures in, 22**
- Sulfur, organic compound, 465, 465r**
- Sulfate ion, 56r, 448**
- Sulfide ion, 54r, 634**
- Sulfite ion, 56r, 448**
- Sulfur**
 allotropes, 446
 chemistry, 447–448
 electron configuration, 251, 252c, 253f
 molar mass, 73
 mole of, 73
 oxidation of, 203
 properties, 444–447
 standard enthalpies of formation, 205r
- Sulfur chloride, 296, 297f**
- Sulfur dioxide**
 acid rain and, 642, 643
 decomposition, 548–549
 molar mass, 73, 74
 oxidation, 673, 678–679
 properties, 447
 roasting copper, 91
- Sulfur hexafluoride**
 hybrid orbitals, 333, 333f
 molecular shape, 317
 valence shells, 311
- Sulfur tetrafluoride, 316, 335**
- Sulfur trioxide, 447, 531, 548–549, 642**
- Sulfuric acid, 311, 448, 548, 642**
- Sulfurous acid, 447–448, 608, 642**
- Superconducting oxides, 384**
- Superconductivity, 384**
- Supersaturated solution, 401, 401f**
- Surface tension, 369, 369f, 369r**
- Surfactants, 369**
- Soundingings**
 defined, 189
 energy flow and, 189–192, 190f, 192f
 entropy change in, 665–666
- Sweating, phase change and, 352**
- Synchrotron, 777**
- Synthetic macromolecules, 483–486**
- Syrup, viscosity of, 371**
- System**
 defined, 189
 energy change, 190f, 191–195, 191f, 192f, 194f
 energy flow to and from, 189–192, 190f, 191f, 192f
 entropy changes, 664–665

System, *continued*

internal energy, 190, 190f, 194, 194f
state function, 194–195

Systematic error, 24–25, 24f

T

T shape, VSEPR theory, 316f, 317

Take, 43f

Tellurium, properties of, 444–447

Temperature. *See also* Endothermic processes;

Exothermic processes

Charles's law, 154–156, 155f, 170, 172, 172f

converting units of, 20

critical, 361

defined, 18

Earth's atmosphere, 207–208

effect of change on equilibrium, 567–568, 569f

entropy change and, 659, 660, 660f

665–666

free energy change and, 671–674, 672t, 674f

as intensive property, 18

kinetic-molecular theory and, 174

measuring, 18–19

molecular speeds, 170–171, 171f

phase change and, 352

reaction rate and, 519–521, 519f, 521f

reaction spontaneity, effect on, 671–674,

672t, 674f

solubility and

gas solubility, 402

solid solubility, 401–412, 402f

standard molar entropy and, 660

state changes and, 6

unit of measurement, 14t

vapor pressure, effect on, 358–359,

358f, 359f

viscosity and, 370, 370f

Temperature scales, 18–20, 19f, 19t, 155

Tera- (prefix), 15f

Termolecular elementary step, 526, 526f

Tertiary structure, of protein, 489, 489f

Testability, of hypothesis, 9

Tetra- (prefix), 57f

Tetrahedral arrangement

defined, 315

hybrid orbitals, 332, 332f, 334f

VSEPR, 313f, 314–316, 315f

Tetrahedral complexes

crystal field splitting, 756, 756f

valence bond theory, 751, 751f

Tetrahedral shape, 335

complex ion, 744, 744f

described, 313f, 315, 315f

hybrid orbitals, 334f

Tetraphosphorus decoxide, 266, 443f, 444

Tetraphosphorus hexoxide, 443, 443f

Tevatron, 777

t_2 Orbitals, 753, 753f, 754, 754f

Thallium, 432–434, 434f

Theoretical yield, 97

Theory, in scientific method, 9, 9f

Thermal conductivity, 283, 383

Thermal decomposition, 137

Thermal energy, 190

Thermal pollution, 402, 789

Thermite, 93

Thermochemical equation, 201–202

Thermochemical solution cycle, 397

Thermochemistry, 186–209

calorimetry, 196–201

defined, 189

energy forms and interconversion, 189–195

enthalpy, 195–197

Hess's law, 203–204

standard enthalpies of reaction, 205–207, 205f

stoichiometry of thermochemical equations,

201–202

Thermodynamics, 653–680

defined, 189

laws

first, 193, 654–655

second, 659

third, 659–660

Thermometer, 18, 21f

Thiosulfate ion, 445

Third law of thermodynamics, 659–660

Third-order reactions, 512t

Thomson, J. J., 40, 41

Thorium, 780

Three-Mile Island, 789

Threonine, structure of, 487f

Threshold frequency, 221, 222

Thymine, 491

Thymol blue, 627f

Thyroid gland, radioisotope analysis, 781, 781f

Time, unit of measurement, 14t, 20

Tin

bond type, 434f

in electrolytic cells, 719–720, 719f

melting point, 434f

properties, 434–436

tin(II) and (IV), 55f

Tin(II) chloride, molecular shape, 314

Titanium

appearance of, 738f

electron configuration, 254t, 269, 738, 738t

hexagonal crystal structure, 376

magnetic properties, 269

oxidation states, 742, 742t

Titanium(IV) oxide, 742f

Titration. *See also* Acid-base titration curves

acid-base, 130–131, 131f

defined, 130

end point, 130, 628

equivalence point, 130, 628–632

Tokamak design, 790, 790f

Torr (unit), 151–152, 152t

Turricelli, Evangelista, 150

Total ionic equation, 120, 121f, 128–129

Trace elements, 757

Tracers, radioactive, 780–782, 781f, 781t, 782f

Trans isomer. *See cis-trans* isomers

Transition elements

actinides, 47, 48f

atomic size, 258–259, 259f, 260f

complexes (*see* Transition metal complexes

(coordination compounds))

coordination compounds, 743–750

defined, 737

electron configuration, 253, 254t, 256,

738–739, 738t

forming more than one ion, 55

influence on Group 3A(13) properties, 432

inner (*see* Inner transition elements)

lanthanide contraction, 740

lanthanides, 47, 48f

periodic table, 47, 48f, 737, 737f

properties, 737–743

chemical, 741–742

color and magnetism, 742, 742f

metallic behavior and oxide activity, 742

oxidation states, 741, 741f, 741t

physical and atomic, 739–741, 739f, 740f

reducing strength, 742, 742t

uses, 737

Transition metal complexes (coordination compounds)

in biological systems, 757–758, 757f

color, 754, 754f

crystal field theory, 752–757

formulas and names, 745–747, 746f

hybrid orbitals, 750–751

isomerism, 747–750, 747f–749f

magnetic properties, 755

structure, 744, 744f

valence bond theory, 750–751, 750f, 751f

Transition metal ions

electron configurations of, 268, 268f

magnetic properties, 268–269

Transition state theory, 522–525, 522f–524f

Transuranium element, 777, 777t

Trial and error, 9

Triglycerides, 481

Trigonal bipyramidal arrangement

defined, 316

hybrid orbitals, 333, 333f, 334f

VSEPR, 313f, 316–317, 316f

Trigonal bipyramidal shape, 313f, 316, 316f, 334f

Trigonal planar arrangement

defined, 314

hybrid orbitals, 330, 334f

VSEPR, 313f, 314, 314f

Trigonal planar shape, 313f, 314, 314f, 334f, 335

Trigonal pyramidal shape, 315, 315f, 332

Triiodide ion, 317

Triple bonds

alkynes, 470, 475t, 482

defined, 286

functional groups with, 482–483

orbital overlap, 336, 336f, 337

π (π) bond, 336

σ (σ) bond, 336

Triple point, 360, 361, 361f

Tris (prefix), 746

Tristearin, 481f

Tritium, 789

Tryptophan, structure of, 487f

T-shape, 333

Tyrosine, structure of, 487f

U

Ultraviolet (UV) radiation, 218, 218f, 533–534

Uncertainty in measurement, 21–25

Uncertainty principle, 231–232

Unimolecular reaction, 526, 526f

Unit cell

body-centered cubic, 374, 375f, 376, 377f, 379f

defined, 374

face-centered cubic, 374, 375f, 376, 379f

hexagonal cubic, 376, 377f

packing efficiency, 376, 377f

simple cubic, 374, 375f, 376, 377f, 379f

Units of measurement

arithmetic operations, 10

conversion factors, 10–12, 13f

- history, 14
SI units, 14–20, 15r
- Universal gas constant (R), 15f, 65f
- Unsaturated hydrocarbons, 469
- Unsaturated solution, 401
- Unshared pair, 285
- Uracil, 491
- Uranium
enrichment, 176
fission, 786–788, 787f
isotopes, 44f, 176
plutonium, 36–37
radioactivity, 771, 780
uranium-238 decay series, 771, 771f
- Urease, 533
- V**
- V shape, VSEPR theory, 314, 314f, 315–316, 315f
- Valence band, 383, 383f, 384, 384f
- Valence bond (VB) theory, 329–338
central themes, 329–330
complexes, 750–751, 750f, 751f
hybrid orbitals in, 750–751, 750f, 751f
octahedral complexes, 750–751, 750f
square planar complexes, 751, 751f
tetrahedral complexes, 751, 751f
defined, 329
hybrid orbitals, 330–335, 331f–333f, 334f
molecular rotation, 337–
orbital overlap, 329–330, 329f, 331f, 332–333, 336f
single and multiple bonds, 335–338
- Valence electrons, 256, 277, 278, 285, 304, 310, 382–384
- Valence shell, expanded, 310–311
- Valence-shell electron-pair repulsion (VSEPR) theory, 312–322
defined, 312
electron-group arrangements, 312–313, 313f
linear arrangement, 313, 313f
molecules with multiple central atoms, 319–320, 319f
octahedral arrangement, 313f, 317, 317f
square planar shape, 317, 317f
square pyramidal shape, 317, 317f
tetrahedral arrangement, 313f, 314–316, 315f
trigonal bipyramidal arrangement, 313f, 316–317, 316f
trigonal planar arrangement, 313f, 314, 314f
trigonal pyramidal, 315, 315f
using VSEPR to determine molecular shape, 318–319, 318f
- Valine, structure of, 487f
- Van der Waals, Johannes, 179
- Van der Waals constants, 179, 179r
- Van der Waals equation, 179
- Van der Waals forces, 362
- Van der Waals radius, 362, 362f
- Vanadate ion, 741
- Vanadium
appearance of, 738f
atomic radius, 258–259
electron configuration, 253, 254f, 738r
oxidation states, 741, 741f, 741r
- Vanadyl sulfate dihydrate, 742f
- Van't Hoff, Jacobus, 415
- Van't Hoff factor, 415, 415f
- Vapor pressure
boiling point and, 359–360
defined, 166, 357
equilibrium, 357
solute effect on vapor pressure of solution, 408–410, 409f, 410f
temperature and intermolecular forces effect on, 358–359, 358f, 359f
water, 166–167, 166f, 166r
- Vapor pressure lowering (ΔP), 408–410, 409f, 410f
- Vaporization, 352–353, 353f, 357
- Vaporization, heat of (ΔH_{vap}), 352–353, 353f, 354f, 355, 372
- Variable, 9
- Vibrational motions, 289, 290, 663, 663f
- Viscosity
defined, 370
of liquid, 370–371
molecular shape and, 371
temperature and, 370
of water, 370r
- Vision, chemistry of, 470
- Vitamin B₁₂, 608
- Vitamin C, 83–84
- Volatile liquid, molar mass of, 164–165
- Volatile nonelectrolyte solutions, colligative properties of, 414–415
- Volt (V) (unit), 697
- Voltage, 697. See also Cell potential (E_{cell})
- Voltaic cells. See also Battery
cell potential, 697–713
construction and operation, 694–695, 694f, 695f
defined, 692
diagramming, 695, 696–697
electrodes, 692, 692f, 695, 695f
electrolytic cells compared, 692, 692f, 720, 720r
half-cell, 694
notation, 696–697
oxidizing and reducing agents
activity series of metals, 704–705
relative strengths, 700–701
spontaneous redox reactions, 693–697, 693f, 701–703, 705
salt bridge, 694f, 695
spontaneous redox reactions, 693–697, 693f, 701–703, 705
standard cell potential, 697–700, 699f, 705–713, 706f
standard electrode potentials, 698–700, 699f, 700, 701r
standard hydrogen electrode, 698–699, 699f
voltages, 697f
- Volume
amount-mass-number relationships, 100, 100f
Boyle's law, 153–154, 153f, 156, 170, 171, 171f
Charles's law, 154–156, 155f, 170, 172, 172f
converting units of, 15–16
defined, 15
determining by water displacement, 16
effect of change on equilibrium, 565–567, 566f
as extensive property, 20
pressure-volume work (PV work), 195, 195f
SI-English equivalent quantities, 15r
unit of measurement, 15–16, 15r
- Volume percent (% (v/v)), 405
- Volumetric glassware, 15, 15f
- VSEPR theory. See Valence-shell electron-pair repulsion (VSEPR) theory
- W**
- Waage, Peter, 545, 546
- Water
acids and bases in, 580–582, 581f
amphoteric nature of, 589
autoionization of, 584–585, 585f, 629
bent shape, 332
collection a gas over, 166–167, 166f
cooling curve, 354–356, 354f
covalent bonding, 52
covalent compounds dissolving in, 120
decomposition, 137
depiction of molecule, 61
dipole moment, 321
electrolysis, 137, 721–722, 721f
electron distribution in, 116, 116f
formation in acid-base reactions, 128–129
formulas, 60
hybrid orbitals, 332, 332f
hydrated ionic compounds, 56, 57f
hydrogen bonds, 371–372, 371f
hydrogen displacement from, 137, 138
hydronium ion, 126
intermolecular forces, 393f
ionic compounds dissolving in, 116–119, 117f
meniscus shape in glass, 370, 370r
molecular mass, 59
molecular shape, 315–316, 321
phase changes, 352–353, 354–356, 354f
phase diagram for, 361, 361f
physical change, 3–4, 4f
polar nature of, 116
properties
boiling point, 18–19, 19f, 19r
boiling point elevation constant, 411r
capillarity, 370, 372
density, 17, 17r, 372–373, 372f
freezing point, 18–19, 19f, 19r
freezing point depression constant, 411r
gas solubility in, 402
heat of fusion, 352–353, 353f
heat of vaporization, 352–353, 353f, 372
molar heat capacity, 354, 355
specific heat capacity, 198r, 372
surface tension, 369, 369r, 372
thermal, 371–372
vapor pressure, 166–167, 166r, 358f, 359f
viscosity, 370r
as solvent, 116–120, 371, 393f, 394–396, 395r, 396r, 661–662, 662f
state changes, 6
uniqueness of, 371–373
volume measurement by displacement of, 16
- Water vapor, 6, 372
- Waters of hydration, 56
- Wave
nature of electrons, 229–231, 230r
nature of light, 217–220
particle behavior compared to, 218–220, 219f
- Wave function, 232
- Wavelength (λ), 217–219, 217f, 218f, 222, 227, 229–230, 230r
- Wave-particle duality, 229–231
- Waxes, 396
- Weak acids, 126–130, 126f, 126r, 581f, 582, 583, 590–591, 591f, 604–605, 606r, 629–632
anions as weak bases, 599–600
dissociation extent, 581f, 582

Weak acids, *continued*

- K_a values, 582
 - weak acid–strong base titration curves, 629–632, 630f
 - weak bases and, 597–601
 - weak–acid equilibrium, 593–597
- Weak bases, 126, 126f, 127, 583, 591f, 597–601, 604–605, 606f
- weak acids and, 597–601
 - weak base–strong acid titration curves, 632–633, 633f
- Weak–acid equilibrium, problem solving, 593–597
- acid-dissociation constant (K_a), 593–597
 - concentrations, 593–596
 - notation system, 593
 - polyprotic acids, 597
- Weak–field ligands, 753, 755, 755f
- Weight, 16
- Wood, specific heat capacity of, 198f
- Work
- defined, 190
 - energy defined as, 7
 - energy transfer as, 191–192, 192f
 - free energy and electrical work, 705–713
 - free energy change and, 671

- pressure–volume work, 195, 195f
- sign conventions, 192f
- units of measurement, 193

Wulfenite, 373f

X

- Xenon, 393f, 452, 453
 - Xenon tetrafluoride, 317
- X-rays
- diffraction, 230, 230f, 378, 378f
 - radiation dose, 779f, 780
 - wavelength, 218, 218f

Y

- Yard (yd) (unit), conversion to SI units, 15f
- Yield
- actual, 97
 - percent, 98
 - side reactions effect on, 97, 97f
 - theoretical, 97
- yne (suffix), 475f

Z

- Zero point, temperature scale, 18–19
- Zero-order reactions, 506, 512f, 513, 514f, 515, 518f, 518f

Zinc

- appearance, 739f
 - atomic size, 259
 - in batteries, 713–714, 713f, 714f
 - displacement reactions, 138
 - electron configuration, 253, 254f, 738f
 - galvanizing, 718
 - hexagonal crystal structure, 376
 - oxidation of, 688f
 - oxidation states, 741, 741f
 - in voltaic cells, 693–696, 693f, 694f, 698–701, 698f, 699f, 704, 708–709, 708f
- Zinc chloride, 119
- Zinc formate, 606
- Zinc iodate, solubility-product constant, 635f
- Zinc ion, 54f
- Zinc phosphate, 80–81
- Zinc sulfate heptahydrate, 742f
- Zinc sulfide, 645–646
- Zircon, 438, 438f