

Cutting Out Small Leaks  
Can Save Big Money p22

Keep Hydraulic Fluid  
Clean and Dry p28

Considerations for Pump  
Isolation Valves p34

JOHN B. LAGSON

UNIVERSITY  
MOLO  
LIBRARY  
MAGAZINE  
MARITIME  
FOUNDATION

# Hydraulics & Pneumatics®

THE AUTHORITY ON FLUID POWER TECHNOLOGY

NOVEMBER 2017 hydraulicspneumatics.com



## LOG HANDLER

Stacks Up Advantages  
p20

#1004777243/1# HL006  
\*\*\*\*\*FIRM\*\*CAR-RT LOT\*\*C-031  
7294  
MARIFE VARGAS  
B SOMBORIO  
2131 MARBELLA AVE  
CARSON CA 90745-1339  
0001  
P00010

\$10.00 Periodicals Postage Paid • USPS 100 Approved Poly

Compliments of  
Berendsen Fluid Power  
See Back Cover  
5538, 5850  
7294

## IN THIS ISSUE




### FEATURES

**20 Log Loader Stacked with Hydraulics**  
Extensive use of hydraulics for motion and control applications helps a new log loader deliver high performance and productivity.

**22 Air-System Leak Assessment in 12 Steps**  
Implementing a thorough compressed-air system analysis can eliminate up to 22% of a typical industrial plant's compressed-air energy costs.


**28 Keeping Fluid Clean in the Reservoir**  
Desiccant breather filters are effective in reducing the amount of dirt and water from entering hydraulic reservoirs. The ultimate solution, though, completely eliminates contaminant ingress by isolating the hydraulic fluid in the reservoir from its surroundings.

**34 Pump Intake Line Isolation: Good Idea or Bad?**  
Designers of hydraulic power units often specify a shutoff valve to isolate the pump inlet line from the reservoir, primarily as a maintenance aid. But there's more to consider than what you might initially suspect.



22



28



### DEPARTMENTS

<b>8</b>	<b>EDITOR'S PAGE</b>	<b>37</b>	<b>USEFUL PRODUCTS</b>
<b>10</b>	<b>INDUSTRY NEWS</b>	<b>39</b>	<b>ADVERTISERS INDEX</b>
<b>12</b>	<b>IDEAS &amp; APPLICATIONS</b>	<b>40</b>	<b>TROUBLESHOOTING CHALLENGE</b>
<b>16</b>	<b>MOTION CONTROL</b>		

34

JOIN US ONLINE  

[twitter.com/HPpenton](https://twitter.com/HPpenton)  
[facebook.com/HydraulicsPneumatics](https://facebook.com/HydraulicsPneumatics)



ISSN 0018-814X  
Printed in U.S.A. Copyright © 2017 by Penton Media, Inc., all rights reserved. *Hydraulics & Pneumatics* is published monthly by Penton Media, Inc., 9800 Metcalf Ave., Overland Park, KS 66212-2216. Phone: 216-696-7000. Periodicals postage paid at Kansas City, MO and at additional mailing offices. **POSTMASTER:** Send address changes to *Hydraulics & Pneumatics*, 1100 Avenue of the Americas, NY, NY 10036. Copying: permission is granted to users registered with the Copyright Clearance Center Inc. (CCC) to photocopy any article provided base fee of \$1.25 per copy of the article plus 60¢ per page is paid directly to CCC, 222 Rosewood Dr., Danvers, MA 01932 (Code No. 0018-814X/00 \$1.25 + 60¢).

Subscriptions — U.S. and possessions outside U.S.: \$70/yr; \$100 two yrs. Single copy: January \$15.00; all other issues \$8.00. In Canada: \$85.00/yr; \$135.00 two yrs. Canada Post Publications Mail Agreement No. 40612608. Canada return address: IMEX Global Solutions, P.O. Box 25542, London, ON, N6C 6B2. International: \$100.00/yr; \$165.00 two yrs. To order, phone 847-763-9670. Fax orders to 847-763-9673. Send subscription payment to: *Hydraulics & Pneumatics*, P.O. Box 2100, Skokie, IL 60076-7800. Out-of-print copies available in complete volumes as positive microfilm from NAPCO 800-420-6272 x 6578. Photocopies of articles \$5.00 each. Payment must accompany request. Volume 70, No. 11, November 2017.

# What's Next?



RMC75  
1 or 2-Axis



RMC150  
Up to 8-Axis



RMC200 Up to 32-Axis

## Introducing the new RMC200

### Delta's most capable electro-hydraulic motion controller.

The RMC200 controls up to 32 axes, and our familiar RMCTools software makes it easy to synchronize every one of them — from simple single-loop position control to complex dual-loop control of position-pressure/force. **Make 'What's Next' happen for you. Just call 1-360-254-8688 or visit [deltamotion.com](http://deltamotion.com)**



RMC200 module with door open to the right displaying labels. The terminal blocks feature push-in wiring and latch ejectors to speed wiring and simplify maintenance.

**DELTA**  
COMPUTER SYSTEMS  
Motion Control

## Hydraulics & Pneumatics.

NOVEMBER 2017

### EDITORIAL

EDITOR: **ALAN HITCHCOX** [alan.hitchcox@penton.com](mailto:alan.hitchcox@penton.com)  
CONTENT PRODUCTION DIRECTOR: **MICHAEL BROWNE** [michael.browne@penton.com](mailto:michael.browne@penton.com)  
CONTENT PRODUCTION SPECIALIST: **ROGER ENGELKE** [roger.engelke@penton.com](mailto:roger.engelke@penton.com)  
PRODUCTION EDITOR: **JEREMY COHEN** [jeremy.cohen@penton.com](mailto:jeremy.cohen@penton.com)  
CONTENT OPTIMIZATION SPECIALIST: **WES SHOCKLEY** [wes.shockley@penton.com](mailto:wes.shockley@penton.com)  
ASSOCIATE CONTENT PRODUCER: **LEAH SCULLY** [leah.scully@penton.com](mailto:leah.scully@penton.com)  
CONTRIBUTING TECHNICAL EXPERT: **JACK L. JOHNSON** [jack@idaseng.com](mailto:jack@idaseng.com)  
CONTRIBUTING TECHNICAL EXPERT: **ROBERT J. SHEAF, JR.** [rjsheaf@cfc-salar.com](mailto:rjsheaf@cfc-salar.com)  
CONTRIBUTING EDITOR: **RAY SCROGGINS** [ray@scroggins.biz](mailto:ray@scroggins.biz)

### ART DEPARTMENT

GROUP DESIGN DIRECTOR: **ANTHONY VITOLO** [tony.vitolo@penton.com](mailto:tony.vitolo@penton.com)  
SENIOR ARTIST: **JIM MILLER** [jim.miller@penton.com](mailto:jim.miller@penton.com)  
CONTENT DESIGN SPECIALIST: **JOCELYN HARTZOG** [jocelyn.hartzog@penton.com](mailto:jocelyn.hartzog@penton.com)  
CONTENT & DESIGN PRODUCTION MANAGER: **JULIE JANTZER-WARD** [julie.jantzer-ward@penton.com](mailto:julie.jantzer-ward@penton.com)

### PRODUCTION

PRODUCTION MANAGER: **SUSAN POSKIN** [susan.poskin@penton.com](mailto:susan.poskin@penton.com)  
GROUP PRODUCTION DIRECTOR: **CAREY SWEETEN** [carey.sweeten@penton.com](mailto:carey.sweeten@penton.com)  
PLEASE SEND INSERTION ORDERS TO: [orders@penton.com](mailto:orders@penton.com)

### CIRCULATION LIST RENTALS & CUSTOMER SERVICE

USER MARKETING DIRECTOR: **BRENDA ROODE** [brenda.roode@penton.com](mailto:brenda.roode@penton.com)  
USER MARKETING MANAGER: **DEBBIE BRADY** [debbie.brady@penton.com](mailto:debbie.brady@penton.com)  
REPRINTS: **BRETT PETILLO** F | 877.652.5295 [bpetillo@wrightsmedia.com](mailto:bpetillo@wrightsmedia.com)

LIST RENTAL: SMARTREACH CLIENT SERVICES MANAGER:

**JAMES ADDISON** T | 212.204.4318 [james.addison@penton.com](mailto:james.addison@penton.com)

FREE SUBSCRIPTION/STATUS OF SUBSCRIPTION/ADDRESS CHANGE/MISSING BACK ISSUES:  
OMEDA T | 847.513.6022 TOLL FREE | 866.505.7173

### SALES REPRESENTATIVES

MANAGING DIRECTOR: **TRACY SMITH** T | 913.967.1324 F | 913.514.6881 [tracy.smith@penton.com](mailto:tracy.smith@penton.com)  
NORTH AMERICA ACCOUNTS MANAGER: **RONALD KLIMKO** T | 216.931.9662 [ronald.klimko@penton.com](mailto:ronald.klimko@penton.com)

### INTERNATIONAL SALES

ITALY: **DIEGO CASIRAGHI** T | +011.390.31.261407 F | +011.390.31.261380 [diego@casiraghi-adv.com](mailto:diego@casiraghi-adv.com)

GERMANY, AUSTRIA, SWITZERLAND: **CHRISTIAN HOELSCHER** T | +011.49.89.95002778  
[christian.hoelscher@husonmedia.com](mailto:christian.hoelscher@husonmedia.com)

BELGIUM, NETHERLANDS, LUXEMBURG, UNITED KINGDOM, SCANDINAVIA, FRANCE, SPAIN, PORTUGAL:

**RACHEL DISANTO** T | +011.44.1625.876622 M | +011.44.7794.366887 [rachel.disanto@husonmedia.com](mailto:rachel.disanto@husonmedia.com)

PAN ASIA: **HELEN LAI** T | 866.2.2727.7799 F | 866.2.2728.3686 [helen@twoway-com.com](mailto:helen@twoway-com.com)

### ONLINE

MARKETING AUTOMATION SPECIALIST: **DAN KRAFT** [dan.kraft@penton.com](mailto:dan.kraft@penton.com)  
PRODUCT DEVELOPMENT DIRECTOR: **RYAN MALEC** [ryan.malec@penton.com](mailto:ryan.malec@penton.com)  
EMEDIA CLIENT SERVICE MANAGER: **JOANN MARTIN** [joann.martin@penton.com](mailto:joann.martin@penton.com)

### DESIGN ENGINEERING & SOURCING GROUP

EXECUTIVE DIRECTOR OF CONTENT AND USER ENGAGEMENT: **NANCY K. FRIEDRICH**  
GROUP DIRECTOR OF OPERATIONS: **CHRISTINA CAVANO**  
GROUP DIRECTOR OF MARKETING: **JANE COOPER**

### PENTON

1166 AVENUE OF THE AMERICAS, 10TH FLOOR  
NEW YORK, NY 10036 T | 212.204.4200

Electronic Design | Machine Design | Microwaves & RF | Source ESB | Hydraulics & Pneumatics |  
Global Purchasing | Distribution Resource | Power Electronics | Defense Electronics

PENTON IS AN INFORMA BUSINESS

## Advertisers Index

ACE CONTROLS.....	IBC
ACL SRL.....	19
ADSENS TECHNOLOGY.....	29
AIGNEP USA.....	18
AMETEK.....	15
ANCHOR FLUID POWER.....	4
ATOS SPA.....	11
AUTOMATION DIRECT.....	5
BUTECH BLISS INC.....	39
CFC TRAINING INSTITUTE.....	38
C.MATIC SPA.....	26
CLIPPARD INSTRUMENT LAB INC.....	23
CONVUM USA, INC.....	31
DELTA COMPUTER SYSTEMS.....	6
DEMAC.....	13
FLUID ENERGY CONTROLS.....	31
FLUIDYNE FLUID POWER.....	7
FOR SPA.....	36
HEINRICHS & CO.....	35
HYDRAULICS INC.....	24
INVENTIVE RESOURCES.....	35
MILWAUKEE SCHOOL OF ENGINEERING.....	32
MOTION INDUSTRIES.....	9
NACHI AMERICA, INC.....	25
O'KEEFE CONTROLS, INC.....	27
PWM CONTROLS INC.....	18
SANTEST CO. LTD.....	30
SC HYDRAULICS ENGINEERING CORP.....	24
SPECTRONICS CORP.....	17
THE LEE COMPANY.....	26
TOMPKINS INDUSTRIES INC.....	IFC, 29
VELJAN HYDRAIR LTD.....	1
VEST INC.....	3
WILKES & MCLEAN LTD.....	30

Although every effort has been made to ensure the accuracy of this index, the publisher cannot be held responsible for any errors or omissions.

We're  
**HIRING**

## HYDRAULIC SYSTEMS ENGINEER

Butech Bliss, a global supplier of metal processing equipment, is seeking well qualified, multi-talented individuals to take part in an extensive growth strategy.

Applicants should have the following qualifications and experience, including: Associates of Applied Degree in Fluid Power and a minimum of two to five years of designing hydraulic control systems and hydraulic power units. The Hydraulic Systems Engineer is responsible for the design and testing of hydraulics and control systems in our machinery. The individual must have the ability to design hydraulic control circuits, size hydraulic components and calculate flow and pressure requirements. The top candidate will demonstrate an understanding of fluid power filtration, hydraulic noise abatement, and have a working knowledge of various piping systems. The ability to design regenerative and accumulator based systems is a must.



Butech Bliss offers an attractive starting salary and fringe benefit package.

Interested persons should e-mail their resume & completed application in complete confidence to: [jobs@butech.com](mailto:jobs@butech.com).

**BUTECH  
BLISS**

550 S. Ellsworth Ave. Salem, Ohio  
[www.ButechBliss.com](http://www.ButechBliss.com)