

PHYSICAL EDUCATION and HEALTH

Volume I

Lualhati Fernando-Callo
Peter Fermin Dajime



SHS
613.7
C163
2016
c-4


CORE



First Edition

Preface	v
---------------	---

Health Optimizing P.E. (H.O.P.E.) 1

UNIT I Exercise Prescription

CHAPTER 1 – Exercise for Fitness

Physical Activity and Exercise	4
Importance of an Active Lifestyle	7
Barriers to an Active Lifestyle	12

CHAPTER 2 – Exercise Program Design

Principles of Exercise Training	17
FITT Principle	22
Parts of an Exercise Program	25

CHAPTER 3 – Types of Fitness Activities

Aerobic Training	32
Resistance Training	36
Flexibility Training	40

UNIT II Healthy Lifestyle

CHAPTER 4 – Modifiable Risk Factors of Lifestyle Diseases

Smoking	46
Poor Dietary Habits	48
Sedentary Lifestyle	48

CHAPTER 5 – Fuel for Performance

Proper Nutrition for Exercise	56
Eating Habits and Weight Control	61
Fad Diets and Supplements	62

- A**
- abdominal curl-ups, 7
 - ability (officiating), 107
 - action stage, 12
 - active coping strategies, 69
 - active lifestyle
 - barriers to an, 12–13
 - first step towards, 19–20
 - acute injuries, 77
 - first aid for, 89–92
 - acute stress, 66
 - adaptive coping, 69
 - adequacy, 48
 - Adenosine Triphosphate (ATP), 31, 32
 - administrative mind, 106
 - aerobic capacity, 6, 34–36
 - aerobic exercise, 8, 9, 32–35
 - aerobic system, 32
 - agility, 102
 - alarm stage, 67
 - alcohol, 51
 - anabolic steroids, 36
 - anaerobic systems, 32
 - anatomical splint, 90
 - angina pectoris, 49
 - ankle sprains, 92
 - anterior cruciate ligament (ACL), 79
 - anxiety, 11, 66
 - apical site, 32
 - arteriosclerosis, 49
 - asthma, people with, 35
 - atherosclerosis, 46, 49
 - ATP, 31, 32
 - attainable/achievable (objectives), 19
 - autogenic inhibition, 40–41
 - avoidant coping strategies, 69
 - awareness of work, 106
- B**
- back-arching ab stretch, 41
 - badminton, 100
 - balance (diet), 48
 - balance (sports), 102
 - ballistic stretching, 8, 40–41
 - bandage, 91, 92
 - Baret-Biedl syndrome, 62
 - basal metabolic rate, 62
 - basketball, 100
 - benign cancer, 50
 - benzene, 46
 - biking, 8
 - bleeding, 93
 - blood, 9
 - blood glucose levels, 8
 - blood volume, 93
 - BMI (body mass index), 21
 - body composition, 7
 - body mass index (BMI), 21, 22
 - bones, 76, 77
 - Borg's ratings of perceived exertion (RPE), 33
 - boxing, 17
 - bursa, 81
 - bursitis, 79, 81
- C**
- calcium, 58
 - calories, 62
 - cancer, 50
 - capillaries, 9

carbohydrates, 31, 57, 58, 59,
carbon monoxide, 47
carcinoma, 50
cardiopulmonary resuscitation (CPR), 88
cardiorespiratory (aerobic) exercise
intensity, 33
cardiovascular disease, 49
risk factors for, 20
cardiovascular system, 9
carotid pulse site, 32
challenge tournaments, 108–109
chronic injuries, 78–79, 80–82
first aid for, 92–94
chronic obstructive pulmonary disease (COPD),
51
chronic stress, 66
clinical exercise physiologist, 35
competition principle, 112
comprehensive training program, 82
compression, 92
compressive forces, 76
concussion, 80, 87–88
confidence (of officials), 107
confidence, 11
congestive heart failure, 50
consistency (of officials), 108
contemplation stage, 11
continuous improvement principle, 113
controlling, 106
cool down, 25, 27
coordination, 102
coping, 68–69
coronary heart disease, 49
people with, 35
court officials, 107
cramps, 41
crash diets, 60
creatine phosphate, 32
cross-functional principle, 113
cryotherapy, 92

cumulative stress, 66
customer principle, 112

D

dancing, 8
death among Filipinos, 4
decisiveness (of officials), 108
deep breathing, 68
dehydration, 82, 103
Department of Health (DOH), 4, 18
Department of Science and Technology
(DOST), 60
depression, 11
diabetes, 50
gestational, 51
type 1, 50–51
type 2, 7, 51
diagnosis, 87
diet, 62
dietary habits, 48
poor, 48
dietary supplements, 63
dislocations, 77, 78, 80
DOH (Department of Health), 4, 18
DOST (Department of Science and
Technology), 60
double elimination, 109–110, 111
dual sports, 98–99, 100
duration (of an exercise session), 22
duration, 8
dynamic stretches, 26
dynamic stretching, 8, 40–41

E

eating habit, 61
elastic bandage, 92
elimination tournament, 109
emotion-focused coping, 69
endorphins, 11
endurance program, 38

energy balance, 62
enjoyment (of officials), 108
environmental factors, 62
environmental tobacco, 47
exciting (objectives), 19
exercise(s),
 adaptation of the body to, 9–10,
 aerobic 8, 9, 32–35
 attire, 83
 benefits, 7, 9–11
 definition, 8
 difficulty of, 8
 environmental conditions, 83
 food eaten
 before, 58
 during, 59
 after, 59
 flexibility, 7, 10, 26, 40–41
 frequency of, 22
 injuries during, 76–79
 intensity of, 22, 33
 multi-joint, 26, 39
 program, 8–9, 18–23
 as physical activity, 5
 psychological benefits, 11
 resistance, 8, 10, 36–39
 stretching, 8, 10, 26, 40–41
 technique, proper, 83
 time of an, 22
 training, 17–18
 type(s) of, 8, 22
 volume of, 8
 workout, 25–27
exercise load, 25
exhaustion stage, 67
expectations, 70
experience (officiating), 107
external factors, 62

F

fad diets, 62
Fartlek training, 34
fast twitch fibers, 38
fats, 31, 57, 62
field officials, 107
Filipino pyramid activity guide, 5 (figure)
first aid
 acute injuries, 89–92
 chronic injuries, 92–94
first-hand smoke, 47
fitness coaches, 8
fitness contract, 18
fitness See physical fitness
fitness trainers, 8, 39
FITT (frequency, intensity, time, and type)
 principle, 22–23
flexibility exercise/training, 7, 10, 26, 40–41
FNRI (Food and Nutrition Research Institute),
 4, 60
folate, 58
Food and Nutrition Research Institute (FNRI),
 4, 60
formaldehyde, 46
fractures, 77, 78, 80
frequency (of an exercise), 22
frequency, intensity, time, and type (FITT)
 principle, 22–23

G

General Adaptation Syndrome (GAS), 67
genetic factors, 62
gestational diabetes, 51
glucose, See carbohydrates
glycolytic system, 32
Go Sigla, 52
Go Slow sa Tagay, 52
Go Smoke-free, 52
Go Sustansya, 52
goals, performance, 18

Gorres, Z "The Dream," 87
gym etiquette, 83

H

health-related physical fitness, 102
healthy behaviors, 11
healthy food, 51
healthy lifestyle, 51
heart, 9
heart attack, 49
heart rate, 32, 33
heart rate reserve (HRR), 33
heart rhythm abnormalities/arrhythmia, 50
heat illnesses, 81–82
heat stroke, 81–82, 94
hero stretch, 41
high intensity continuous training, 34
high intensity interval training, 34
high school students (Filipinos), physical activity level, 4–5
HRF test battery, 19
human relations, 106
humor, 69
hurdler's stretch, 41
hydration, 103
hydrogen cyanide, 46
hyperthermia, 82
hypertrophy, 38
hypothermia, 82

I

ice, 92
immobilization technique, 90–91
immune suppression, 60
inchworm (stretching), 26
individual sports, 98–99
infection prevention, 93
inflammation, 78
 controlling, 91

inflammatory response, 78
injuries, 76, 77, 78–79, 80–82
injury evaluation, 87
instrumental coping, 69
integrity (of officials), 108
integrity, 106
intellectual capacity, 106
intensity, 8
 of an exercise, 22
internal factors, 62
iron, 58

J

joints, 10, 40, 76, 77
Jordan, Michael, 98
judgment (of officials), 108

K

knee, 81

L

ladder tournament, 108, 112
leader, good, 106
leading, 106
leukemia, 50
 lifestyle diseases, 41, 49–51 *See also*,
 noncommunicable diseases
 government programs, 52
 ways to prevent, 51–52
ligaments, 76, 77, 79
Lombard round robin, 109
long and slow training, 34
long-term goal, 18
low back pain, 40
lung cancer, 50
lunge, 24
lungs, 46
lymphoma, 50

M

macronutrients, 56–57
mainstream smoke, 47
maintenance stage, 12
maladaptive coping, 69
malignant cancer, 50
management
 definition, 105
 functions, 106
market analysis, 113
market strategy, 113
marketing, 112–114
maximal heart rate (MHR), 33
measurable (objectives), 19
meditation, 68
men, aerobic capacity and muscular strength
 of, 36
micronutrients, 56–58
minerals, 58
mission (sports events), 113
mitochondria, 32
mood of an individual, 11
motivation (of officials), 108
movement patterns, 23–25
movement screen, 19
movement screening, 23
multi-joint exercises, 26, 39
muscle cramps, 41
muscle imbalance, 23
muscle spasm, 41
muscle-tendon unit, 10
muscles, 10, 76, 77
muscular endurance, 7
muscular strength, 6, 35
musculoskeletal system, 10
 of children and adolescents, 36–37
myotatic stretch reflex, 40

N

National Guidelines for Physical Activity for
 Filipinos, 6, 32
nervous system, 10
niacin, 57
nicotine, 47
noncommunicable diseases, 4, 46
 programs to prevent, 52–53
nutrients, 56–58
Nutrition Council (NNC), 53
nutrition, 56
 day-to-day, 60
 poor, 60
Nutritional Guidelines for Filipinos, 52
nutritious diet, 62

O

objectives, 19
objectives (sports events), 113
officiating, 107
Olympic lifts, 39
one mile run test, 20, 22
one minute curl-up test, 21, 22
one minute push-up test, 20, 22
one repetition maximum (1RM), 37
organization, 105
organizing, 106
osteoarthritis, 79, 81
outside officiating, 107
overuse injuries, 77
oxygen, 9

P

pain, 89–90
PAR-Q (physical activity readiness
 questionnaire), 19–20
Philippine Association for the Study of Obesity
 and Overweight, 5
phosphagen system, 32

- physical activity readiness questionnaire (PAR-Q), 19–20
 - physical activity
 - definition, 4–5
 - factor to prevent lifestyle disease, 51
 - moderate-intensity physical activity, 103
 - pyramid, 5–6
 - physical fitness
 - definition, 6
 - evaluation of, 20–22
 - importance, 7
 - health-related components of, 6–7
 - physical inactivity, 4, 49
 - physical recreation, 69
 - Pilipinas Go4Health*, 52
 - Pinggang Pinoy*, 56, 60
 - place or distribution strategies, 114
 - planning, 106
 - plow stretch, 41
 - poise (of officials), 108
 - power, 103
 - power program, 38
 - practice principle, 113
 - Prader-Willi syndrome, 62
 - pre-contemplation stage, 11
 - preparation (officiating), 107
 - preparation stage, 12
 - pre-participation screening, 19–20
 - PRICE (protect, rest, ice, compression, and elevation) principle, 91–92
 - pricing strategies, 114
 - primary survey, 87
 - principle
 - of individuality, 18
 - of overload, 17
 - of progression, 17
 - of reversibility, 18
 - of specificity, 17
 - problem-solving, 69
 - product/program strategies, 113
 - progressive relaxation, 68
 - promotion strategies, 114
 - proprioception, 25
 - proprioceptive neuromuscular facilitation (PNF), 40
 - protect, rest, ice, compression, and elevation (PRICE) principle, 91
 - protective equipment, 82
 - proteins, 57
 - public (of sports events), 114
 - pulse rate, 32, 33
 - push-up(s), 7, 25
 - pyramid tournament, 109, 112
- Q**
- R**
- radial pulse site, 32
 - rapport (of officials), 108
 - reaction time, 102
 - realistic (objectives), 19
 - reciprocal inhibition, 41
 - recorded (objectives), 19
 - recovery strategies, 82
 - recovery, 27, 38
 - adequate, 84
 - long, 60
 - nutrition, 59
 - relaxation, 68, 69
 - repetitive movements, 23
 - resistance exercise/training, 8, 10
 - for beginner, 37
 - for children and adolescents, 36–37
 - increase muscle mass, 38
 - minimizing injury during, 39
 - resistance machines, 8
 - resistance stage, 67
 - rest, 91
 - resting heart rate, 33, 35

rheumatic fever, 49
riboflavin, 57
rigid splint, 90
round robin, 109
round-robin tournament, 109, 110
running, 6, 8

S

safety equipment, 103
sarcoma, 50
secondary survey, 88–90
second-hand smoke, 47
sedentary lifestyle, 7, 48 *See also*, physical inactivity
self-esteem, 11
self-officiating, 107
Selye, Hans, 67
shear forces, 76–77
shinbone, 80
shock, 93–94
shoes, 84
short-term goal, 18
shoulder stand, 41
sidestream smoke, 47
single elimination, 109–111
sit and reach, 7; test, 21
skill-related physical fitness, 102–103
sleep, 68
slow twitch fibers, 38
SMARTER objectives, 19
smoking, 11, 46–47, 51
soft splint, 90
softball, 100
specific (objectives), 19
speed, 103
spider web tournament, 109, 112
spiderman (warm-up), 26
splinting, 90–91
sport(s)
attire, 83
choosing a, 102
environmental conditions, 83
fitness in, 102–103
injuries, 79–82
 management of, 89–94
 safety measures to avoid, 103
learning a, 99
 as physical activity, 5
skills in, 101
technique, proper, 83
types, 98–99
sports drinks, 56
sports events
 management, 105
 marketing, 112–114
sprain, 77, 78, 79
squat, 23
staffing, 106
stakeholder principle, 113
static stretching, 8, 26, 40
straight elimination, 109
strain, 77, 79–80
strength program, 38
stress fracture, 79, 80
stress, 11, 51
 causes and effects of, 66–67
 definition, 66
 management of, 68
stressful situations, 67
stressor, 66–67, 68
stretching exercise, 8, 10, 26, 40–41
 for beginners, 41
sugars, 59
support, seek, 69
swelling, 78, 91, 92
swimming, 8

T

table tennis, 99
tactical skills, 101
tar, 47
target heart rate (THR), 32–33
team sports, 98–99, 100–101
technical skills, 101
temporal pulse site, 32
10 Kumainments, 56
tendinitis, *See* tendinopathy
tendinopathy, 79, 81
tendons, 76, 77
tensile forces, 76
testosterone, 36, 39
thera-band, 8
thermic effect of food, 62
thiamin, 57
third-hand smoke, 47
time (objectives), 19
time (of an exercise session), 22
time management, 69
tobacco, 47
total resistance exercise (TRX), 8
tournament
 formats, 108–112
 officials, 106–108
transtheoretical model, 11–12
trunk forward flexion, 7
trunk rotation, 24–25
TRX (total resistance exercise), 8
twisting lunge walk (stretching), 26
type (of an exercise activity), 23

U

unhealthy lifestyle/habit, 11
 diseases associated with, 49–51

V

variety, 48

venting, 70
visualization, 68
vitamin A, 57
vitamin B, 57
vitamin B12, 57
vitamin B6, 57
vitamin C, 58
vitamin E, 58
VO₂max, 9, 34–35
volleyball, 101

W

waist circumference, 7
waist girth test, 21, 22
walking, 50
warm-up, 25–26
water, 57
weather condition, 103
weight changes, 60
weight control, 61–62
weight lifting, 6
WHO (World Health Organization), 4
Women

 aerobic capacity and muscular strength
 of, 36
 effects of weight lifting to, 39

World Health Organization (WHO), 4
wounds, 93

XYZ

zinc, 58