


No one ever reaches the end of sailing.
There is always another horizon.
Here are the courses to steer.

THE
BLUE BOOK
OF
SAILING



THE 22 KEYS TO SAILING MASTERY

ADAM CORT



THE
BLUE BOOK
OF
SAILING

THE 22 KEYS TO SAILING MASTERY

Adam Cort



Camden, Maine • New York • Chicago • San Francisco • Lisbon • London • Madrid • Mexico City • Milan
New Delhi • San Juan • Seoul • Singapore • Sydney • Toronto

CONTENTS

INTRODUCTION	Introduction.....	1
ONE	Knowing the Angles <i>How Wind Apportions the World</i>	4
TWO	Getting Where You Want to Go <i>And Why Sailing Close-Hauled Is Fundamentally Different</i>	16
THREE	How to See the Wind <i>Observing What You Can't See, Divining What You Can't Know.....</i>	26
FOUR	Catching the Wind <i>Why Sails Are More Complex Than Airplane Wings.....</i>	37
FIVE	Steering with Your Sails <i>And How the Keel and Rudder Lift You to Windward.....</i>	52
SIX	The Anatomy of a Knot <i>The Role of Friction and Knowing When to Let Go</i>	67
SEVEN	Docking Under Sail and Power <i>The Two Are More Similar Than You Might Think</i>	78
EIGHT	Sail Plans and Lines Drawings <i>How Sheer Lines, Bows, and Sterns Affect Sailing Performance</i>	91
NINE	Keels, Rudders, and Other Hull Features <i>Different Shapes for Speed, Comfort, and Durability</i>	105
TEN	Why Sailboats Don't (Usually) Tip Over <i>And How Best to Leverage Your Center of Buoyancy</i>	115

ELEVEN	The Nuts and Bolts of Design Ratios <i>Comparing Apples and Oranges in the Sailing World</i>	125
TWELVE	Boat Speed <i>Drag, Waves, Bustles, and Theoretical Limits</i>	141
THIRTEEN	Sailing Faster Using Telltales <i>An Elegant, Low-Tech Means of Achieving Perfect Sail Trim</i>	148
FOURTEEN	Using Spring Lines to Leave a Dock <i>Harnessing a Botta Secreta to Get You Out of a Tight Spot</i>	154
FIFTEEN	Why Sails Are Triangular <i>And Why So Many Sailboats Have Two of Them</i>	159
SIXTEEN	Some Thoughts on Heavy Weather <i>The Way of the Windjammer Is Still the Best</i>	174
SEVENTEEN	The Making of a Good Boat <i>Functionality, Like Beauty, Is in the Eye of the Beholder</i>	189
EIGHTEEN	How Fiberglass Boats Are Built <i>And Why They Are Magnificent</i>	206
NINETEEN	Keeping from Running Aground <i>The Wealth of Information on a Nautical Chart</i>	218
TWENTY	Keeping from Running Aground—Part Two <i>Using a Chart to Navigate</i>	230
TWENTY-ONE	How Racing Can Make You a Better Sailor <i>Around the Buoys or Around the Harbor, the Skills Are the Same</i>	241
TWENTY-TWO	Why We Sail <i>Nothing Ventured, Nothing Gained</i>	253
	Bibliography	256
	Index	259

INDEX

Numbers in **bold** indicate pages with illustrations

abandoning ship, 184–85

Aero-Hydrodynamics of Sailing (Marchaj), 40

aerodynamics, 40, 55

Age of Sail, 160–61, 169

aids to navigation (ATONs), 228

air flow, 41

air pressure, 38–39, 50

air velocity, 51

Alerion, 137, 139–40

America's Cup: cunningham

and, 45; Dennis Conner and,

249; naval architecture

and, 9, 91, 93, 108, 146;

reverse transom and, 102;

Rich Stearns and, 61; rigging

and, 165–66; rules and, 118,

203–4; tacking and, 20;

winches and, 169

anchoring, 89, 216

angle of attack, 41, 48–49, 57–58, 150

angle of maximum stability, 123

angle of sail, 6, 8, 15, 29; beating,

5–9, 18, 41, 54; jibing and,

11, 20–25, 64–65; reaching,

5, 7–9, 17–18, 41; running, 5,

7, 17; twist and, 47

Annapolis Book of Seamanship, The (Rousmaniere), 229

apparent wind, 48

Archer, Colin, 103

Atlantic (schooner), 146, 219

ATONs (aids to navigation), 228

Australia II (winged keel), 108

B/D (ballast-to-displacement ratio), 136, 140

backing up, 84–85, 89

backwinding, 5, 17–19, 21, 43, 46, 62

Baja Ha-Ha Rally, 251

balance, 53–54

ballast, 105–6, 115–19, 120, 122, 124, 136, 160

ballast-to-displacement ratio (B/D), 136, 140

balsa cores, 214

bark rigs, 38, 53, 62, 174

battens, 131

Bay of Fundy, 222

Bay of Islands, 202

beam, 134–35

bearings, 13, 230, 232

Beaufort scale, 35

Beowulf (ketch), 172

bermuda rigs, 166–68

Bernoulli's principle, 37–38, 57

Bernoulli, Daniel, 37, 41

berths, 193–94

bilge water, 113

bilges, 112

blistering, 210

blocks, 46

Bluenose (schooner), 99

bluewater cruisers, 103, 124, 172, 190–95

boatbuilding, 105, 159–73, 213

body plans, 94

boom, 21, 152

botta secreta, 154–58

bow styles, 99–101, 100, 113–14, 119, 142

bow thrusters, 155

bowline, 74–76, 75

bowsprit, 171

braking, with dock lines, 88

Britannia (cutter), 93, 167

broaching, 66, 123

Buck, Pearl S., 1

bulkheads, 214–15

bungs, 214

buoyancy, 98–99, 115–24

Burgess, Edward, 93

Burns, Robert, 238

bustle, 146

Calder, Nigel, 129–30, 191–93, 215, 229

Calumet Harbor, 176

canoes, sailing, 165

canting heel, 118

Cape Horn, 7–8, 24–25, 33, 174, 208, 254

Cape Horn to Starboard (Kretschmer), 208

Cape of Good Hope, 24–25

Cape Trafalgar, 160

capsizing, avoidance of, 164

Carothers, Wallace Hume, 70

Catalina, 119, 198

catamarans, 28, 119, 121

catboats, 101, 114

CB (center of buoyancy), 116–24

CCA (Cruising Club of America), 173, 252

CE (center of effort), 54–66, 56, 59, 60, 64

Center for Wooden Boats, 74

center of buoyancy (CB), 116–24

center of effort (CE), 54–66, 56, 59, 60, 64

- center of gravity (CG), 117–24, 136
- center of lateral resistance (CLR), 55–58, 56, 59, 60, 63
- centerboards, 59, 165
- centerline, 47, 49, 120, 152
- CG (center of gravity), 117–24, 136
- Chamber's Island, 30
- Chapman Piloting & Seamanship*, 229
- charts, 230–40
- Chicago Mac Race, 251
- Chicago Yacht Club, 151
- chines, 113
- chopped strand mat (CSM), 209
- chord length, 42, 107
- circulation fields, 38–40, 50–51
- circumnavigation, solo, 172
- Cleveland Harbor, 220
- clew, 44
- clipper ships, 7–8, 100
- CLR (center of lateral resistance), 55–58, 56, 59, 60, 63
- CMG (course made good), 236
- coastal cruisers. *See* daysailers
- cockpits, 101–2, 194–95
- collisions, 14–15, 60, 111
- Columbia*, 45
- Columbia River Gorge, 32
- Com-Pac Yachts, 201
- communication, 14–15, 20, 24, 61
- compass cards, 5
- compass headings, 13, 27
- compasses, 219–22, 221, 230–32
- competitive seamanship, 244–47
- Complete Guide to Choosing a Cruising Sailboat*, *The* (Marshall), 191
- Conner, Dennis, 205, 249
- Cort, Shelly, 33, 202, 218, 238, 254
- Cortship II* (Ensign), 197–98
- course made good (CMG), 236
- courses: adjustments to, 7, 19; setting, 234–35
- Courts, Russell, 20, 205
- cove stripes, 114
- crabbing, 87, 89
- Crealock, Bill, 103–4
- crevice corrosion, 177
- crew weight, ballast and, 120
- cross-track error (XTE), 233
- Cruising Club of America (CCA), 173, 252
- CSM (chopped strand mat), 209
- cunningham, 44–45
- Cunningham, Briggs Swift, 45
- currents, 87, 226, 234–38
- Curry, Dr. Manfred, 131
- cutters, 106, 171
- D/L (displacement-to-length ratio), 127–30, 137
- Dacron, 169, 199
- Dashew, Steve, 172
- daybeacons, 12
- daysailers: sails for, 44; specifications of, 195–96
- deadrise, 112–13, 119
- deep-sea sailing ships, 24
- depth, 222
- design. *See* naval architecture
- displacement, 112, 117–18, 126–30, 142, 144
- displacement-to-length ratio (D/L), 127–30, 137, 193
- ditch bag, 185
- dividers, 231
- dock lines, 82, 88, 154
- docking, 78–90; currents and, 87; downwind, 82–83; leaving, 63, 155–58, 157; preparations for, 81; under motor, 83, 86; under sail, 79, 80; wind and, 87, 89
- downwind, sailing, 16–18
- draft, 41–46, 42, 43, 119
- drag, 141–44, 143
- drogues, 187
- Edgewater Yacht Club, 198
- Endeavour* (J-class), 168
- endplate effect, 108
- English sailing barges, 164
- Ensign, 28–29, 33, 79, 197–98, 200
- Fastnet Race, 122
- fenders, 156
- fiber-reinforced plastic (FRP), 209
- fiberglass, 206–17
- fiddles, 194
- Fife, William III, 93
- fighting ships, 114
- Finisterre* (yaw), 173
- Flying Dutchman*, 109
- foils, 38–40, 79, 105–14, 107
- foot, 44–45
- force, 35, 39, 43
- fore-and-aft-rigged vessel, 23
- fore-reaching, 184
- foresails, 45–46, 55, 131, 170.
See also specific types
- forestay, 171
- foretriangle base, 130
- form drag, 141–42
- form stability, 116
- Fossett, Steve, 133
- foul weather gear, 181
- Fox, Uffa, 106, 167, 172, 241
- free-sailing method, 55
- freeboard, 114, 177
- friction, 67–68
- frictional drag, 141–44
- Froude, William, 141
- FRP (fiber-reinforced plastic), 209
- Furious Fifties, 33, 175
- gaff rigs, 162–67, 165, 166, 173
- gales, 122
- galley, 194
- gelcoat, 210
- genoas, 55, 131–32, 169
- Gentry, Arvel, 38, 50
- George A. Stinson (freighter), 113
- Gerr, David, 126
- Gigi (Contessa 32), 208
- glass-reinforced plastic (GRP), 209–12
- Global Challenge, 24–25
- Gloriana*, 144
- Goose (Lightning), 28–29, 33
- Gould, Duncan, 181
- Gould, Irene, 181
- GPS navigation, 219, 234
- gradient wind, 34

- Grand Banks, 99
gravity, center of, 117-24, 136
Great Lakes, 158, 175
Green Bay, 30, 241
GRP (glass-reinforced plastic),
209-12
gun tackle, 168
- Half Pint-o-Rum Race, 251
half-load displacement, 129
halyards, 44
hard bilges, 112
harnesses, 176-77, 181
Hayday (Q-boat), 145
heading, 5-6, 18
headland, 32
headroom, 114
Heart of America, 61
heaving-to, 101, 183, 184
heavy weather, 46, 65, 102,
174-88
heeling, 27, 42, 47, 65-66,
116, 119
Helldiver (Tartan Ten), 52
helm, leverage on, 63
Herreshoff, L. Francis, 114, 206,
208
Herreshoff, Nathanael Greene,
93-94, 144, 169, 200, 206
hockle, 70
hoist, 130
Hook Race, 34, 52, 182
How to Read a Nautical Chart
(Calder), 229
How to Sail Around the World
(Roth), 191
hulls: buoyancy and, 119;
displacement and,
141-42; speed of, 144-47;
types of, 9-10, 63, 97, 106,
133-35, 199-202; volume
and, 126
Hunt, C. Raymond, 103
hydraulic rams, 118
hydrodynamics, 96, 100, 105, 107
hydroplaning, 146
- in irons, 5, 20, 62
International Measurement
System, 122
- International Offshore Rule
(IOR), 114, 118, 122,
146, 204
Intracoastal Waterway,
108, 218
Intrepid, 146
IOR-style sloop, 169
Island Packet, 32, 107, 137,
138, 140
- J/24, 98
J-class yachts, 103, 108,
118
jacklines, 176-77
jaw, 164
jibing, 11, 20-25, 64-65
jibsheets, 19-21, 30, 45-46,
51; lead position and,
47; mainsail interactions
with, 50; overlapping, 131;
sheeting in, 62
Jordon, Donald, 187
- keels, 39, 105-14, 108;
attachment of, 215; canting,
118; deep, 108; fin, 55,
105, 106, 160, 165; fixed,
118; full, 55, 105, 107, 109;
high-aspect, 108; modern,
57-58; surface of, 58;
winged, 108
Kemp, Dixon, 92
ketches, 172-73
Killing, Steve, 55, 112
knots, 67-77, 75, 76, 77
Kretschmer, John, 208
- L/B (length-to-beam ratios),
134-35, 140, 193
Lady Samoa (car ferry),
238-39
Lake Champlain, 147, 202
Lake Erie, 5, 188, 198
Lake Huron, 109
Lake Michigan, 29, 33, 175-76,
182, 197
Lake St. Clair, 207
Lake Union, 74
land breeze, 34
larboard. *See* starboard
- Last Grain Race, The* (Newby),
4, 38
Last Time Around Cape Horn,
The (Stark), 174-75
lateen rig, 162
lateral resistance, 54
lee cloths, 180
lee helm, 56, 58
lee shore, 13
leech, 38, 47
leeward, 11-15, 13, 18, 31
leeway, 12, 57
length overall (LOA), 100-101,
126, 144, 199-202
length-to-beam ratios (L/B),
134-35, 140, 193
Lexcen, Ben, 108
life jackets, 181
lifeboats, 184-85
lift, 38, 41, 57
lift forces, 107
Lightning, 28-29, 33, 113, 166, 200
limit of positive stability (LPS),
122-24, 123, 192
line drawings, 94, 94-95, 97
line of position (LOP), 230-32
lines, 154-58. *See also* ropes
Lipton, Sir Thomas, 93, 169
Lloyd's Register of Yachts, 92
LOA (length overall), 100-101,
126, 144, 199-202
load waterline length (LWL),
100-102, 127, 143-44
Long Island Sound, 101
long rons, 127
LOP (line of position), 230-32
LPS (limit of positive stability),
122-24, 123, 192
luff, 38, 45, 168
luffing, 5, 17-19, 21, 43, 46, 62
lug rigs, 161
LWL (load waterline length),
100-102, 127, 143-44
- M & M Yacht Club, 241
Mackinac Island, 108-9, 204, 251
magnetic north, 220
mainsails, 19-21, 50, 61, 153,
171, 180. *See also* specific
types

- Mainstreet* (J/145), 108–9
Maltese Falcon (square-rigger), 135
 man-overboard, 176–77
 Marchaj, C. A., 40
 Marconi rigs, 166–68
Mari Cha IV, 146
 Marshall, Roger, 191
 masts, 160–72
Mayflower (sloop), 93
 MC-scow, 98
 Melges 20, 107
 Melges 32, 97
 Mercator projections, 227
 merchant sailing, 175
 metacenter, 117
 Millennium Mackinac race, 204
 Milwaukee Community Sailing Center, 29
 Milwaukee Harbor, 33
 Milwaukee River, 30, 33
 Milwaukee Yacht Club, 29
Mirabella V (bermuda rig), 168
 mizzenmast, 173
 momentum, 20
 moorings, 78–90
Moshulu (bark rig), 38
 motoring, 85–86
Mowhawk (schooner), 93
 multihulls, 121–22
My Yacht (dinghy), 4

National Fisherman, 4
 National Oceanic and Atmospheric Administration (NOAA), 220, 229
Nature of Boats, The (Gerr), 126
 nautical charts, 218–29
Navahoe (cutter), 167
 naval architecture, 54, 91–104, 117, 125–40, 159–73
 navigation, 230–40
 Nelson, Horatio, 159
 neutral helm, 57
 New York Harbor, 101
 New York Yacht Club, 93
 Newby, Eric, 38
 Newton, Isaac, 115
 Nicholson 35, 96

Nigel Calder's Cruising Handbook (Calder), 129–30, 191
 nineteenth century, sailing in the, 7
 no-wake zones, 158
 NOAA (National Oceanic and Atmospheric Administration), 220, 229
 Nordic 44, 94
 normal pressure drag, 141–42
 north, 220
Nyria (cutter), 167

 Oberbrunner, Bob "Overboard," 52–53
 ocean crossing, 7
 offshore sailing: heavy-weather and, 178; racing and, 146; stowage and, 180
Olympia, 219
Oona (cutter), 93
 Open Class boats, 9, 10, 101, 117
 Open 60, 10, 118
 Optimist dinghy, 162–63, 246
 outhaul, 44–45
 overhangs, 145
 Owens-Corning, 209

 Pacific Seacraft, 103–4, 126–27
Pamir (bark rig), 174, 175
 parallel rules, 231
 Passagemaker dinghy, 165–66
 passagemaking, 215–16
 Paton, William Evans, 93
 pendants, 178–79
 Penobscot Bay, 93
 Performance Handicap Racing Fleet (PHRF), 252
 Perry, Robert, 94, 103, 104, 112
 Picnic Cat, 201
 Pillsbury Sound, 32
 piloting, 219, 235
 pinching, 150
 planing, 134, 146
PlayStation (catamaran), 133
 plotting, 234–35
 Pocahontas, 77
 point of sail. *See* angle of sail

 Polynesian proas, 18, 21, 22
 port, 10–11, 13
 Port Huron-Mac, 108
 pressure: at tiller, 57; at wheel, 57
 pressure differential, 38–41
 prop walk, 84, 87, 156
 prop wash, 87
 propeller: lines caught in, 156–57
 Puget Sound, 24, 169
Puritan (sloop), 93

 racing, 241–52, 242, 246;
 "heating it up" and, 250;
 adjustments made while, 245; awareness of boat and, 250; courses of, 243; factors encountered while, 245; getting "in phase" and, 248–49; handicap, 204, 252; rules of, 242–44; sails for, 44; shifting winds and, 247–48
 racing boats, 203–5
Ranger (J-class), 168
 Red Hook Harbor, 32
Reliance (sloop), 169
 reserve buoyancy, 98
 reverse, 84–85, 89
 reverse transoms, 102
 Rhodes Bantam, 83
 rigging: types of, 160–73
 righting arms, 117–18
 righting moment, 117, 119, 121, 122, 136. *See also* limit of positive stability (LPS)
 roach, 130–32
 Roaring Bull Rock, 4
 Roaring Forties, 25, 33, 175
 Rogers, 30
 root elements, 67
 ropes, 68–76, 169, 171. *See also* lines
 Roth, Hal, 191
 Roufs, Gary, 122
 Rousmaniere, John, 229
 rudder shaft. *See* rudderstock
 rudders, 105–14; in irons and, 5; lift and, 57–58, 79; not using, 60; types of, 110; upwash and, 39

- rudderstock, 111
- rule of twelfths, 225
- running aground, 109, 218–29
- SA/D (sail area to displacement ratio), 130–33, 140, 196–99
- sail trim, 148–53
- sailcloth, 27
- Sailing Alone Around the World* (Slocum), 239
- sailing canoes, 165
- Sailing magazine*, 4, 85, 91, 104, 108, 174, 176, 181, 200, 206, 208
- Sailing, Seamanship, and Yacht Construction* (Fox), 167
- sailmaking, 44, 54, 164
- sails, 37–51, 159–73. *See also* specific types; barwing, 165; chord of, 48; curvature of, 41–44, 42, 43, 47; draft of, 42; flattening, 47; foot of, 44; force against, 39; heavy-weather and, 175, 177; leech of, 45; lift of, 44; plans for, 91–104, 95, 96, 170; pressure in, 63; shape of, 45, 48; sheeting, 43; stalling the, 150; steering with, 52, 59, 61; surface area of, 17, 38, 41, 130–33, 131, 169; trimming, 15–19, 27–28, 48, 59, 62–63; trysail, 179; twist of, 46; working, 133
- sandbagger fleets, 101
- Scandal in Bohemia* (Holmes), 26
- Sceptre*, 45
- Schanen, Bill, 108
- schooner rigs, 9, 99, 164, 173
- Scout* (sloop), 28
- SCRIMP (Seemann Composites Resin Infusion Molding Process), 212
- sea anchors, 185–86
- sea breeze, 34–35
- seacocks, 213
- Seaman's Grammar* (Smith), 77
- seamanship, competitive, 244–47
- seaworthiness, 99
- Seemann Composites Resin Infusion Molding Process (SCRIMP), 212
- series drogues, 187
- settees, 193–94
- setting a course, 234–35
- Shamrock II*, 93, 169
- Shamrock V* (J-class), 168
- sheerlines, 97–98
- shrouds, 177
- Sir Chay Blyth's Global Challenge, 24–25
- Sir Francis Drake Passage, 149
- skegs, 111
- skin friction, 92
- slack bilges, 112
- sliding gunter, 165
- Slocum, Joshua, 172–73, 219, 239
- sloops, 21, 24, 37, 152, 159–60, 167–72, 216
- slow speeds, maneuvering at, 85
- Smith, John, 77
- smoking, wind direction and, 28
- snotters, 163
- solo circumnavigation, 172
- solo sailing, 9
- Sömmarström, John, 38
- South Shore Yacht Club, 29
- Southern Cross 31, 95
- span, 107
- Sparkman & Stephens, 146
- speed, 15, 18, 20, 141–47
- spinnakers, 24, 30, 34, 65–66, 72, 147, 244
- Spray* (yaw), 172–73
- spring lines, 154–58, 157
- spritsails, 162–64, 163
- square rigs, 9, 21–24, 52, 61, 77, 174
- St. Lawrence skiff, 60
- stability, 122–24, 123, 135
- standing headroom, 114
- Star, 113, 119
- starboard, 10–11, 13
- Stark, William, 174–76
- starting vortex, 38
- stays, 171
- Stearns, Rich, 61
- steering, 11, 15, 17, 18; control of, 5; with sails, 59
- Stephens, Olin, 146, 173
- stern design, 101–3
- Stockholm Harbor, 93
- storage, 194
- storm sails, 42, 44, 179
- stowage, 180
- Sturgeon Bay, 34, 52
- sump, 113
- Sumurun* (ketch), 93
- Sunfish dinghy, 162
- surface area, 142
- Sydney 41, 28
- Sydney Harbor, 100
- tacking, 11, 20–23, 22, 25, 62
- tackle, 168
- taffrail, 95
- Tartan Ten, 52–53, 60
- Tartan Ten National Championship, 147
- Techera, Ty, 208
- telltails, 28–29, 148–54, 152, 153
- tethers, 177
- theoretical hull speed, 142, 144–47
- theory of relativity, 67
- through-hulls, 214
- rides, 222–26, 225
- tiller, 57, 60, 117, 187
- Tinkers Island, 4
- topsides, 99
- tracking ability, 111
- trade winds, 8–9, 26, 32
- transoms, 102
- true north, 220
- true wind, 48
- trunnels, 159–60
- trysails, 179
- turbulence, 58
- turn of the bilge, 112–13
- 12-meter yachts, 9, 118
- twist, 46–50, 47, 49, 164
- Two Rivers Harbor, 182
- Typhoon*, 106
- U.S. Coast Guard, 176
- U.S. Virgin Islands, 32
- Universal Rule, 118
- upwash, 38, 51
- USS *Constitution* (frigate), 69, 100
- Valiant 40, 103
- vang, 48–50

Vasa (warship), 92-93
vector plots, 235, 237
velocity, 38
VELUX 5 Oceans race, 9
Vendée Globe, 9, 122
ventilation, 65
venturi effect, 32
vertical datum, 222-23
Verve Cup, 151
Viking longships, 11, 18
Vittoria, Joe, 168
VOC (volatile organic
compounds), 212
Volvo round-the-world race, 9,
110-11, 146-47, 204
watertlines, 94
Watson, George Lenox, 93
wave height, 143
wavelength (WL), 142-43
waypoints, 238
wear ship, 22-23
weather helm, 55-61, 56

weather-vane effect, 21, 63
Weetamoe (J-class), 168
West Marine, 149
Westrail 32, 97, 103, 197
wettted surface, 108, 142
whales, collisions with, 111
William Fife ketch, 93
winches, 168-69
wind: behaviors of, 31-35;
direction of, 6, 11, 18, 26-36,
32, 38, 81; docking in,
87-89; indicators of, 28-31,
35-36; marinas and, 82;
motoring in, 85-86; pressure
of, 48; speed of, 27, 28, 33,
35-36, 38, 48
windage, 83
Windex, 28-29
windjammer sailors, 175, 181
windsurfing, 59
windvanes, 28
windward, 11-15, 18-20

winter rig, 161
WL (wavelength), 142-43
wood models, 94
wooden boats, 206-7
wooden plugs, 214
working sails, 133
World War II, boat design in,
110

XTE (cross-track error), 233

Yacht and Boat Sailing, 92
Yacht Design According to Perry
(Perry), 112
Yacht Design Explained (Killing),
112
Yankee, 168
yawls, 172-73

zero righting moment. See limit of
positive stability (LPS)
zigzagging, 25

